

Lady Reading Hospital (LRH) Medical Teaching Institution (MTI) Peshawar Contact No: 091-9211430 EXT-1702

### **BID SOLICITATION DOCUMENTS**

For

## "HVAC and Medical Gases Consumables/spares 2024-25" (Single Stage Single Envelop)

**Note:** The prospective bidder is expected to examine the Bidding Documents carefully, including all Instructions, Terms & Conditions, and Specifications etc. Failure to furnish all information required by the Bidding documents or submission of a Bid not substantially responsive to the Bidding Documents in every respect would result in the rejection of the Bid.

	$cO^{\prime}$	
Assistant Manager Material Management	HVAC Engineer	Sub Engineer
LRH/MTI Peshawar	LRH/MTI Peshawar	LRH/MTI Peshawar
Supervisor Oxygen Plant	Manager Maint: And engineering	Director Finance
LRH/MTI Peshawar	LRH/MTI Peshawar	LRH/MTI Peshawar
Nursing Director	Associate Hospital Director	Medical Director
LRH/MTI Peshawar	LRH/MTI Peshawar	LRH/MTI Peshawar
	Hospital Director LRH/MTI Peshawar	

## TABLE OF CONTENTS

<b>S</b> #	CONTENTS
1.	Invitation For Bids
2.	Instruction to Bidders
3.	Bid Security
4.	Bid Validity
5.	Blacklisment of defaulted bidder/contractor
6.	Dispute and Controversies/Dispute Resolution
7.	List of Items
8.	Award of Contract
9.	Payment
10.	Sub-Letting Contract
11.	Tender Notice



#### **INVITATION FOR BIDS**

Hospital Director, Medical Teaching Institute, Lady Reading Hospital Peshawar Invites sealed tenders under National Competitive Bidding for the procurement of "HVAC and Medical Gases consumables/spares 2024-25" for Hospital, under rule 6(2) (b) "single stage single envelope" of KPPRA Rules 2014, from Income / Sales tax, reflected on Active Taxpayer List of FBR. A detailed list of specification of required items can be obtained from the Material Management Department of LRH during working hours (Monday to Saturday). The specification is also available on our web-site www.lrh.edu.pk

The bidders are required to submit bid security 100,000/- in the name of Hospital Director LRH-MTI Peshawar.

Pre-bid meeting with the interested bidders will be held on <u>04-06-2024</u> at 11:00am at Manager Material Management.

The tenders complete in all respect must reach the undersigned by on 25-06-2024 at 11:00 am, which will be opened at 11:30 AM on the same day in conference room / AHD office of the Hospital in the presence of the procurement committee and the bidders / representatives who may choose to attend.

Competent Authority reserves the right to reject any or all the bids as per provisions contained in Rule 47 of KPPRA Rules 2014.

### 1) INSTRUCTIONS TO BIDDERS:

- 1. This Bidding procedure will be conducted in light of Khyber Pakhtunkhwa Public Procurement Regulatory Authority (KPPRA) Laws, Rules made there under, along with Standard Bidding Documents.
- 2. Any bid received after the deadline for submission of bids shall not be entertained and shall be returned unopened to the Bidder.
- 3. The bid should be complete in all respect and must be signed by the bidder.
- 4. All prices quoted must be in Pak Rupees (PKR) and should include all applicable taxes. If not specifically mentioned in the Quotation, it will be presumed that the prices include all the taxes.
- 5. The bidder shall provide an undertaking that the bidder has not been declared black listed by any Governmental/Semi-Governmental institutions from Stamp Paper.
- 6. Bidders shall not be eligible to bid if they are under a declaration of Ineligibility for corrupt and fraudulent practices issued by any government organization in accordance with the Section 44(1) KPP Rules 2014.
- 7. LRH Peshawar shall evaluate the proposal in a manner prescribed in advance, without reference to the price and reject any proposal which does not conform to the specified requirements.
- 8. Alternative bid shall not be considered and shall be rejected by the Competent Authority.

- 9. At any time prior to the deadline for submission of bids, LRH Peshawar may, for any reason, whether at its own initiative or in response to a clarification requested by a prospective Bidder, modify the bidding documents by amendment.
- 10. If a bid is not substantially responsive, it will be rejected by the Procuring Entity and may not subsequently be made responsive by the Bidder by correction of the nonconformity.
- 11. Bidders are essentially required to provide correct and latest postal/email/web addresses, phone/mobile/fax numbers for actively and timely communication.
- 12. The Bidder may after its submission withdraw its bid prior to the expiry of the deadline prescribed for submission of bids. Withdrawn bids will be returned unopened to the Bidders.
- 13. Any bid not received as per terms and conditions laid down in this document are liable to be ignored. No offer shall be considered if:
  - a. Received without Bid Security;
  - b. It is received after the date and time fixed for its receipt;
  - c. The offer is ambiguous;
  - d. The offer is conditional i.e., advance payment, or currency fluctuations etc.;
  - e. The offer is from blacklisted firm in any Federal / Provincial Govt. Dept.:
  - f. Only typed tender on original prescribing letter pad, sealed & signed should be submitted, the quoted Price must be preprinted and hand written quoted price will not be acceptable. The tenders must be according to hospital specification; alternate rates (**Double rates for single Items**) will not be accepted.
- 14. Usage of correction fluid & corrections are strictly prohibited unless duly initialed.
- 15. Any erasing / cutting etc. appearing on the offer, must be properly signed by the person signing the tender.
- 16. Bids will be rejected if the Bid is in some way connected with bids submitted under names different from his own.
- 17. In case of Bid Tie, the decision will be taken by making toss/draw/Recall sealed quotation in front of the bidders.
- 18. Any direct or indirect effort by a bidding firm to influence this institution during the process of selection of a bidder or award of contract may besides rejection of its bid result into its disqualification from participation in the LRH Peshawar's future bids.
- 19. LRH MTI Peshawar may accept or reject any or all of the bids under Rule 47 of KPPRA Rules, 2014.
- 20. Brand and Pack size must be mentioned with each quoted item.
- 21. Price valid till 30<sup>th</sup> June 2025.

#### 4. **BID Security**

Bid security Rs. 100,000/- in favor of "Hospital Director LRH Hospital" The Bid Security in shape of Pay Order is not accepted

The bid security may be forfeited:

- i) If a Bidder withdraws its bid during the period of bid validity specified by the Bidder on the Bid Form; or
- ii) In the case of a successful Bidder, if the Bidder fails to sign the contract
- iii) If a successful Bidder unable to supply the items after issuance of 3 reminders, order will be placed to the next lowest bidder.

#### 5. BID VALIDITY:

i) The bids should be valid for 180 days.

ii) In exceptional circumstances, LRH Hospital may solicit the Bidder's consent to an extension of the period of validity reasons shall be recorded in writing. The request and the responses there to shall be made in writing. The bid security provided shall also be suitably extended. A Bidder may refuse the request without forfeiting its bid security. A Bidder granting the request will not be required nor permitted to modify its bid, except as provided in the bidding document.

#### 6. BLACKLISTMENT OF DEFAULTED BIDDER/CONTRACTOR

# Conditions for Blacklisment of Defaulted Bidder/Contractor under rule 44 of KPPRA Rules 2014

The following are the events which would lead to initiate (Rule 44 of KPPRA Rules 2014) blacklisting/debarment process;

- o Consistent failure to provide satisfactory performances.
- Found involved in corrupt/fraudulent practices.
- o Abandoned the place of work permanently

#### Conditions for debarment of Defaulted Bidder/Contractor

Failure or refusal to;

- Accept Purchases Order / Services order terms;
- Make supplies as per specifications agreed:
- Fulfill contractual obligations as per contract
- Non execution of work as per terms & condition of contract.
- Any unethical or unlawful professional or business behavior detrimental to good conduct and integrity of the public procurement process.
- Persistent and intentional violation of important conditions of contract.
- Non-adherence to quality specifications despite being importunately pointed out.
- Security consideration of the State i.e., any action that jeopardizes the security of the State or good repute of the Lady Reading Hospital Peshawar -LRH-MTI Peshawar.

#### Procedure for blacklisment and debarment

- 1. Competent authority of Lady Reading Hospital -MTI Peshawar may on information, or on its own motion, issue show cause notice to the bidder.
- 2. The Show Cause notice shall contain the statement of allegation against the Bidder.
- **3.** The bidder will be given maximum of seven days to submit the written reply of the show cause notice.
- **4.** In case the bidder fails to submit written reply within the requisite time, the competent authority may proceed forth with ex-parte against the bidder.
- 5. Direct to issue notice of personal hearing to the bidder/ authorized representative of the bidder and the competent authority shall decide the matter on the basis of available record and personal hearing, if availed.
- 6. The competent authority shall decide the matter within thirty days from the initiation of proceedings.
- 7. The order of competent authority shall be communicated to the bidder by indicating reasons.

- **8.** The order past as above shall be duly conveyed to the KPPRA and defaulting bidder within three days of passing order.
- 9. The duration of debarment may vary up to five years depending upon the nature of violation.

#### 7. DISPUTES AND CONTROVERSIES/DISPUTE RESOLUTION

- 1. The purchaser shall constitute a committee comprising of disagreed & notified by the competent authority proper powers and authorizations to address the complaints of bidders that may occur prior to the entry into force of the procurement contract.
- 2. Any bidder feeling aggrieved by any act of the purchaser after the submission of his bid may lodge a written complaint concerning his grievances not later than 03 days after the announcement of the bid evaluation report.
- 3. The grievance redress Officer shall investigate and decide upon the complaint within 06 days of the receipt of the complaint. The report along with decision shall be forwarded to the purchaser officer within the prescribed period.
- 4. Mere fact of lodging of a complaint shall not warrant suspension of the procurement process. **Note:** Grievance notified & designated who can invite appropriate official as co-opted member for grievance.

Any dispute or difference arising out of the Agreement which cannot be amicably settled between the Parties, shall be finally settled by KPPRA whose decision will final and biding on both the parties.

# STATEMENT OF REQUIREMENT WITH SPECIFICATION

C				
	Company Name: Hitachi (Japan)			
	Model No. HAU-CGN800THWSPD			
Sr No.	Item	Unit	Brands	Rate
1	Solution Motor pump power 5.5kw 2900 Rpm	No's		
2	Solution Motor pump 2.2KW, 1450RPM	No's		
3	Refrigerant Motor Pump 1.3KW ,2900 rpm	No's		
4	Vacuum motor pump 0.5KW, (3-phase) 4-pole ,1400 rpm	No's		
5	Burner blower Motor 7.5KW	No's		
6	Burner Diesel motor 0.75KW 1430 rpm	No's		
7	Diaphragm valve 1/2" (MS)	No's	As per sample	
8	Diaphragm valve 3/4 (MS)	No's		

9	OLYMPIA OIL Pre-Heater Type 907 No: T-1661 4.0kw	No's		
10	Ball valve 1/4" (Brass)	No's		
11	Ball valve 1/2" (Brass)	No's		
12	Ball valve 3/4" (Brass)	No's		
13	Ball valve 1",2" (Brass)	No's		5
14	Servo motor SQM10-16502	No's		A.L.
15	Temperature gauges 0-100 C	No's	•	0L
16	Pressure gauges 0-200Psi	No's	.05	
17	Main Switch breaker 60amp 3-pole	No's		
18	Display card (Model # PFXGP4501TADW)	No's	X	
19	Ignition transformer 270/200VA LECIP 10KV 2000-5074A	No's		
20	Ignition rod	No's	As per sample	
21	Ignition plug	No's	As per sample	
22	Ignition Cable	No's	As per sample	
23	level switch 1"	No's	As per sample	
24	Transformer (in voltage380v,440v, 220. Out 120,200,220v	No's		
25	Magnetic contactor 60Amp, 3-phase	No's		
26	Overload Relay 20Amp-50Amp	No's		
27	Chilled water temperature sensor	No's		
28	Chilled water temperature sensor	No's		
29	Vacuum Oil (Robin air USA)	No's		
30	Solenoid valve 1/2" (220 volt)	No's		
31	Solenoid valve 1-1/2" (220 volt)	No's		
32	Gas pressure switch 1/4"	No's	As per sample	
33	Gas Pressure gauge 1/4", 0-30Psi	No's	_	
34	Relay 220v, 8pin, 10Amp	No's		

35	Chemical dosing pump 220v	No's		
36	Lithium bromide Chemical (Molybdate Base)	Kg		
37	Distilled water	Later		
38	Octyle Alcohol	Kg		
39	Inhibiter (Molybdate)	Kg		5
40	HCL	Kg		Art
41	Descaler		C	OL
42	Lithium hydro oxide	Kg	.05	
43	Neutralizer	Kg	2	
44	Mechanical Seal for Vacuum Pump	No	X	
45	Chiller PLC Hitachi Japan	No's		
46	Chiller Programmer	No's		
47	Absorption chiller inverter Mitsubishi FR-D740-7.5k	No's		
48	Absorption chiller inverter Mitsubishi FR-D740-3.7k	No's		
49	Absorption chiller charger HW550-24a input 100/240 output 24vdc	No's		
	Materials for MS/PVC Pipe Line (Black Steel)	k Car	bon	
Sr	Item	Unit	Brand	Rate
<b>No.</b> 50	Flow Switch for water line	No's		
51	2 Way motorized valve 1-1/2"	No's		
52	2 Way motorized valve 2"	No's		
53	2 Way motorized valve 2-1/2"	No's		
54	2 Way motorized valve 1-1/4"	No's		
55	Gate valve 1-1/2" (Threaded, Brass)	No's		
56	Gate valve 1-1/4" (Threaded, Brass)	No's		
57	Gate valve 1" (Threaded, Brass)	No's		

58	Gate valve 2" (Threaded, Brass)	No's		
59	Gate valve 3/4" (Threaded, Brass)	No's		
60	MS Gate valve 3" (Flange Type)	No's		
61	MS Gate valve 4" (Flange Type)	No's		
62	MS Gate valve 5" (Flange Type)	No's		5
63	MS Gate valve 6" (Flange Type)	No's		
64	MS Gate valve 8" (Flange Type)	No's	0	Or.
65	MS Gate valve 10" (Flange Type)	No's	S	
66	MS Gate valve 12" (Flange Type)	No's		
67	MS Gate valve 14" (Flange Type)	No's	2	
68	Strainer <sup>3</sup> / <sub>4</sub> ", 1", 1-1/4", 1-1/2", 2", 3", 4", 5", 6", 8", 10", 12"	No's		
69	Globe Valve <sup>3</sup> / <sub>4</sub> ", 1", 1-1/4", 1-1/2", 2", 3", 4", 5", 6", 8", 10", 12"	No's		
70	Pressure Relief Valve PRV 1"3/4",2",	No's		
71	Pressure Reducing Valve 1"3/4"	No's		
72	Air Vent <sup>3</sup> / <sub>4</sub> ", 1"1/2" <sup>3</sup> / <sub>4</sub> "	No's		
73	Chemical 2808 Close circuit treatment	Kg		
74	Chemical 308 corrosion inhibitor	Kg		
75	NUT Bolts <sup>3</sup> / <sub>4</sub> ", 1", 1-1/4", 1-1/2", 2", 3", 4", 5", 6", 8", 10", 12",14",16",18",25",32"			
76	Chemical 3204	Kg		
77	Brass Non-Return Valve	No's		
78	MS Non-Return Valve 6"	No's		
79	MS Non-Return Valve 8"	No's		
80	MS Non-Return Valve 10"	No's		
81	MS Non-Return Valve 12"	No's		
82	MS Non-Return Valve 14"	No's		
83	Glass wool Insulation for Piping <sup>3</sup> / <sub>4</sub> ", 1", 1-1/4", 1-1/2", 2", 3", 4", 5", 6", 8", 10", 12", 14"	Sft		

84	MS Elbow <sup>3</sup> / <sub>4</sub> ", 1", 1-1/4", 1-1/2", 2", 3", 4", 5", 6", 8", 10", 12", 14"	No's		
85	MS Sockets <sup>3</sup> / <sub>4</sub> ", 1", 1-1/4", 1-1/2", 2",	No's		
86	MS Pipe Schedule 40, <sup>3</sup> / <sub>4</sub> ", 1", 1-1/4", 1-1/2", 2", 3", 4", 5", 6", 8", 10", 12", 14"	RFT		
87	Gasket (As per sample) rubber/hard board	RFT		
88	Nipple 1/2", <sup>3</sup> / <sub>4</sub> ", 1", 1-1/2", 1-1/4"	No's		5
89	Strainer1", 2", 2.5", 3", 4", 6",8"10"	No's		N.V.
90	Canvas Cloth	RFT	C	Or
91	Threaded Rods 8mm, 10mm, 12mm, 14mm, 16mm, 18"	RFT	S	V
92	Fishers 8mm, 10mm, 12mm, 14mm, 16mm	No's	3	
93	Iron Angle 1", 1-1/4", 1-1/2",2"	RFT	X	
94	Nut Bolts & Washers 8mm, 10mm, 12mm, 14mm, 16mm	No's		
96	Aluminum cladding on pipes with install	Sft		
97	Chiller butterfly valve 65mm,100mm,			
98	PVC Elbow 0.5"1",2",3",4"			
99	PVC union 13/4"			
100	GI Elbow 1", 2", 2.5", 3", 4", 6",8			
101	GI socket 1", 2", 2.5", 3", 4", 6",8			
102	GI Union 1", 2", 2.5", 3", 4", 6",8			
103	GI Dead End plug 1", 2", 2.5", 3", 4", 6",8			
104	Fiber gas kit			
105	PH Paper /PH&TDS meter			
		•		
M	aterials for AHU's, Ducting and Associa	ated V	Works	
	Item	Unit	Brands	Rate
106	Duct Temperature sensor	No's		
107	Humidity sensor	No's		

109		N. A.
108	Room temperature sensor	No's
109	Immersion temperature Sensor	No's
110	Fire State with manual Reset	No's
111	Room humidity sensor	No's
112	Relay 14 pin, 7Amp, 250v (Finder)	No's
113	Timer 1-6minutes, 250v	No's
114	Auto controller (DDC)	No's
115	Pressure Deferential transmitter	No's
116	Outdoor Temperature sensor/ Humidity sensor	No's
117	Wet DP Transmitter	No's
119	Pressure Gauges	No's
120	Thermostat	No's
121	Universal Module	No's
122	Extension module	No's
123	Smoke detector	No's
124	Air DPS	No's
125	Pre filters 12"x24"	Set
126	Pre filters 20"x24"	Set
127	Pre filters 24"x24"	Set
128	Air filters 12"x12"	Set
129	HEPA Filters 12"x18"	Set
130	HEPA Filters 12"x24"	Set
131	FCU filters 10 1/2"x47"	
132	Bag Filters 12"x24"	Set
132	Bag Filters 20"x24"	Set

133	Bag Filters 24"x24"	Set		
134	Bag Filters 12"x12"	Set		
135	Ball Baring 6308	No's		
136	Ball Baring 6309	No's		
137	Ball Baring 63	No's		
138	Ball Baring 6317	No's		
139	Ball Baring 6313	No's	0	
140	Ball Baring 6312	No's	37	
141	Ball Baring 6212	No's	$\dot{\mathcal{O}}_{\mathcal{O}}$	
142	Ball Baring 6319	No's		
143	Ball Baring 6319	No's		
144	1457 Belt size	Set		
145	1807 Belt size	Set		
146	1425 Belt size	Set		
147	2132 Belt size	Set		
148	1832 Belt size	Set		
149	1700 Belt size	Set		
150	2000 Belt size	Set		
151	1500 Belt size	Set		
152	1632 Belt size	Set		
153	1407 Belt size	Set		
154	1257 Belt size	Set		
155	1807 Belt size	Set		
156	1757 Belt size	Set		
157	1120 Belt size	Set		

1501400 Belt sizeSetSet159a-49 Belt sizeSet1471257 Belt sizeSet1481807 Belt sizeSet149A-69 Belt sizeSet1501107 Belt sizeSet1501107 Belt sizeSet1513816 Belt sizeSet1521382 Belt sizeSet153A-45 Belt sizeSet1541482 Belt sizeSet1551582 Belt sizeSet1561120 Belt sizeNo1571900 Belt sizeNo1581757 Belt sizeSet1592057 Belt sizeSet160Emery paperNo's161Aluminum tape/insulation tape/cotton tapeNo's162ThermopoleNo's163Exhaust duet grillNo's164Magic epoxy/diepoxyNo's16540amp, 50amp, 60ampNo's166Overload Relay 7-10ampNo's167Overload Relay 9-13ampNo's	158	1400 Belt size	Set		
1471257 Belt sizeSetImage: set of the size1481807 Belt sizeSetSet149A-69 Belt sizeSetImage: set of the size1501107 Belt sizeSetSet1513816 Belt sizeSetImage: set of the size1521382 Belt sizeSetImage: set of the size153A-45 Belt sizeSetImage: set of the size1541482 Belt sizeSetImage: set of the size1551582 Belt sizeSetImage: set of the size1561120 Belt sizeImage: set of the sizeImage: set of the size1571900 Belt sizeImage: set of the sizeImage: set of the size1581757 Belt sizeSetImage: set of the size1592057 Belt sizeImage: set of the sizeImage: set of the size160Emery paperImage: set of the sizeImage: set of the size161Aluminum tape/insulation tape/cotton tapeNo'sImage: set of the size162ThermopoleImage: set of the sizeImage: set of the size163Exhaust duet grillNo'sImage: set of the size164Main Breaker for AlU's 10amp, 15amp, 20amp, 25amp, 30amp, No'sImage: set of the size165Main Breaker for AlU's 10amp, 15amp, 20amp, 25amp, 30amp, No'sImage: set of the size166Overload Relay 710ampNo'sImage: set of the size	158		Set		
1481807 Belt sizeSetSet149A-69 Belt sizeSetSet1501107 Belt sizeSetSet1513816 Belt sizeSetSet1521382 Belt sizeSetSet153A-45 Belt sizeSetSet1541482 Belt sizeSetSet1551582 Belt sizeSetSet1561120 Belt sizeSetSet1571900 Belt sizeSetSet1581757 Belt sizeSetSet160Emery paperSetSet161Aluminum tape/insulation tape/cotton tapeNo'sSet162ThermopoleISet163Exhaust duct grillNe'sSet164Magic epoxy/diepoxyIImage: Set165Main Breaker for AHU's 10amp, 15amp, 20amp, 25amp, 30amp, No'sNo's166Overload Relay 710ampNo'sImage: Set	159	a-49 Belt size	Set		
140A-69 Belt sizeSetSet1501107 Belt sizeSetSet1513816 Belt sizeSetSet1521382 Belt sizeSetSet153A-45 Belt sizeSetSet1541482 Belt sizeSetSet1551582 Belt sizeSetSet1561120 Belt sizeISet1571900 Belt sizeISet1581757 Belt sizeSetSet160Emery paperII161Aluminum tape/insulation tape/cotton tapeNo'sI162ThermopoleII163Exhaust duct grillNo'sI164Magic epoxy/diepoxyIUnitBrands165Main Breaker for AHU's 10amp, 15amp, 20amp, 25amp, 30amp, No'sI166Overload Relay 710ampNo'sI	147	1257 Belt size	Set		
150         1107 Belt size         Set         Image: Set         Image: Set           151         3816 Belt size         Set         Image: S	148	1807 Belt size	Set		
151         3816 Belt size         Set           152         1382 Belt size         Set           153         A-45 Belt size         Set           154         1482 Belt size         Set           155         1582 Belt size         Set           156         1120 Belt size         Image: Comparison of the size           155         1582 Belt size         Image: Comparison of the size           156         1120 Belt size         Image: Comparison of the size           157         1900 Belt size         Image: Comparison of the size           158         1757 Belt size         Set           159         2057 Belt size         Image: Comparison of the size           160         Emery paper         Image: Comparison of the size           161         Aluminum tape/insulation tape/cotton tape         No's           162         Thermopole         Image: Comparison of the size           163         Exhaust duct grill         No's           164         Magic epoxy/diepoxy         Image: Comparison of the size           165         Main Breaker for AHU's 10amp, 15amp, 20amp, 25amp, 30amp, No's         Image: Comparison of the size           165         Main Breaker for AHU's 10amp, 15amp, 20amp, 25amp, 30amp, No's         Image: Comparison of the sis	149	A-69 Belt size	Set		5
152         1382 Belt size         Set         Set           153         A-45 Belt size         Set            154         1482 Belt size         Set            155         1582 Belt size         Set            155         1582 Belt size         Image: Comparison of the size         Image: Comparison of the size           156         1120 Belt size         Image: Comparison of the size         Image: Comparison of the size           157         1900 Belt size         Image: Comparison of the size         Image: Comparison of the size           158         1757 Belt size         Set         Image: Comparison of the size           160         Emery paper         Image: Comparison of the size         Image: Comparison of the size           161         Aluminum tape/insulation tape/cotton tape         No 's         Image: Comparison of the size           162         Thermopole         Image: Comparison of the size         Image: Comparison of the size           163         Exhaust duet grill         No 's         Image: Comparison of the size           164         Magic epoxy/dicpoxy         Image: Comparison of the size         Image: Comparison of the size           165         Main Breaker for AHU's 10amp, 15amp, 20amp, 25amp, 30amp, No 's         Image: Comparison of the	150	1107 Belt size	Set		J. K.
153A-45 Belt sizeSetSet1541482 Belt sizeSetSet1551582 Belt sizeSetSet1561120 Belt sizeISet1571900 Belt sizeISet1581757 Belt sizeSetSet1592057 Belt sizeSetI160Emery paperISet161Aluminum tape/insulation tape/cotton tapeNo'sI162ThermopoleISetI163Exhaust duct grillNo'sI164Magic epoxy/diepoxyISet165Main Breaker for AHU's 10amp, 15amp, 20amp, 25amp, 30amp, Ao'sI166Overload Relay 710ampNo'sI	151	3816 Belt size	Set	-	Pr-
1541482 Belt sizeSet1551582 Belt size.1561120 Belt size.1571900 Belt size.1581757 Belt sizeSet1592057 Belt size.160Emery paper.161Aluminum tape/insulation tape/cotton tapeNo's162Thermopole.163Exhaust duct grillNo's164Magic epoxy/diepoxy.ItemUnitBrandsRate165Main Breaker for AHU's 10amp, 15amp, 20amp, 25amp, 30amp, 40amp, 50amp, 60ampNo's166Overload Relay 710ampNo's.	152	1382 Belt size	Set	32	
1551582 Belt sizeImage: Control of the size1561120 Belt sizeImage: Control of the size1571900 Belt sizeImage: Control of the size1581757 Belt sizeSet1592057 Belt sizeImage: Control of the size160Emery paperImage: Control of the size161Aluminum tape/insulation tape/cotton tapeNo's162ThermopoleImage: Control of the size163Exhaust duet grillNo's164Magic epoxy/diepoxyImage: Control of the size165Image: Control of the sizeImage: Control of the size166Overload Relay 710ampNo'sImage: Control of the sizeNo's	153	A-45 Belt size	Set	$\tilde{O}_{O}$	
1501120 Belt size11571900 Belt size11581757 Belt sizeSet1592057 Belt size1160Emery paper1161Aluminum tape/insulation tape/cotton tapeNo's162Thermopole1163Exhaust duct grillNo's164Magic epoxy/diepoxy1ItemUnitBrandsRate165Main Breaker for AHU's 10amp, 15amp, 20amp, 25amp, 30amp, 40amp, 50amp, 60ampNo's166Overload Relay 710ampNo's1	154	1482 Belt size	Set		
1571900 Belt sizeImage: Set size1581757 Belt sizeSet size1592057 Belt sizeImage: Set size160Emery paperImage: Set size161Aluminum tape/insulation tape/cotton tapeNo's162ThermopoleImage: Set size163Exhaust duct grillNo's164Magic epoxy/diepoxyImage: Set sizeItemUnitBrands165Main Breaker for AHU's 10amp, 15amp, 20amp, 25amp, 30amp, No'sImage: Set size166Overload Relay 710ampNo'sImage: Set size	155	1582 Belt size			
1581757 Belt sizeSet1592057 Belt size-160Emery paper-161Aluminum tape/insulation tape/cotton tapeNo's162Thermopole-163Exhaust duct grillNo's164Magic epoxy/diepoxy-Hemer Matterials for Associated WORKS & AccessoriesItemUnitBrandsRate165Main Breaker for AHU's 10amp, 15amp, 20amp, 25amp, 30amp, 40amp, 50amp, 60ampNo's166Overload Relay 710ampNo's-	156	1120 Belt size			
Image: space of the systemImage: space of the systemImage: space of the system160Emery paperImage: space of the systemImage: space of the system161Aluminum tape/insulation tape/cotton tapeNo'sImage: space of the system162ThermopoleImage: space of the systemImage: space of the system163Exhaust duct grillNo'sImage: space of the system164Magic epoxy/diepoxyImage: space of the systemImage: space of the systemItemImage: space of the systemImage: space of the systemImage: space of the system165Main Breaker for AHU's 10amp, 15amp, 20amp, 25amp, 30amp, No'sImage: space of the system166Overload Relay 710ampNo'sImage: space of the system	157	1900 Belt size			
Image: constraint of the second sec	158	1757 Belt size	Set		
161       Aluminum tape/insulation tape/cotton tape       No's       Image: Control of the second	159	2057 Belt size			
162       Thermopole       Image: constraint of the second	160	Emery paper			
163       Exhaust duct grill       No's       Image: No's         164       Magic epoxy/diepoxy       Image: No's       Image: No's         Materials for Associated WORKS & Accessories         Item       Unit       Brands       Rate         165       Main Breaker for AHU's 10amp, 15amp, 20amp, 25amp, 30amp, 40amp, 50amp, 60amp       No's       Image: No's       Image: No's         166       Overload Relay 710amp       No's       Image: No's       Image: No's       Image: No's	161	Aluminum tape/insulation tape/cotton tape	No's		
164       Magic epoxy/diepoxy       Image: Comparison of the comparison	162	Thermopole			
Materials for Associated WORKS & Accessories         Item       Unit       Brands       Rate         165       Main Breaker for AHU's 10amp, 15amp, 20amp, 25amp, 30amp, 40amp, 50amp, 60amp       No's       Image: Colspan="3">Colspan="3">Colspan="3">Colspan="3">Colspan="3">Colspan="3">Colspan="3">Colspan="3">Colspan="3">Colspan="3"Colspan="3">Colspan="3"Colspan="3">Colspan="3"Colspan="3"Colspan="3"Colspan="3"Colspan="3">Colspan="3"Colspan="3"Colspan="3"Colspan="3"Colspan="3"Colspan="3"Colspan="3"Colspan="3">Main Breaker for AHU's 10amp, 15amp, 20amp, 25amp, 30amp, No's         166       Overload Relay 710amp       No's       Image: Colspan="3"Cols	163	Exhaust duct grill	No's		
ItemUnitBrandsRate165Main Breaker for AHU's 10amp, 15amp, 20amp, 25amp, 30amp, 40amp, 50amp, 60ampNo's166Overload Relay 710ampNo's	164	Magic epoxy/diepoxy			
165Main Breaker for AHU's 10amp, 15amp, 20amp, 25amp, 30amp, 40amp, 50amp, 60ampNo's166Overload Relay 710ampNo's	]	Materials for Associated WORKS & Ac	cess	ories	
105     40amp, 50amp, 60amp       166     Overload Relay 710amp		Item	Unit	Brands	Rate
	165		No's		
167   Overload Relay 9-13amp   No's	166	Overload Relay 710amp	No's		
	167	Overload Relay 9-13amp	No's		

168	Overload Relay 12-18amp	No's		
169	Overload Relay 15-25amp	No's		
170	Overload Relay 18-25amp	No's		
171	Magnetic Contactor 3 pole 15amp,	No's		
172	Magnetic Contactor 3 pole 25amp,	No's		5
173	Magnetic Contactor 3 pole 30amp,	No's		JK'V
174	Magnetic Contactor 3 pole 40amp,	No's	0	0r
175	Magnetic Contactor 3 pole 60amp,	No's	3	*
176	Magnetic Contactor 3 pole 190amp,	No's	<i>0</i> ,0,	
177	Magnetic Contactor 3 pole 150amp,	No's		
178	MCCB 3pole 50 amps			
179	MCCB 3pole 80 amps			
180	MCCB 3pole 100 amps			
181	MCCB 3pole 150 amps			
182	MCCB 3pole 250 amps			
183	MCCB 3pole 400 amps			
184	MCB 1-pole 4amps			
185	MCB 1-pole 6amps			
186	MCB 1-pole 10amps			
187	MCB 1-pole 16amps			
188	ACB 3-pole 6300 amps ABB, SIEMENS, SCHNEIDIER (SACE E6.2H)			
189	ACB 3-pole 4000 amps ABB, SIEMENS, SCHNEIDIER (SACE Tax)			
190	VFD Trane (TR-200) 40KW			
191	Timer 1-6 Minutes, 250V			
192	AHU Motor rewinding Per Kw			

193	FCU Thermostat			
194	FCU Electronic card			
179	FCU Filters			
180	Motorized Valve actuator for FCU Units			
181	Thermostat screen	No's		5
182	Cone Barings UC206 to UC212	No's		JK.
183	Baring block UC206 to UC212	No's	0	2
184	MAHU Blower motor 0.37Kw	No's	3	
185	AHU Motor 7.5KW	No's	$\tilde{\mathcal{O}}_{\mathcal{O}}$	
186	AHU Motor 15 KW	No's		
187	AHU Motor 18.5 KW	No's		
188	AHU Motor 5 KW	No's		
189	AHU Motor 11 KW	No's		
190	Cartage Fuse 5amp, 2amp	No's		
191	MAHU Blower motor 0.75KW	No's		
192	MAHU Blower motor 1.10KW	No's		
193	MAHU Blower motor 1.1KW	No's		
194	FCU motor single & double blower 220v, 1.6KW	No's		
195	FCU motor single & double blower 220v, 1.8KW	No's		
196	2-way motorized valve 3/4"	No's		
197	2-way motorized valve 1"	No's		
198		No's		
199	Thermostat 5-30C, 3 speed, hot, cold mode	No's		
200	Motor coupling 3", 4", 5", 6", 8", 10", 12", 14"	No's		
201	Coupling Rubber Disc 3", 4", 5", 6", 8", 10", 12", 14"	No's		

202	VFD Trane 200	No's				
203	Flow switch 1"	No's				
204	Ball bearing 6317 C3	No's				
205	Ball bearing 6313 C3	No's				
206	Ball bearing 6312 C3	No's		5		
207	Ball bearing 6311 C3	No's		JK.		
208	Ball bearing 6319 C3		0	Pr-		
209	Volt meter 0Amp-500v	No's	3			
210	Ampere meter 0Amp-1000Amp		00			
211	Ampere meter 0Amp-30Amp	S				
212	Indicator bulbs 220v, red, green, yellow, blow	No's				
213	Selector switch auto, manual	No's				
214	ON/OFF push button	No's				
215	Single pole breaker 10Amp	No's				
	<b>Cooling Towers</b>					
	<b>Company Name: Genius (Malays</b>	ia)				
	SPX Marley Cooling Tower					
Sr No.	Item	Unit	Brands	Rate		
216	Cooling Tower fins 9' 9" width 5"	Sheet				
217	Cooling Tower fan blades GFAR240	Set				
218	V belt SPB4500	Set				
219	Brass Float valve 1-1/2"	No's				

220	Raisin Chemical for fiber leaks	Kg				
221	Cobalt Chemical for fiber leaks	Kg				
222	Cartelist Chemical for fiber leaks	Kg				
	BMS System		<u> </u>			
	Company Name: Trane					
Sr No.	l Itam l Unit   Brands					
223	Web Controller with installation	No's	C	0r		
224	HMI Software with installation	No's	37			
225	Reliable Controller with installation	No's	$\dot{O}_{O}$			
226	Low pressure switches man. Reset 0,5-7 bar PS1-R3A ALCO or RANCO	No's				
227	High Pressure switch man. Reset 6-31 bar PS1-R5A Alco or RANCO	No's				
228	Contactor 12 5, 5 KW 220v NXC-1210	No's				
229	Contactor 65 30, 0 KW 220v NXC-65	No's				
230	Relay 48-65A	No's				
231	Contactor 50 20, 0 KW 220V NXC-50	No's				
232	Relay 30-40A	No's				
233	Set of temperature probes Carrel (4 pieces)	No's				
234	Pressure probe 0/10 bar SPKT0011CO CAREL	No's				
235	Pressure probe 0/30 bar SPKT0031CO CAREL	No's				
236	3Fase Monitor	No's				
237	Motor Rewinding per KW	No's				
	Control cable flexible 23/76"					
	General items					
Sr No.	Item	Unit	Brands	Rate		
238	Nitrogen Gas	Kg				

239	Copper Pipe with insulation <sup>1</sup> / <sub>2</sub> ", <sup>1</sup> / <sub>4</sub> ", 3/8", 5/8"	RFT		
240	UPVC Pipe <sup>1</sup> / <sub>2</sub> ", <sup>3</sup> / <sub>4</sub> ", 1"	RFT		
241	Flexible joint 200mm,250mm,300mm	No's		
243	FCU capacitor 5uf	No's		
244	Diffuser 12"x12", with installation	No's		5
245	Diffuser 16"x16 with installation	No's		A
246	Diffuser 24"x24" with installation	No's	0	Dr.
247	Installation of GI duct with insulation	RFT	3	
248	Flexible Duct with installation 8", 10", 12"	Sft	$\dot{\mathcal{O}}_{\mathcal{O}}$	
249	Flexible Connector	Sft		
250	VCD	Sft		
251	L-Key valve <sup>1</sup> / <sub>2</sub> ", <sup>3</sup> / <sub>4</sub> "	No's		
252	Flaring tool	No's		
253	Bits 6mm,8mm,10mm,12mm,16mm	No's		
254	Nylon Brush 1", 5/8", 3/8"	No's		
255	Jubilee Clamp <sup>1</sup> / <sub>2</sub> ", <sup>3</sup> / <sub>4</sub> ", 1", 2"	No's		
256	Pvc connector 50 amps -300 amps	No's		
257	Vacuum oil robin air	No's		
258	WD-40	Kg		
261	Vacuum pump for absorption chiller	No's		
262	Wire brush	No's		
263	Grinder disk 4"6"	No's		
264	Cutting disk 4"6"	No's		
265	Compound gauge Range-0.1~0.2mpa	No's		
266	Condenser/primary/secondary pumps/motor	No's		

267	Primary motor 75kw				
268	Pump GPM 1937				
269	Secondary motor 30kw				
270	Pump Gpm 960				
271	Condenser motor 110 kw			5	
272	Pump Gpm 1200				
273	Pump Impeller (as per sample)		C	Dr.	
274	Pump mechanical seal (as per sample)		37	·	
275	Pump shaft (as per sample)		$\dot{\mathcal{O}}_{\mathcal{O}}$		
278	Pump pulley (as per sample)	0.5/			
279	Back fan all motors (as per sample)				
280	Cotton Thread				
281	Compression chiller details				
282	Trane compressor				
283	Model K4129-72A				
284	serial num K1609214001				
285	Display battery cell 3volt plus CR 2450Hr Japan				
286					
287	Oil Pump Motor				
207					
X	115v				
	50hz				
288	1450rpm				
	0.75HP				
	12.3FLA				

	Pressure switch					
• • • •	AKS 1000					
289	Serial# X13790362-08					
	contactor					26.25
	EATON				0	0r
	DIL M580				.05	V
290	Serial# XTCE580N					
	Quantity 03				8	
	contactor 2			62/		
	EATON					
	DIL M115					
	Serial# XTCE115G		SV			
	Transformer	5	01			
291	X13590079-01	685				
	Panel Relay					
	MEXICO AK9	Ø				
	4RC-2-769					
	15R6R					
X	Transformer 2					
292	PRECISION INC					
	X13550420-02					
202	MCB Breaker	FUSE	Switch point relay			
293	ABB	5Amp	SN0150			

294	Control circuit trine (As per sample)	]		
295	R-123 HCFC			
296	Panel door locks (As per sample)			
297	Main panel breaker 1200amps 3pole EATON			
298	Impeller (As per sample)			5
299	Impeller bearing (As per sample)			
300	Solenoid valve		C	
301	Solenoid valve <sup>1</sup> / <sub>2</sub> ", <sup>1</sup> / <sub>2</sub> ", <sup>3</sup> / <sub>4</sub> ", 1", 2"		39	
302	Level switch Omron float less		0,0,	
303	Rapture disk	0.5/		
304	Panel exhaust fan (As per sample)			

# **HVAC plant Cardiology Block**

Sr. #	DESCRIPTION	Quantity	Brand	Rates
1	V-Belts: A-55, B?.54, B-64, B-72, B-78	Each		
2	Bearing Block for AHU: F206J, F207J, F: 08J	Each		
3	Rub.berDisc - Part No. 3502 for Cooling Tower Motor Gear Box Coupling": . 1	Each		
4	Aero flex for Chiller Pipe Insulation (2.5" dia) Length-6!	Each		
5	Aero Flex 5/8" and 3/4" dia, 6 ft length	Each		
6	Soft Rubber Gastet for Chiller Cover Pla'es (1/4" x 3/8") - as per sample 1	500 Rft		
7	Rubber Disc 6" dia, 8 Nos. Holes for KSE Pumps Couphng	Each		
8	Rubber Diaphragm 6" dia for Chiller Actuator Valve - as per sample	Each		
9	Rubber Foam Sheet 1" x 4' x 4' for insulation of chiller for coolant tank	06 Sheets		
10	Samad Bond <i>i</i>	10 Kg		
11	Molvith/Glue for HVAC Pipe insulation purpose	10 Kgs		
12	Vacuum Oil (Robinair USA) for Chiller Vacuuming, 3.7 Liter each bottle 1	05 Btls		
13	Neutralizer required for Chiller neutralizat on after De-scaling	300 Kg		
14	De-scalar for Boilers and Chiller for de-sc?.ling purpose	2000 Kg		
15	Insulation tape (Nitto) for electrical connection purpose	10 Dzns		
16	Teflon Tape 1/2" 1	10 Dzns		
17	Steel Wire Brush Flat (4" x 9") for AHU Coiling Cieaning	Each		
18	Clinker Joint Sheet (1/8" x 4' x 5') for Pumps	Each		

20     Joint Sheet (1/8' x 4' x 5) for Boilers (high temperature)     Each       21     Motor for FCU double shaft (1/6 HP)     Each       22     Motor for FCU (auble shaft (1/6 HP)     Each       23     Blower required (or FCU - as per sample     Each       24     Capacity (1/6) Metal Body     Each       25     Filter for FCU (a) (1/6) Metal Body     Each       26     Plastic Pipe (1' dia) for high pressure     50 Mtr.       27     Brass Nut for Boiler's door fitting (1' dia) sauare type - as per sample     Each       28     maae - si     Each       29     Circuit Breaker 3-Phase for Chiller / Boiler ; (10amp, 15amp, 30amp)     Each       20     Cover Chich Markin for HVAC Pipe Insuit: ion     100 Mtr.       29     Circuit Breaker 3-Phase for Chiller / Boiler ; (10amp, 15amp, 30amp)     Each       31     pressure 7     Each       32     KSB Pump for Chiller with 3-Phase 25HP 1 lotor (Head 10OOft)     Each       34     Local maxes ind therait A     Local maxes ind therait A       34     Local maxes ind therait Take 10 Bar Pressure for Chiller     Each       36     Gale Valve for FCU connection supply/return for water control (1/2') Kidz     Each       37     10'     Hart Take Ray Chill Z20V     Each       38     Iore U Breaker 102' DU Connection supply/return for water c	19	Clinker Joint Sheet (1/16" x 4' x 5') for Pumps	Each	
21     Motor for FCU double shaft (1/6 HP)     Each       22     Motor for FCU single shaft (1/12 HP)     Each       23     Blower required for FCU - as per sample     Each       24     Capacher for FCU(3.5(if) Matal Body     Each       25     Filter for FCU sizes: 30 vs 9.5° and 28° x 0.5°     Each       26     Plastic Pipe (1* dia) for high pressure     50 Mtr.       27     Brass Nut for Boiler's door fitting (1* dia) saure type - as per sample     Each       28     mass 2* datper complete for Cooling Towers (Mariey USA) Local     Each       29     Circuit Breaker 3-Phase for Chiler / Boiler ; (10am, 15am, 30amp)     Each       20     Cover Citoh (Markin) for HVAC Pipe Insul; tion     100 Mrr.       21     Braise Yamp for Chiler with 3-Phase 25HP 1 lotor (Head 100Ch)     Each       31     pressure Yamp for Chiler with 3-Phase 25HP 1 lotor (Head 100Ch)     Each       34     Local mass (System 3-Phase with A in Tank 10 Bar Pressure for Chiler     Each       35     Care Citol a for SDH Motor 3-Phase, Coil 220V 48° Per sample_1     Each       36     Gale Valve for FCU Connection supply/return for water control (1/27) Kidz     Each       37     Light Slappi 3-Phase Siemens Electric Motor RPM 1450, waterproof     Each       38     Starter Star Delta for 3DHP Motor 3-Phase, Coil 220V     Each       39     Starter Star Delta				
22         Motor for FCU single shaft (1/12 HP)         Each           23         Blower required for FCU - as per sample         Each           24         Capacitor for FCU(3,6(f) Meal Body         Each           25         Filter for FCU: size: 30° x 9.5° and 28° x 0.5°         Each           26         Plastic Pipe (1* dia) for high pressure         50 Mtr.           27         Brass Nut for Boller's door fitting (1* dia) sauare type - as per sample         Each           28         maase -8         Each           29         Circuit Breaker 3-Phase for Chiller / Boller ; (10amp, 15amp, 30amp)         Each           20         Circuit Breaker 3-Phase for Chiller / Boller ; (10amp, 15amp, 30amp)         Each           30         Cover Cloth (Markim) tor HVAC Pipe Insul; iton         100 Mtr.           31         Local made) (4' x 11) 16 Macro         Each           32         KSB Pump for Chiller with 3-Phase 25HP 1 lotor (Head 100 Oth)         Each           33         Local made) (4' x 11) 16 Macro         Each         Each           34         Local made) (4' x 11) 16 Macro         Each         Each           35         Gate Valve for FCU Connection supply/return for water control (1/2') Kidz         Each           36         Gate Valve for FCU Connection supply/return for water control (1/2') Kidz				
23       Blower required for FCU - as per sample       Each         24       Capacitor for FCU: (3, 5(.1) Metail Body       Each         25       Filter for FCU: sizes: 30" x 9.5" and 28" x 0.5"       Each         26       Plastic Pipe (1" dia) for high pressure       50 Mtr.         27       Brass Nut for Boler 5 door fitting (1" dia) soure type - as per sample       Each         28       mass - S       Each         29       Incize with Adapter complete for Cooling Towers (Mariey USA) Local       Each         28       mass - S       Each         20       Circuit Breaker 3-Phase for Chiller / Boller ; (10amp, 15amp, 30amp)       Each         30       Cover Cloth (Markin) for HVAC Pipe Insul: tion       100 Mtr.         31       Boller Water Feed Pumps complete with 5-1P Meter multi-stage, high       Each         32       KSB Pump for Chiller with 3-Phase 25HP 1 lotor (Head 100Ott)       Each         33       Local made) (4' x 11) 16 Macro       Each       Each         34       Procurpressor complete with Ar Tank 10 Bar Pressure for Chiller       Each       Each         35       sample 1       fast Valve for FCU connection supply/return for water control (1/2') Kidz       Each         36       Gate Valve for FCU connection supply/return for water control (3/4') Kidz       ft* <td< td=""><td></td><td></td><td></td><td></td></td<>				
24         Capacitor for FCUt(3.5(.if) Metal Body         Each           25         Filter for FCU: sizes: 30" x 9.5" and 28" x 0.5"         Each           26         Plastic Pipe (1" dia) for high pressure         50 Mtr.           27         Brass Nut for Boller's door fitting (1" dia) saure type - as per sample         Each           Nozzie with Adapter complete for Cooling Towers (Mariey USA) Local         Each           28         Circut Breaker 3-Phase for Chiller / Boller ; (10amp, 15amp, 30amp)         Each           29         Circut Breaker 3-Phase for Chiller / Boller ; (10amp, 15amp, 30amp)         Each           30         Cover Cohn (Markin) for HVAC Pipe Insult; ion         100 Mtr.           31         pressure 3-Phase Staft P 1 lotor (Head 10COft)         Each           32         KSB Pump for Chiller with 3-Phase 25HP 1 lotor (Head 10COft)         Each           34         Local madol (4" x 11) fo Macro         Each           4         Local madol (4" x 11) fo Macro         Each           7         Complete Stater (Star Detta) for 25HP Mo er 3-Phase, Coll 220V - as 'per sample f         Each           36         Gate Valve for FCU connection supply/return for water control (1/21') Kidz         Each           30HP (48 slapts) 3-Phase 30amp         Each         Each           30 Cover Going Tower         Stater Star Detta for				
28         Filter for FCU: sizes: 30" x 9.5" and 28" x 0.5"         Each           26         Plastic Pipe (1" dia) for high pressure         50 Mtr.           27         Brass Nut for Boller's door fitting (1" dia) saure type - as per sample         Each           28         maze -s         Each           29         Circuit Breaker 3-Phase for Chiller / Boller ; (10amp, 15amp, 30amp)         Each           20         Cover Cloth (Markin) for HVAC Pipe Insul; tion         100 Mtr.           20         Cover Cloth (Markin) for HVAC Pipe Insul; tion         100 Mtr.           21         KSB Pump for Chiller with 3-Phase 25HP 1 lotor (Head 100Oft)         Each           23         Local made) (4" x 11) 16 Macro         Each           24         KSB Pump for Chiller with 3-Phase 25HP 1 lotor (Head 100Oft)         Each           25         sample 1         Each         Each           26         RSB Pump for Chiller with 3-Phase 25HP No er 3-Phase, Coil 220V + as 'per is sample 1         Each           26         Gate Valve for FCU connection supply/return for water control (1/2") Kidz         Each           27         1"         Each         Each           28         Sample 1         Each         Each           29         sample 1         Each         Each           2				
26       Plastic Pipe (1* dia) for high pressure       50 Mtr.         27       Brass Nut for Boiler's door fitting (1* dia) sauare type - as per sample       Each         28       maae -8       Each         29       Circuit Breaker 3-Phase for Chiller / Boiler ; (10amp, 15amp, 30amp)       Each         30       Cover Cloth (Markin) for HVAC Pipe Insul; tion       100 Mtr.         31       boiler Water Feed Pumps complete with 5 -1P Meter multi-stage, high pressure ?       Each         32       KSB Pump for Chiller with 3-Phase 25HP 1 lotor (Head 100Ott)       Each         33       Local made) (4 × 11) 16 Macro       Each         34       Progressor complete with Air Tank 10 Bar Pressure for Chiller       Each         34       Progressor complete with Air Tank 10 Bar Pressure for Chiller       Each         36       Gate Valve for FCU connection supply/retur for water control (1/2') Kidz       Each         36       Gate Valve for FCU Connection supply/retur for water control (3/4') Kidz.       Each         37       1*       Starter Star Delta for 30HP Motor 3-Phase, Coil 220V       Each         38       Starter Star Delta for 30HP Motor 3-Phase, Coil 220V       Each         39       Phasic Box (4' x 7') required for Thermostat fitting for FCU       Each         41       Circuit Breaker for 25HP Motor 3-Phase, Coil 22	25		Each	
27       Brass Nut for Bolier's door fitting (1* dia) sauare type - as per sample       Each         Nozzle with Adapter complete for Cooling Towers (Mariey USA) Local       Each         28       mase -8         20       Circuit Breaker 3-Phase for Chiller / Bolier ; (10amp, 15amp, 30amp)       Each         30       Cover Cloth (Markin) for HVAC Pipe Insul; tion       100 Mtr.         Bolier Water Feed Pumps complete with 5-1P Meter multi-stage, high       Each         31       Defendent Water Feed Pumps complete with 5-1P Meter multi-stage, high       Each         32       KSB Pump for Chiller with 3-Phase 25HP 1 lotor (Head 100Ot)       Each         34       Local made) (4' x11) 16 Macro       Each         4       Local made) (4' x11) 16 Macro       Each         4       Paromatic System 3-Phase with Air Dier       Each         7       Complete Stater (Star Delta) for 25HP Mo er 3-Phase, Coll 220V + as 'per sample_1       Each         36       Gate Valve for FCU Connection supply/return for water control (3/4') Kidz.       Each         30HP (48 slapts) 3-Phase Stemens Electric Motor RPM 1450, waterproof       Each         30       Stater Star Delta for 30HP Motor 3-Phase, Coll 220V       Each         41       Circuit Breaker for 25HP Motor 3-Phase, Coll 220V       Each         42       Plastic Bax (4'' x')' required		Plastic Pipe (1" dia) for high pressure	50 Mtr.	$\sim$
Nozzie with Adapter complete for Cooling Towers (Mariey USA) Local         Each           28         mae - S         Each           29         Circuit Breaker 3-Phase for Chiller / Boller ; (10amp, 15amp. 30amp)         Each           30         Cover Cloth (Markin) for HVAC Pipe Insul; tion         100 Mtr.           31         Pressure 7.         Each           32         KSB Pump for Chiller with 3-Phase 25HP 1 lotor (Head 10OOft)         Each           32         KSB Pump for Chiller with 3-Phase 25HP 1 lotor (Head 10OOft)         Each           34         Local made) (4' x 11) fo Macro         Each           34         Local made) (4' x 11) for Macro         Each           4         Compressor complete with Air Tank 10 Bar Pressure for Chiller         Each           7         Complete Stater (Star Delta) for 25HP Mo er 3-Phase, Coll 220V - as 'per sample 1         Each           36         Gate Valve for FCU Connection supply/return for water control (1/2') Kidz         Each           30HP (4'8 stapts) 3-Phase with Air Drier         Each         Each           30HP (4'8 stapts) 3-Phase Stemens Electric Motor RPM 1450, waterproof         Each         Each           31         OrColing Tower         Each         Each         Each           42         Plastic Box (4'x 7') required for FCU connections         Each	27		Each	
29       Circuit Breaker 3-Phase for Chiller / Boiler ; (10amp, 15amp, 30amp)       Each         30       Cover Cloth (Markin) for HVAC Pipe Insul; tion       100 Mtr.         Boiler Water Feed Pumps complete with 5 -1P Meter multi-stage, high pressure 7e       100 Mtr.         2       KSB Pump for Chiller with 3-Phase 25HP 1 lotor (Head 10OOft)       Each         31       Local mode) (4 × 11) 16 Macro       Each         32       KSB Pump for Chiller with 3r Tank 10 Bar Pressure for Chiller       Fach         34       Local mode) (4 × 11) 16 Macro       Each         34       Local mode) (4 × 11) 16 Macro       Each         34       Local mode) (4 × 11) 16 Macro       Each         35       Local mode) (4 × 11) 16 Macro       Each         36       Gate Valve for FCU connection supply/return for water control (12') Kidz       Each         36       Gate Valve for FCU connection supply/return for water control (34") Kidz.       Each         37       t1       Circuit Breaker for 25HP Motor 3-Phase, Coll 220V       Each         38       Starter Star Delta for 30HP Motor 3-Phase, Coll 220V       Each         41       Circuit Breaker for 25HP Motor 3-Phase Roamp       Each         42       Plastic Box (4' × 7') required for FCU connections       Each         43       Ball Bearings' (NTN): </td <td>28</td> <td>Nozzle with Adapter complete for Cooling Towers (Mariey USA) Local</td> <td>Each</td> <td>CV.</td>	28	Nozzle with Adapter complete for Cooling Towers (Mariey USA) Local	Each	CV.
30     Cover Cloth (Markin) for HVAC Pipe Insul; tion     100 Mtr.       Boiler Water Feed Pumps complete with 5 -1P Meter multi-stage, high     Each       31     pressure 7e       32     KSB Pump for Chiller with 3-Phase 25HP 1 lotor (Head 10COft)     Each       34     Local mode) (4' x 1') 16 Macro     Each       35     Local mode) (4' x 1') 16 Macro     Each       34     Local mode) (4' x 1') 16 Macro     Each       35     Complete Stater (Star Delta) for 25HP Mo or 3-Phase, Coil 220V - 4s ' per sample_1     Each       36     Gate Valve for FCU connection supply/return for water control (12') Kidz     Each       36     Gate Valve for FCU connection supply/return for water control (12') Kidz     Each       37     1'     Crowing Tower     Each       38     Starter Star Delta for 30HP Motor 3-Phase, Coil 220V     Each       39     Starter Star Delta for 30HP Motor 3-Phase, Coil 220V     Each       40     Circuit Breaker for 25HP Motor 3-Phase, Coil 220V     Each       41     Circuit Breaker for 25HP Motor 3-Phase, Coil 220V     Each       42     Plastic Box (4' x 7') required for FCU connections     Each       43     Ball Bearings'(NTN):     Each       44     UC204, UC208, UC207, UC208 (Cone Bearings)     Each       45     6205ZZ, 6207ZZ, 6208ZZ, 6303ZZ, 6308ZZ, 6308ZZ, 6310ZZ <t< td=""><td></td><td></td><td></td><td></td></t<>				
Boiler Water Feed Pumps complete with 5 -1P Meter multi-stage, high pressure ?•         Each           31         pressure ?•         Each           32         KSB Pump for Chiller with 3-Phase 25HP 1 lotor (Head 10COft)         Each           33         Local made) (4' x 11') 16 Macro         Each           34         Compressor complete with Air Tank 10 Bar Pressure for Chiller         Each           34         Compressor complete with Air Tank 10 Bar Pressure for Chiller         Each           7         Complete Statter (Star Delta) for 25HP Mo er 3-Phase, Coil 220V - as 'per sample f         Each           36         Gate Valve for FCU connection supply/return for water control (1/2') Kidz .         Each           37         t.1         Each         Each           30HP (48 slapts) 3-Phase Siemens Electric Motor RPM 1450, waterproof         Each         Each           30         Starter Star Delta for 30HP Motor 3-Phase, Coil 220V         Each         Each           41         Circuit Breaker for 25HP Motor 3-Phase 80amp         Each         Each           42         Plastic Box (4" x 7') required for Themostat fitting for FCU         Each         Each           43         Ball Bearings'(NTN):         Each         Each           44         UC204, UC206, UC207, UC208 (Cone Bearings)         Each         Each <td></td> <td></td> <td></td> <td></td>				
32       KSB Pump for Chiller with 3-Phase 25HP 1 lotor (Head 100Oft)       Each         33       Local made) (4 × 11) 16 Macro       Each         34       Air Compressor complete with Air Tank 10 Bar Pressure for Chiller       Each         34       Air Compressor complete with Air Tank 10 Bar Pressure for Chiller       Each         36       Sample_f       Each         37       rComplete Statre (Star Delta) for 25HP Mo er 3-Phase, Coil 220V - as "per sample_f       Each         36       Gate Valve for FCU Connection supply/return for water control (3/4") Kidz       Each         37       t1       Each       Each         30 HP (48 slapts) 3-Phase Siemens Electric Motor RPM 1450, waterproof       Each       Each         38       for Cooling Tower       Each       Each         39       Starter Star Delta for 30HP Motor 3-Phase 0omp       Each       Each         40       Circuit Breaker for 25HP Motor 3-Phase 0omp       Each       Each         41       Circuit Breaker 2amp with Box required for FCU connections       Each       Each         42       Plastic Box (4" x 7") required for Thermostat fitting for FCU       Each       Each         43       Ball Bearings"(NTN):       Each       Each       Each         44       UC204, UC206, UC207, UC208 (Cone Bearings)	- 30	Boiler Water Feed Pumps complete with 5 -1P Meter multl-stage, high		
Fins (Fills) for Mariey Cooling Tower Seria 220 USA (Imported Material & Local made) (4' x 11') 16 MacroEach33Local made) (4' x 11') 16 MacroEach41Compressor complete with Air Tank 10 Bar Pressure for Chiller Pneumatic System 3-Phase with Air DrierEach7r.Complete Starter (Star Delta) for 25HP Mo er 3-Phase, Coil 220V + as 'par sample_fEach36Gate Valve for FCU connection supply/return for water control (1/2') Kidz for Cooling TowerEach30HP (48 slapts) 3-Phase Siemens Electric Motor RPM 1450, waterproof for Cooling TowerEach39Starter Star Delta for 30HP Motor 3-Phase, Coil 220VEach40Circuit Breaker for 25HP Motor 3-Phase, Coil 220VEach41Circuit Breaker for 25HP Motor 3-Phase, BoampEach42Plastic Box (4" x 7") required for Thermostat fitting for FCUEach43Ball Bearings" (NTN):Each44UC204, UC206, UC207, UC208 (Cone Bearings)Each456205ZZ, 6207ZZ, 6303ZZ, 6303ZZ, 6308ZZ, 6309ZZ, 6310ZZEach46High Temperature Grease for Pumps and AHU Bearings10 Kg47Teflon Gland Packing for Pumps 1/4" and 3/8"02 Kg/Each48Asbestos Pati 2" wide and 1/8" thick10 Kg49Asbestos Pati 2" wide and 1/8" thick10 Kg50Gland Cup (for Pumps and Valves) - as per sampleEach51Varnish for Fleetric MotorsLiter52Varnish for Fleetric MotorsLiter53Varnish for Fleetric MotorsLiter54Flexible wir	_			
33       Local made) (4' x 11') 16 Macro       Each         34       Air Compressor complete with Air Tank 10 Bar Pressure for Chiller       Each         34       Preumatic System 3-Phase with Air Drier       Each         7       Complete Starter (Star Delta) for 25HP Mo er 3-Phase, Coil 220V - as 'per       Each         36       Gate Valve for FCU Connection supply/return for water control (1/2') Kidz       Each         37       t1       Each       Each         38       Sample f       Each       Each         39       Starter Star Delta for 30HP Motor 3-Phase, Coil 220V       Each       Each         39       Starter Star Delta for 30HP Motor 3-Phase, Coil 220V       Each       Each         40       Circuit Breaker for 25HP Motor 3-Phase 80amp       Each       Each         41       Circuit Breaker 2amp with Box required for FCU connections       Each       Each         42       Plastic Box (4' x 7') required for Thermostat fitting for FCU       Each       Each         43       Ball Bearings* (NTN):       Each       Each         44       UC204, UC206, UC207, UC208 (Cone Bearings)       Each       Each         45       6205ZZ, 6207ZZ, 6203ZZ, 6303ZZ, 6308ZZ, 6308ZZ, 6309ZZ, 6310ZZ       Each       Each         46       High Temperature Gre	32		Each	
34Pneumatic System 3-Phase with Air DrierEachr Complete Starter (Star Delta) for 25HP Mo er 3-Phase, Coil 220V - as 'perEach36Gate Valve for FCU connection supply/return for water control (1/2') KidzEach37t1Each3830HP (48 slapts) 3-Phase Siemens Electric Motor RPM 1450, waterproof for Cooling TowerEach39Starter Star Delta for 30HP Motor 3-Phase, Coil 220VEach40Circuit Breaker for 25HP Motor 3-Phase, Coil 220VEach41Circuit Breaker for 25HP Motor 3-Phase 80ampEach42Plastic Box (4* x 7") required for FCU connectionsEach43Ball Bearings*(NTN):Each44UC204, UC206, UC207, UC208 (Cone Bearings)Each456205ZZ, 6207ZZ,6208ZZ, 6303ZZ,6305ZZ, 6308ZZ, 6309ZZ, 6310ZZEach46High Temperature Grease for Pumps and AHU Bearings10 Kg47Teflon Gland Packing for Pumps 1/4" and 3/8"02 Kg/Each48Asbestos Dori 1" for Boilers' Doors30 Kg49Asbestos Patti 2" wide and 1/8" thick10 Kg50Gland Cup (for Pumps and Valves) - as per sampleEach51Varnish for Flectric MotorsLiter53Varnish for Flectric MotorsLiter54Flexible wire (,02 Rolls55Alcohol Thermoeter 1ft longEach	33	Local made) (4' x 11') 16 Macro	Each	
35sample fEach36Gate Valve for FCU connection supply/return for water control (3/4') KidzEach37t1t130HP (48 slapts) 3-Phase Siemens Electric Motor RPM 1450, waterproofEach38for Cooling TowerEach39Starter Star Delta for 30HP Motor 3-Phase, Coil 220VEach40Circuit Breaker for 25HP Motor 3-Phase, Coil 220VEach41Circuit Breaker for 25HP Motor 3-Phase 80ampEach42Plastic Box (4" x 7") required for Thermostat fitting for FCUEach43Ball Bearings*(NTN):Each44UC204, UC206, UC207, UC208 (Cone Bearings)Each456205ZZ, 6207ZZ,6208ZZ, 6303ZZ, 6305ZZ, 6309ZZ, 6310ZZEach46High Temperature Grease for Pumps and AHU Bearings10 Kg47Teflon Gland Packing for Pumps 1/4" and 3/8"02 Kg/Each48Asbestos Dori 1" for Boilers' Doors30 Kg49Asbestos Patti 2" wide and 1/8" thick10 Kg50Gland Cup (for Pumps and Valves) - as per sampleEach51Pumps 1Varnish for Pipe insulationUiter53Varnish for Pipe insulationLiter54Flexible wire {02 Rolls55Alcohol Thermometer 1ft longEach	34	Pneumatic System 3-Phase with Air Drier	Each	
36       Gate Valve for FCUiconnection supply/return for water control (1/2") Kidz       Each         37       t <sup>1</sup> Each         38       Gate Valve for FCU Connection supply/return for water control (3/4") Kidz       Each         39       Starter Star Delta for 30HP Motor 3-Phase, Coil 220V       Each         40       Circuit Breaker for 25HP Motor 3-Phase, Coil 220V       Each         41       Circuit Breaker for 25HP Motor 3-Phase 80amp       Each         42       Plastic Box (4" x 7") required for Thermostat fitting for FCU       Each         43       Ball Bearings"(NTN):       Each         44       UC204, UC206, UC207, UC208 (Cone Bearings)       Each         45       6205ZZ, 6207ZZ,6208ZZ, 6303ZZ,6305ZZ, 6308ZZ, 6309ZZ, 6310ZZ       Each         46       High Temperature Grease for Pumps and AHU Bearings       10 Kg         47       Teflon Gland Packing for Pumps 1/4" and 3/8"       02 Kg/Each         48       Asbestos Dori 1" for Boilers' Doors       30 Kg         49       Asbestos Patti 2" wide and 1/8" thick       10 Kg         50       Gland Cup (for Pumps and Valves) - as per sample       Each         51       Pumps 1       Uter       Varnish for Pie insulation         52       Varnish for Pie insulation       Liter         <	35		Each	
Gate Valve for FCU Connection supply/return for water control (3/4") Kidz .       Each         30HP (48 slapts) 3-Phase Siemens Electric Motor RPM 1450, waterproof       Each         38       for Cooling Tower       Each         39       Starter Star Delta for 30HP Motor 3-Phase, Coil 220V       Each         40       Circuit Breaker for 25HP Motor 3-Phase, Coil 220V       Each         41       Circuit Breaker 2amp with Box required for FCU connections       Each         42       Plastic Box (4" x 7") required for Thermostat fitting for FCU       Each         43       Ball Bearings*(NTN):       Each         44       UC204, UC206, UC207, UC208 (Cone Bearings)       Each         45       6205ZZ, 6207ZZ,6208ZZ, 6303ZZ,6305ZZ, 6308ZZ, 6309ZZ, 6310ZZ       Each         46       High Temperature Grease for Pumps and AHU Bearings       10 Kg         47       Teflon Gland Packing for Pumps 1/4" and 3/8"       02 Kg/Each         48       Asbestos Dori 1" for Boilers' Doors       30 Kg         49       Asbestos Patti 2" wide and 1/8" thick       10 Kg         50       Gland Cup (for Pumps and Valves) - as per sample       Each         51       Pumps 1       Varnish for Pipe insulation       Liter         52       Varnish for Pipe insulation       Liter       06 Sets				
30HP (48 slapts) 3-Phase Siemens Electric Motor RPM 1450, waterproof for Cooling Tower       Each         39       Starter Star Delta for 30HP Motor 3-Phase, Coil 220V       Each         40       Circuit Breaker for 25HP Motor 3-Phase 80amp       Each         41       Circuit Breaker 2amp with Box required for FCU connections       Each         42       Plastic Box (4" x 7") required for Thermostat fitting for FCU       Each         43       Ball Bearings*(NTN):       Each         44       UC204, UC206, UC207, UC208 (Cone Bearings)       Each         45       6205ZZ, 6207ZZ,6208ZZ, 6303ZZ,6305ZZ, 6308ZZ, 6309ZZ, 6310ZZ       Each         46       High Temperature Grease for Pumps and AHU Bearings       10 Kg         47       Teflon Gland Packing for Pumps 1/4" and 3/8"       02 Kg/Each         48       Asbestos Dori 1" for Boilers' Doors       30 Kg         49       Asbestos Patti 2" wide and 1/8" thick       10 Kg         50       Gland Cup (for Pumps and Valves) - as per sample       Each         51       Varnish for Electric Motors       Liter         53       Varnish for Electric Motors       Liter         54       Flexible wire {,       02 Rolls         55       Alcohol Thermometer 1ft long       Each <td></td> <td>Gate Valve for FCU Connection supply/return for water control (3/4") Kidz .</td> <td></td> <td></td>		Gate Valve for FCU Connection supply/return for water control (3/4") Kidz .		
39Starter Star Delta for 30HP Motor 3-Phase, Coil 220VEach40Circuit Breaker for 25HP Motor 3-Phase 80ampEach41Circuit Breaker 2amp with Box required for FCU connectionsEach42Plastic Box (4" x 7") required for Thermostat fitting for FCUEach43Ball Bearings*(NTN):Each44UC204, UC206, UC207, UC208 (Cone Bearings)Each456205ZZ, 6207ZZ,6208ZZ, 6303ZZ,6305ZZ, 6308ZZ, 6309ZZ, 6310ZZEach46High Temperature Grease for Pumps and AHU Bearings10 Kg47Teflon Gland Packing for Pumps 1/4" and 3/8"02 Kg/Each48Asbestos Dori 1" for Boilers' Doors30 Kg50Gland Cup (for Pumps and Valves) - as per sampleEach51Pumps 1Sa per sampleEach52Varnish for Flipe insulationLiter53Värnish for Electric MotorsLiter54Flexible wire (,02 Rolls55Alcohol Thermometer 1ft longEach		30HP (48 slapts) 3-Phase Siemens Electric Motor RPM 1450, waterproof		
40Circuit Breaker for 25HP Motor 3-Phase 80ampEach41Circuit Breaker 2amp with Box required for FCU connectionsEach42Plastic Box (4" x 7") required for Thermostat fitting for FCUEach43Ball Bearings*(NTN):Each44UC204, UC206, UC207, UC208 (Cone Bearings)Each456205ZZ, 6207ZZ,6208ZZ, 6303ZZ,6305ZZ, 6308ZZ, 6309ZZ, 6310ZZEach46High Temperature Grease for Pumps and AHU Bearings10 Kg47Teflon Gland Packing for Pumps 1/4" and 3/8"02 Kg/Each48Asbestos Dori 1" for Boilers' Doors30 Kg49Asbestos Patti 2" wide and 1/8" thick10 Kg50Gland Cup (for Pumps and Valves) - as per sampleEach51Pumps 1Liter52Varnish for Pipe insulationLiter53Värnish for Electric MotorsLiter54Flexible wire {,02 Rolls55Alcohol Thermometer 1ft longEach				
41Circuit Breaker 2amp with Box required for FCU connectionsEach42Plastic Box (4" x 7") required for Thermostat fitting for FCUEach43Ball Bearings*(NTN):Each44UC204, UC206, UC207, UC208 (Cone Bearings)Each456205ZZ, 6207ZZ,6208ZZ, 6303ZZ,6305ZZ, 6308ZZ, 6309ZZ, 6310ZZEach46High Temperature Grease for Pumps and AHU Bearings10 Kg47Teflon Gland Packing for Pumps 1/4" and 3/8"02 Kg/Each48Asbestos Dori 1" for Boilers' Doors30 Kg49Asbestos Patti 2" wide and 1/8" thick10 Kg50Gland Cup (for Pumps and Valves) - as per sampleEach51Pumps 1Sets52Varnish for Pipe insulationLiter53Värnish for Electric MotorsLiter54Flexible wire {,02 Rolls55Alcohol Thermometer 1ft longEach				
43Ball Bearings*(NTN):Each44UC204, UC206, UC207, UC208 (Cone Bearings)Each456205ZZ, 6207ZZ,6208ZZ, 6303ZZ,6305ZZ, 6309ZZ, 6310ZZEach46High Temperature Grease for Pumps and AHU Bearings10 Kg47Teflon Gland Packing for Pumps 1/4" and 3/8"02 Kg/Each48Asbestos Dori 1" for Boilers' Doors30 Kg49Asbestos Patti 2" wide and 1/8" thick10 Kg50Gland Cup (for Pumps and Valves) - as per sampleEach51Pumps 1MS Coupling for KSB Pumps required for CnUled & Condense Water06 Sets52Varnish for Pipe insulationLiter53Värnish for Electric MotorsLiter54Flexible wire {,02 Rolls55Alcohol Thermometer 1ft longEach	41		Each	
44UC204, UC206, UC207, UC208 (Cone Bearings)Each456205ZZ, 6207ZZ, 6208ZZ, 6303ZZ, 6308ZZ, 6309ZZ, 6310ZZEach46High Temperature Grease for Pumps and AHU Bearings10 Kg47Teflon Gland Packing for Pumps 1/4" and 3/8"02 Kg/Each48Asbestos Dori 1" for Boilers' Doors30 Kg49Asbestos Patti 2" wide and 1/8" thick10 Kg50Gland Cup (for Pumps and Valves) - as per sampleEach51Pumps 1Scoupling for KSB Pumps required for CnUled & Condense Water06 Sets52Varnish for Pipe insulationLiter53Flexible wire {,02 Rolls54Flexible wire {,02 Rolls	42	Plastic Box (4" x 7") required for Thermostat fitting for FCU	Each	
456205ZZ, 6207ZZ, 6208ZZ, 6303ZZ, 6305ZZ, 6308ZZ, 6309ZZ, 6310ZZEach46High Temperature Grease for Pumps and AHU Bearings10 Kg47Teflon Gland Packing for Pumps 1/4" and 3/8"02 Kg/Each48Asbestos Dori 1" for Boilers' Doors30 Kg49Asbestos Patti 2" wide and 1/8" thick10 Kg50Gland Cup (for Pumps and Valves) - as per sampleEach51MS Coupling for KSB Pumps required for CnUled & Condense Water Pumps 106 Sets52Varnish for Pipe insulationLiter53Värnish for Electric MotorsLiter54Flexible wire {,02 Rolls55Alcohol Thermometer 1ft longEach	43	Ball Bearings*(NTN):	Each	
46High Temperature Grease for Pumps and AHU Bearings10 Kg47Teflon Gland Packing for Pumps 1/4" and 3/8"02 Kg/Each48Asbestos Dori 1" for Boilers' Doors30 Kg49Asbestos Patti 2" wide and 1/8" thick10 Kg50Gland Cup (for Pumps and Valves) - as per sampleEach51MS Coupling for KSB Pumps required for CnUled & Condense Water Pumps 106 Sets52Varnish for Pipe insulationLiter53Värnish for Electric MotorsLiter54Flexible wire {,02 Rolls55Alcohol Thermometer 1ft longEach	44	UC204, UC206, UC207, UC208 (Cone Bearings)	Each	
47Teflon Gland Packing for Pumps 1/4" and 3/8"02 Kg/Each48Asbestos Dori 1" for Boilers' Doors30 Kg49Asbestos Patti 2" wide and 1/8" thick10 Kg50Gland Cup (for Pumps and Valves) - as per sampleEach50Gland Cup (for Pumps and Valves) - as per sampleEach51Pumps 106 Sets52Varnish for Pipe insulationLiter53Värnish for Electric MotorsLiter54Flexible wire {,02 Rolls55Alcohol Thermometer 1ft longEach	45			
48       Asbestos Dori 1" for Boilers' Doors       30 Kg         49       Asbestos Patti 2" wide and 1/8" thick       10 Kg         50       Gland Cup (for Pumps and Valves) - as per sample       Each         50       Gland Cup (for Pumps and Valves) - as per sample       Each         51       Pumps 1       06 Sets         52       Varnish for Pipe insulation       Liter         53       Värnish for Electric Motors       Liter         54       Flexible wire {,       02 Rolls         55       Alcohol Thermometer 1ft long       Each	46	High Temperature Grease for Pumps and AHU Bearings	10 Kg	
49       Asbestos Patti 2" wide and 1/8" thick       10 Kg         50       Gland Cup (for Pumps and Valves) - as per sample       Each         51       MS Coupling for KSB Pumps required for CnUled & Condense Water       06 Sets         51       Pumps 1       06 Sets         52       Varnish for Pipe insulation       Liter         53       Värnish for Electric Motors       Liter         54       Flexible wire {,       02 Rolls         55       Alcohol Thermometer 1ft long       Each	47	Teflon Gland Packing for Pumps 1/4" and 3/8"	02 Kg/Each	
50       Gland Cup (for Pumps and Valves) - as per sample       Each         51       MS Coupling for KSB Pumps required for CnUled & Condense Water       06 Sets         51       Pumps 1       06 Sets         52       Varnish for Pipe insulation       Liter         53       Värnish for Electric Motors       Liter         54       Flexible wire {,       02 Rolls         55       Alcohol Thermometer 1ft long       Each	48	Asbestos Dori 1" for Boilers' Doors	30 Kg	
MS Coupling for KSB Pumps required for CnUled & Condense Water       06 Sets         51       Pumps 1       Liter         52       Varnish for Pipe insulation       Liter         53       Värnish for Electric Motors       Liter         54       Flexible wire {,       02 Rolls         55       Alcohol Thermometer 1ft long       Each	49	Asbestos Patti 2" wide and 1/8" thick	10 Kg	
51     Pumps 1     Od Sets       52     Varnish for Pipe insulation     Liter       53     Värnish for Electric Motors     Liter       54     Flexible wire {,     02 Rolls       55     Alcohol Thermometer 1ft long     Each	50		Each	
52     Varnish for Pipe insulation     Liter       53     Värnish for Electric Motors     Liter       54     Flexible wire {,     02 Rolls       55     Alcohol Thermometer 1ft long     Each	51		06 Sets	
53     Värnish for Electric Motors     Liter       54     Flexible wire {,     02 Rolls       55     Alcohol Thermometer 1ft long     Each			Liter	
54     Flexible wire {,     02 Rolls       55     Alcohol Thermometer 1ft long     Each			Liter	
55 Alcohol Thermometer 1ft long Each		Flexible wire {,	02 Rolls	
		Alcohol Thermometer 1ft long	Each	
	56	Digital Temperature.Gauge required for- ICU and CCU	Each	

57	Fire Cement for Boilers	05 Bags	
58	Silica Liquid for Boilers	100 Kg	
59	Welding RodsHO No. and 12 No.	10 Kg/Each	
60	Pump for De-scalar circulation, plastic oody, 3-Phase, 3HP required for Chillers & Boilers	Each	
61	Motor 7.5HP 3-Phase 1400 RPM required for AHU	Each	
62	Aluminum Filter required AHU - as per sample	Each	
63	Sound Liner for AHU internal body	Mtr	
64	Canvas Cloth, best quality	Mtr	
65	Complete Magnetic Contactorfor 5HP 3-Phase Motors	Each	
66	Complete Magnetic Contactorfor 7.5HP 3-Phase Motors	Each	
67	Data Cable 12-Cöre	Rolls	
68	Complete Diaphragm Valve 1/2" & 3/4" for Chillers - as per sample	Each	
69	Solenoid Valve'e1/2" & 3/4" for Chillers' Chemical Control	Each	
70	Honeywell Thermostat required for FCU temperature Controller	Each	
71	Gear Oil required for Cooling Tower Gear Box	Liter	
72	' Air CompressorOil	Liter	

# Medical Gases Spare Parts

SN	Description	Brand/Model	Unit	Rate
1	LifeLine Manifolds 1 <sup>st</sup> Stage Regulator	0.5	1	
2	2 <sup>nd</sup> Stage Regulator	P.	1	
3	Solenoid isolation valve.		1	
4	1st StagePressure Relief Valve		1	
5	2 <sup>nd</sup> Stage Pressure Relief Valve		1	
6	Cylinder Pressure Gauges.	BeaconMedaes part of Atlas Copco/Lifeline MCS	1	
7	Gauge for Distribution System Pressure.		1	
8	Cylinder Pressure Sensor.		1	
9	Sensor for Distribution System Pressure.		1	
10	LCD Screen		1	

	Control PCB			
11			1	
12	Termination Board		1	
			•	
13	24V DC Power Supply		1	25
14	Non-return valve		1	NX.
15	Ribbon cable 1		1	2
16	Ribbon cable 2		1	
17	Flexible Tail pipe		S	
18	Bulnose Nut Nipple		1	
19	Air Compressor Temperature sensor	20.	1	
20	PCB controller		1	
21	Cooler	Sconsur	1	
22	Kit Filter	05	1	
23	Intake valve complete	2	1	
24	Minimum pressure valve		1	
25	Motor overloaded	Denne Madan Data (Allas	1	
26	Magnetic contractor	Beacon Medaes Parts of Atlas Copco/ Model: GA-45	1	
27	Thermostatic valve		1	
28	Compressor Motor 45 KW		1	
29	Transformers		1	
30	Connector supply		1	
31	Connector		1	
32	Terminal strip		1	
33	Fuses		1	

34	Phase sequence Relay		1	
35	Circuit Breaker fan motor		1	
36	Elektronikon Controller		1	
37	element outlet temperature sensor		1	
38	Air Filter		1	5
39	Oil Filter		1	Art
40	Oil Separator		1	Or.
41	Kit Air Filter		1 .5	
42	Synthetic Oil (20 Liter Can)		1	
43	<u>Vacuum Plant</u> Coupling with fan		5	
44	Rotor vane kit	2010	1	
45	intake valve/Suction vale unit	. Mo	1	
46	NRV kit	and she	1	
47	Rubber buffer	. 00	1	
48	Cooler	Medgas Technik (Germany)	1	
49	Coupling Disc	Duplex U4.400	1	
50	Rotor		1	
51	Exhaust/Oil Filter KIT (K1)		1 Set	
52	Bacteria Filter element	MED-145+ dryer Beacon Medaes	1	
53	Course Separator		1	
54	Vacuum oil (10 liter can)		2 CAN	
55	<u>Air Dryer</u> DD filter		1	
56	PD filter		1	
57	PDP filter	part of Atlas Copco UK	1	
58	Dew point sensor		1	

<b>F^</b>	Salanaid valva		4	
59	Solenoid valve		1	
60	Line pressure sensor		1	
61	Desiccant kit		1	
62	Silencer		1	
63	Regulator		1	5
64	Safety valve		1	Art
65	Pressure gauge		1	Or.
66	Control display (electric control panel		1 .5	
67	Pressure switch		1	
68	QDT kit	c	5	
69	Pneumatic pipe	le.	10 Meter	
70	Connector female	and the second sec	1	
71	Fuse holder	SULL	1	
72	Control transformer	COURNIL	1	
73	Auto Drain Valve	e S	1	
74	Filter Drain Valve	P	1	
75	MEDGAS MANIFOLD OXYGEN		1	
	Electric Control Panel			
76	Cold Gasifier Pressure sensor		1	
77	Non Return Valve		1	
78	Working pressure Regulator 2nd stage		1	
79	Pressure Regulator 1 <sup>st</sup> stage	Medgas Technik (Germany)	1	
80	Solenoid valve		1	
81	High Pressure Transmitter		1	
82	Safety Valve		1	
83	Main Pressure Transmitter		1	

84	Working pressure Regulator 2nd stage kit	1	
85	Pressure Regulator 1 <sup>st</sup> stage	1	

S.NO	NAME OF ITEM	SPECIFICATON	UNIT	Brand	Rate
	Medical Gas Plant Consumable				
1.		GA-15 compressor Beacon Medaes part of Atlas Copco UK	No's		
2.		Medgas - Germany)	No's		
3.	installation	Beacker for Medgas (Germany) KVT Vacuum pump	No's		
4.		medaes part of altas copco-UK)	No's		
5.	Filter 2	Medgas - Germany)	No's		
б.	Filter A1	Medgas - Germany)	No's		
7.	Greece	Vacuum Pump Model : Brand (Beacker for Medgas - Germany) KVT 3.140	Kg		
8.	L	Beacker for Medgas (Germany) KVT Vacuum pump	No's		
Э.		GA-15 compressor Beacon Medaes part of Atlas Copco UK	Liter		
10.	Oil filter	GA-15 compressor Beacon Medaes part of Atlas Copco UK	No's		
11.	on beparator	GA-15 compressor Beacon Medaes part of Atlas Copco UK	No's		
12.		For dryer model DMED-35 Brand: beacon medaes part of altas copco-UK)	No's		
13.	PDP filter 35+	For dryer model DMED-35 Brand: eacon medaes part of altas copco-UK)	No's		
Medica	ll Gas Plant Spare Part's				
	Oxygen Manifold	MCU-100 MV MedGas Technik			
14.	with Completely Fitting &	Medgas Technik (made in Germany) Oxygen Manifold model MCU-100	No's		
15.	Ball Valve with Completely Fitting & Installation	Medgas Technik (made in Germany) Oxygen Manifold model MCU-100	No's		
16.	Bed Head Unit Electric Socket with		No's		
17.	Bed Head Unit Lights with Fitting & Installation	Medgas Technik (made in Germany)	No's		

Display) With Completely Fitting &		No's
	Oxygen Manifold model MCU-100	
Completely Eiting & Instellation	Medgas Technik (made in Germany)	No's
	Oxygen Manifold model MCU-100	
High Pressure Gauge with	Medgas Technik (made in Germany)	No's
Completely Fitting & Installation	Oxygen Manifold model MCU-100	
High Pressure Transmitter with	Medgas Technik (made in Germany)	No's
Completely Fitting & Installation	Oxygen Manifold model MCU-100	
Main Pressure Transmitter with	Medgas Technik (made in Germany)	No's
Completely Fitting & Installation	Oxygen M anifold model MCU-100	INO S
e	Medgas Technik (made in Germany)	NT. 2.
· · ·	Oxygen Manifold model MCU-100	No's
20mm	Best quality	RFT
Pressure Gauge for Setting the Line	Medgas Technik (made in Germany)	No's
Fitting & Installation		
Safety Valve with Completely Fitting	Medgas Technik (made in Germany)	No's
& Installation	Oxygen Manifold model MCU-100	
Solenoid Valve with Completely	Medgas Technik (made in Germany)	No's
Fitting & Installation	Oxygen Manifold model MCU-100	
Wire Braiding	For cylinder connector	No's
working i ressure Guuge with	Medgas Technik (made in Germany)	No's
Completely Fitting & Installation	Oxygen Manifold model MCU-100	
Working Pressure Regulator LH With	Medgas Technik (made in Germany)	No's
Completely Fitting & Installation	Oxygen Manifold model MCU-100	INO S
Nitrous Oxide Manifold	Model: MCU-100 MV MedGas Technik	
with Completely Fitting &	Medgas Technik (made in Germany)	No's
	Nitrous Oxide Manifold model MCU-100	110 5
Installation	Medgas Technik (made in Germany)	No's
Display) With Completely Fitting &	Medgas Technik (made in Germany)	No's
	Nitrous Oxide Manifold model MCU-100	110 S
Gas Non-Return Valve with	Medgas Technik (made in Germany)	Ne's
	Nitrous Oxide Manifold model MCU-100	No's
	Display) With Completely Fitting & InstallationGas Non-Return Valve with Completely Fitting & InstallationHigh Pressure Gauge with Completely Fitting & InstallationMain Pressure Transmitter with Completely Fitting & InstallationMain Pressure Transmitter with Completely Fitting & InstallationManifold Pressure Regulator HR 20 With Completely Fitting & InstallationPneumatic Pipe Size From 2mm To 20mmPressure Gauge for Setting the Line Pressure Reducer with Completely Fitting & InstallationSafety Valve with Completely Fitting & InstallationSolenoid Valve with Completely Fitting & InstallationWire BraidingWorking Pressure Gauge with Completely Fitting & InstallationWirre BraidingWorking Pressure Regulator LH With Completely Fitting & InstallationBall Valve Upstream Safety Valve with Completely Fitting & InstallationBall Valve with Completely Fitting & InstallationCompletely Fitting & InstallationBall Valve With Completely Fitting & InstallationBall Valve With Completely Fitting & <b< td=""><td>Display) With Completely Fitting &amp; InstallationOxygen Manifold model MCU-100Gas Non-Return Valve with Completely Fitting &amp; InstallationMedgas Technik (made in Germany) Oxygen Manifold model MCU-100High Pressure Gauge with Completely Fitting &amp; InstallationMedgas Technik (made in Germany) Oxygen Manifold model MCU-100High Pressure Transmitter with Completely Fitting &amp; InstallationMedgas Technik (made in Germany) Oxygen Manifold model MCU-100Main Pressure Transmitter with Completely Fitting &amp; InstallationMedgas Technik (made in Germany) Oxygen Manifold model MCU-100Manifold Pressure Regulator HR 20 With Completely Fitting &amp; InstallationMedgas Technik (made in Germany) Oxygen Manifold model MCU-100Pressure Gauge for Setting the Line Pressure Gauge for Setting the Line Pressure Reducer with Completely Fitting &amp; InstallationMedgas Technik (made in Germany) Oxygen Manifold model MCU-100Safety Valve with Completely Fitting &amp; InstallationMedgas Technik (made in Germany) Oxygen Manifold model MCU-100Solenoid Valve with Completely Fitting &amp; InstallationMedgas Technik (made in Germany) Oxygen Manifold model MCU-100Working Pressure Gauge with Completely Fitting &amp; InstallationMedgas Technik (made in Germany) Oxygen Manifold model MCU-100Working Pressure Regulator LH With Completely Fitting &amp; InstallationMedgas Technik (made in Germany) Oxygen Manifold model MCU-100Working Pressure Regulator LH With Completely Fitting &amp; InstallationMedgas Technik (made in Germany) Oxygen Manifold model MCU-100Working Pressure Regulator LH With Completely Fitting &amp; InstallationMedgas Technik (made i</td></b<>	Display) With Completely Fitting & InstallationOxygen Manifold model MCU-100Gas Non-Return Valve with Completely Fitting & InstallationMedgas Technik (made in Germany) Oxygen Manifold model MCU-100High Pressure Gauge with Completely Fitting & InstallationMedgas Technik (made in Germany) Oxygen Manifold model MCU-100High Pressure Transmitter with Completely Fitting & InstallationMedgas Technik (made in Germany) Oxygen Manifold model MCU-100Main Pressure Transmitter with Completely Fitting & InstallationMedgas Technik (made in Germany) Oxygen Manifold model MCU-100Manifold Pressure Regulator HR 20 With Completely Fitting & InstallationMedgas Technik (made in Germany) Oxygen Manifold model MCU-100Pressure Gauge for Setting the Line Pressure Gauge for Setting the Line Pressure Reducer with Completely Fitting & InstallationMedgas Technik (made in Germany) Oxygen Manifold model MCU-100Safety Valve with Completely Fitting & InstallationMedgas Technik (made in Germany) Oxygen Manifold model MCU-100Solenoid Valve with Completely Fitting & InstallationMedgas Technik (made in Germany) Oxygen Manifold model MCU-100Working Pressure Gauge with Completely Fitting & InstallationMedgas Technik (made in Germany) Oxygen Manifold model MCU-100Working Pressure Regulator LH With Completely Fitting & InstallationMedgas Technik (made in Germany) Oxygen Manifold model MCU-100Working Pressure Regulator LH With Completely Fitting & InstallationMedgas Technik (made in Germany) Oxygen Manifold model MCU-100Working Pressure Regulator LH With Completely Fitting & InstallationMedgas Technik (made i

25	High pressure gauge with completely	Medgas Technik (made in Germany)	
35.	fitting & installation	Nitrous Oxide Manifold model MCU-100	No's
	Figh Pressure Transmitter with	Medgas Technik (made in Germany)	
36.		Nitrous Oxide Manifold model MCU-100	No's
37.	Main Pressure Transmitter with	Medgas Technik (made in Germany)	No's
57.	Completely Fitting & Installation	Nitrous Oxide Manifold model MCU-100	110 5
38.	Manifold Pressure Regulator HR 20	Medgas Technik (made in Germany)	No's
50.	With Completely Fitting & Installation	Nitrous Oxide Manifold model MCU-100	
39.		Medgas Technik (made in Germany)	No's
57.	Pressure Reducer With Completely Fitting & Installation	Nitrous Oxide Manifold model MCU-100	
40.	Pressure Transmitter with Completely	Medgas Technik (made in Germany)	No's
10.	Fitting & Installation	Nitrous Oxide Manifold model MCU-100	
41.	Safety Valve with Completely Fitting	Medgas Technik (made in Germany)	No's
71.	& Installation	Nitrous Oxide Manifold model MCU-100	
42.	Solenoid Valve with Completely	Medgas Technik (made in Germany)	No's
72.	Fitting & 1installation	Nitrous Oxide Manifold model MCU-100	
43.	Working Pressure Gauge with	Medgas Technik (made in Germany)	No's
15.		Nitrous Oxide Manifold model MCU-100	
44.	Working Pressure Regulator LH With	Medgas Technik (made in Germany)	No's
	Completely Fitting & Installation	Nitrous Oxide Manifold model MCU-100	
Dual /	Air Compressor	Model: GA-15	
Duur		Beacon Medaes Parts of Atlas Copco	
45.	15 KW Motor Copper (Brand New) With Fitting & Installation	Siemens for GA-15 Compressor Beacon Medaes part of Atlas Copco UK	No's
46.	Air Compressor	Model: GA-15 Capacity: 164.5m3/h Atlas Copco UK	No's
47.	Blow Valve	GA-15 compressor Beacon Medaes part of Atlas Copco UK	
48.	Circuit Breaker Fan Motor With Fitting & Installation	GA-15 compressor Beacon Medaes part of Atlas Copco UK	No's
49.	Connector Supply (230VAC Or 115VC) With Fitting & Installation	GA-15 compressor Beacon Medaes part of Atlas Copco UK	No's
50.	Connector With Fitting & Installation	GA-15 compressor Beacon Medaes part of Atlas Copco UK	No's
51.	Contactor For Fan Motor With Fitting & Installation	GA-15 compressor Beacon Medaes part of Atlas Copco UK	No's
52.	Cooler With Fitting & Installation	GA-15 compressor Beacon Medaes part of Atlas Copco UK	No's

53.	Elektronikon Control with		No's
	Completely Fitting & Installation	Atlas Copco UK	
54.	Fuses With Fitting & Installation	GA-15 compressor Beacon Medaes part of Atlas Copco UK	No's
55.	Intake Valve Complete with Fitting & Installation	GA-15 compressor Beacon Medaes part of Atlas Copco UK	No's
56.	Magnetic Contractor with Fitting & Installation		No's
57.			No's
58.	Motor Overloaded with Fitting & Installation		No's
59.	PCB Controller with Fitting & Installation		No's
60.	Phase Sequence Rail With Fitting & Installation		No's
61.	Rewinding 15 KW Motor (Copper) With Fitting & Installation		No's
62.	Temperature Sensor with Fitting & Installation	GA-15 compressor Beacon Medaes part of Atlas Copco UK	No's
63.	Terminal Strip (Transformer Supply) With Fitting & Installation		No's
64.	Thermostat Valve with Fitting & Installation		No's
65.	Transformers With Fitting & Installation		No's
66.	Unloader Kit/ Intake Valve Kit	GA-15 compressor Beacon Medaes part of Atlas Copco UK	
67.	Water Separator Dryer With Fitting & Installation		No's
Triple	x Vacuum Pump	Model: KVT 3.140 Becker (Made in Germany	)
68.	Coupling With Fan with Completely Fitting & Installation	Beacker for Medgas (Germany) KVT Vacuum pump	No's
69.	Filter Cartridge with Fitting & Installation	Beacker for Medgas (Germany) KVT Vacuum pump	No's
70.	Grease Nipple	Beacker for Medgas (Germany) KVT Vacuum pump	No's
71.	Vacuum Motor 4 KW With Completely Fitting & Installation	Becker KVT 3.140 (Made in Germany)	No's
72.	Vacuum Pump Complete Set with Completely Fitting & Installation	Becker KVT 3.140 Frequency 50/60 Speed 1430/1720 Inlet capacity 129/154 M3 /H Maximum vacuum 100/200mbar (Made in Germany)	No's
Dual A	Air Dryer	Model: DMED-35	
		Beacon Medaes parts of Atlas Copco	
73.	Cable Size 3x1.5mm2 (230V) With Completely Fitting & Installation	DMED-35 dryer Beacon Medaes part of Atlas Copco UK	Bundle

74	Cable Size 3xawg14 (230V) With	DMED-35 dryer Beacon Medaes part of Atlas	D
74.	Completely Fitting & Installation	Copco UK	Bundle
75.	Cable Size 3xawg14 (155 V) With	DMED-35 dryer Beacon Medaes part of Atlas	Bundle
	Completely Fitting & Installation	Copco UK	
76.	Connector Female With Completely Fitting & Installation	DMED-35 dryer Beacon Medaes part of Atlas Copco UK	No's
77.	Control Display (Electric Control Panel With Fitting & Installation	DMED-35 dryer Beacon Medaes part of Atlas Copco UK	No's
78.	Control Relay With Completely Fitting & Installation	DMED-35 dryer Beacon Medaes part of Atlas Copco UK	No's
79.	Control Transformer With Completely Fitting & Installation	DMED-35 dryer Beacon Medaes part of Atlas Copco UK	No's
80.	CSA/UL Fuse With Completely Fitting & Installation	CSA HRC/UL RK5 (115 V), 2A DMED-35 dryer Beacon Medaes part of Atlas Copco UK	No's
81.	CSA/UL Fuse With Completely Fitting & Installation	CSA HRC/UL RK5 (230 V), 2A DMED-35 dryer Beacon Medaes part of Atlas Copco UK	No's
82.	DD Filter 50+	For dryer model DMED-35 Brand: beacon medaes part of altas copco-UK)	No's
83.	DD Filter Set Complete With Fitting & Installation	DMED-35 dryer Beacon Medaes part of Atlas Copco UK	No's
84.	Desiccant Kit With Fitting & Installation	DMED-35 dryer Beacon Medaes part of Atlas Copco UK	No's
85.	Dew Point Sensor With Fitting & Installation	DMED-35 dryer Beacon Medaes part of Atlas Copco UK	No's
86.	Electric Cable With Completely Fitting & Installation	DMED-35 dryer Beacon Medaes part of Atlas Copco UK	RFT
87.		DMED-35 dryer Beacon Medaes part of Atlas Copco UK	No's
88.	IEC Fuse With Completely Fitting & Installation		No's
89.	IO2 Module With Completely Fitting & Installation	DMED-35 dryer Beacon Medaes part of Atlas Copco UK	No's
90.	IO34 Module With Completely Fitting & Installation	DMED-35 dryer Beacon Medaes part of Atlas Copco UK	No's
91.	Line Pressure Sensor With Fitting & Installation	DMED-35 dryer Beacon Medaes part of Atlas Copco UK	No's
92.	PD Filter 50+	For dryer model DMED-35 Brand: beacon medaes part of altas copco-UK)	No's
93.	PD Filter Set Complete With Fitting & Installation		No's
94.	PDP Filter 35+	For dryer model DMED-35 Brand: beacon medaes part of altas copco-UK)	No's
95.	PDP Filter Set Complete With Fitting & Installation	DMED-35 dryer Beacon Medaes part of Atlas Copco UK	No's

96.	PDP Sensor With Fitting &	DMED-35 dryer Beacon Medaes part of Atlas	No's
>0.	Installation	Copco UK	
97.	Pneumatic Pipe Size 2mm to 20 Mm with Fitting & Installation	DMED-35 Beacon Medaes part of Atlas Copco UK	RFT
98.	Pressure Gauge with Fitting & Installation	DMED-35 dryer Beacon Medaes part of Atlas Copco UK	No's
99.	Pressure Regulator with Fitting & Installation	DMED-35 dryer Beacon Medaes part of Atlas Copco UK	No's
100.	Pressure Switch with Fitting & Installation	DMED-35 dryer Beacon Medaes part of Atlas Copco UK	No's
101.	QDT Carbon with Fitting & Installation	DMED-35 dryer Beacon Medaes part of Atlas Copco UK	
102.	QDT Kit with Fitting & Installation	DMED-35 dryer Beacon Medaes part of Atlas Copco UK	No's
103.	Relay With Completely Fitting & Installation	DMED-35 dryer Beacon Medaes part of Atlas Copco UK	No's
104.	Safety Valve with Fitting & Installation	DMED-35 dryer Beacon Medaes part of Atlas Copco UK	
105.	Silencer With Fitting & Installation	DMED-35 dryer Beacon Medaes part of Atlas Copco UK	
106.	Solenoid Valve with Fitting & Installation	DMED-35 dryer Beacon Medaes part of Atlas Copco UK	No's
107.	Terminals With Completely Fitting & Installation	DMED-35 dryer Beacon Medaes part of Atlas Copco UK	No's
	NOTE:	53.25 CO.	
	Mandatory.	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	
	• Brand name,	55	

## **NOTE:**

- Brand name,
- Specification of product,
- Pack size.
- Unit price,
- Pack Price.
- Sample of the said items shall be submitted within 10 working days after Tender opening at CRP section of MMD, those firm who fail to submit the sample the firm will be disqualified.
- Un-satisfactory Bidder will be considered disqualified/Non-responsive and those Firm Bids will be technically evaluated, which samples are approved.
- Bids having items not fulfilling/in compliance with the required specifications shall • be treated as non-responsive bids.

#### Do's and Don'ts

- Do attach authorization letter for items.
- Do attach only authentic documents.
- Do attach only legible/readable documents.
- Do attach table of contents on top of the bid documents.
- Don't attach fake and forged documents.
- Don't attach unreadable, misprint and dim/ dull documents.

#### **10.** Award of Contract:

After opening of the bids of the firm / contractor quoting the lowest rates in each item are accepted.

#### 11. Payment:

- a. No advance payment will be permissible.
- b. The payment will be made after successful supply, installation/inspection and test run of all requisite items.

#### 12. Sub-Letting Contract:

The supplier shall not sub-let or assign this Contract or any part thereof without the written permission of the procuring entity. In the event of the Services provider subletting or assigning this Contract or any part thereof without such permission, the procuring entity shall be entitled cancel the Contract and to purchase the goods elsewhere on the supplier account and risk and the supplier shall be liable for any loss or damage which the procuring entity may sustain in consequence of arising out of such purchase.