



Lady Reading Hospital (LRH)
Medical Teaching Institution (MTI)
Peshawar
Contact No: 091-9211927

BID SOLICITATION DOCUMENTS
For
MULTIMEDIA ITEMS & OTHER ACCESSORIES 2022-2023
(After Prebid)

Note: The prospective bidder is expected to examine the Bidding Documents carefully, including all Instructions, Terms & Conditions, and Specifications etc. Failure to furnish all information required by the Bidding documents or submission of a Bid not substantially responsive to the Bidding Documents in every respect would result in the rejection of the Bid.

Manager Material Management
LRH/MTI Peshawar

AD Legal
LRH/MTI Peshawar

System Engineer
LRH/MTI Peshawar

Manager MIS
LRH/MTI Peshawar

Nursing Director
LRH/MTI Peshawar

Director Finance
LRH/MTI Peshawar

Associate Hospital Director
LRH/MTI Peshawar

Medical Director
LRH/MTI Peshawar

Hospital Director
LRH/MTI Peshawar

TABLE OF CONTENTS

| S # | Contents | Page # |
|-----|---|--------|
| 1. | Introduction | 02 |
| 2. | Instruction to Bidders | 02 |
| 3. | General Conditions | 03 |
| 4. | Invitation for Bids | 04 |
| 5. | Bid Security | 04 |
| 6. | Bid Validity | 04 |
| 7. | Blacklisting of Defaulted Bidder/Contractor | 05 |
| 8. | Disputes Controversies/Dispute Resolution | 06 |
| 9. | Statement of Requirement with Specification | 07 |
| 10. | Evaluation Criteria | 12 |
| 11. | Redressing of Grievances | 14 |
| 12. | Award of Contract | 14 |
| 13. | Payment | 14 |
| 14. | Sub-Letting Contract | 14 |

1. INTRODUCTION:

Lady Reading Hospital-Medical Teaching Institution (LRH-MTI) Peshawar invites item wise sealed bids from the Manufacturer/Authorized Dealers for procurement of “**Multimedia Items & Other Accessories 2022-2023**” for Hospital Open Competitive Bidding under rule 6(2) (b) “**Single Stage Two Envelope**” bidding procedures of Khyber Pakhtunkhwa Public Procurement Regulatory Authority (KPPRA) Rules 2014.

2. INSTRUCTIONS TO BIDDERS:

1. This Bidding procedure will be conducted in light of Khyber Pakhtunkhwa Public Procurement Regulatory Authority (KPPRA) Laws, Rules made there under along with Standard Bidding Documents.
2. Both Technical Bids and Financial Bids must be submitted in two separate sealed inner envelopes marked “1-Technical Bids” and “2-Financial Bids” which should be packed in one outer envelope.
3. The technical bids will be opened on **01/08/2022** at **11:30 AM** in presence of the bidders/representatives who choose to attend while the financial bids will be opened later on after the evaluation of technical bids. Financial bids of only technically qualified responsive bidders will be opened while the financial bids of technically unqualified bidders will be returned unopened.
4. An affidavit is mandatory, without indicating the figure in the Technical Bid that bid security is placed in the financial bid. Duly attested by notary public.
5. Pre-bid meeting with the interested bidders was held on **25 /07 /2022** at **11:00 AM** hrs in MMD Office of the Institution.
6. Any bid received after the deadline for submission of bids shall not be entertained and shall be returned unopened to the Bidder.
7. All the bidders are required to provide annexure wise complete requisite documents with page marking for their Technical Evaluation / Qualification as prescribed under the rules.
8. The bid should be complete in all respect and must be signed by the bidder.
9. **All prices should quote in Pak rupees PKR** and should include all taxes applicable by Govt. (at any stage of tender process/till the validity of rates). If not specifically mentioned in the Quotation, it will be presumed that the prices include all the taxes.
10. Bidders are essentially required to provide correct and latest postal/email/web addresses, phone/mobile/fax numbers for actively and timely communication.
11. For any query, clarification regarding Services / Bid Solicitation Documents, the applicants may send a written request at least one day prior to the opening date.
12. The Bidder may after its submission withdraw its bid prior to the expiry of the deadline prescribed for submission of bids. Withdrawn bids will be returned unopened to the Bidders.
13. Any bid not received as per terms and conditions laid down in this document are liable to be ignored. No offer shall be considered if:
 - a. Received without earnest money;

- b. It is received after the date and time fixed for its receipt;
- c. The tender document and the bid is unsigned;
- d. The offer is ambiguous;
- e. The offer is conditional i.e. advance payment, or currency fluctuations etc.
- f. The offer is from blacklisted firm in any Federal / Provincial Govt. Dept.:
- g. Only typed tender on original prescribing letter pad, sealed & signed (Every Page) should be submitted, the quoted Price must be preprinted and hand written quoted price will not be acceptable. The tenders must be according to hospital specification; alternate rates will not be acceptable

14. Usage of correction fluid & corrections are strictly prohibited unless duly initiated.
15. Any erasing / cutting etc. appearing on the offer, must be properly signed by the person signing the tender.
16. Bids will be rejected if the Bid is in some way connected with bids submitted under names different from his own.
17. In case of Bid Tie, the decision will be taken by making toss/draw/Recall sealed quotation in front of the bidders.
18. Any direct or indirect effort by a bidding firm to influence this institution during the process of selection of a bidder or award of contract may besides rejection of its bid result into its disqualification from participation in the LRH-MTI Peshawar's future bids.
19. The bidder shall provide an undertaking that the bidder has not been declared black listed by any Governmental/ Semi-Governmental institutions.
20. Bidders shall not be eligible to bid if they are under a declaration of Ineligibility for corrupt and fraudulent practices issued by any government organization in accordance with the Section 44(1) KPP Rules 2014.

3. GENERAL CONDITIONS: -

1. LRH-MTI Peshawar shall evaluate the proposal in a manner prescribed in advance, without reference to the price and reject any proposal which does not conform to the specified requirements.
2. Alternative bid shall not be considered and shall be rejected by the Competent Authority.
3. LRH-MTI Peshawar may increase or decrease the quantity of the items required, as per KPPRA rules.
4. At any time prior to the deadline for submission of bids, LRH-MTI Peshawar may, for any reason, whether at its own initiative or in response to a clarification requested by a prospective Bidder, modify the bidding documents by amendment.
5. If a bid is not substantially responsive, it will be rejected by the Procuring Entity and may not subsequently be made responsive by the Bidder by correction of the nonconformity.
6. LRH-MTI Peshawar may accept or reject any or all of the bids under Rule 47 of KPPRA Rules, 2014.
7. Additional documents will not be acceptable after Bid Submission.
8. **Rates will be valid till 30th June 2023.**

INVITATION FOR BIDS
Lady Reading Hospital
Medical Teaching Institute
Peshawar
Phone: 091-9211927

INVITATION FOR BIDS

Hospital Director, Medical Teaching Institute, **Lady Reading Hospital Peshawar** invites sealed bids from Manufacturer/Importers/Authorized Distributors under National Competitive Bidding for the procurement of “ **Multimedia items & Other Accessories 2022-2023**” for Hospital, under rule 6(2)(b) “**Single stage Two envelope procedure**” of KPPRA Rules 2014, from Manufacturer/Authorized Dealers registered with the Income / Sales tax, reflected on Active Taxpayer List of FBR.

The bidders are required to submit bid security @ **150,000/-** in the name of Hospital Director LRH-MTI Peshawar. Pre-bid meeting with the interested bidders was held on **25/07/2022 at 11:00 AM** at Material Management Department of the institution.

The tenders complete in all respect must reach the undersigned by **11:00 AM on 01/08/2022**, which will be opened at 11:30 AM on the same day in conference room / AHD office of the Hospital in the presence of the procurement committee and the bidders / representatives who may choose to attend.

Competent Authority reserves the right to reject any or all the bids as per provisions contained in Rule 47 of KPPRA Rules 2014.

4. BID Security

- i. Bid security @ **150,000/-**(refundable) drawn in favor of “
Hospital Director LRH-MTI Peshawar”
- ii. Pay Order (PO) is not acceptable.

The bid security may be forfeited:

- i) If a Bidder withdraws its bid during the period of bid validity specified by the Bidder on the Bid Form; or
- ii) In the case of a successful Bidder, if the Bidder fails to sign the contract or to furnish performance Guarantee.

5. BID VALIDITY:

- i) The bids should be valid for **90 days**.
- ii) In exceptional circumstances, LRH-MTI Hospital may solicit the Bidder's consent to an extension of the period of validity reasons shall be recorded in writing. The request and the responses there to shall be made in writing. The bid security provided shall also be suitably extended. A Bidder may refuse the request without forfeiting its bid security. A Bidder granting the request will not be required nor permitted to modify its bid, except as provided in the bidding document.

6. BLACKLISTING OF DEFAULTED BIDDER/CONTRACTOR

Conditions for Blacklisting of Defaulted Bidder/Contractor under rule 44 of KPPRA Rules 2014

The following are the events which would lead to initiate (Rule 44 of KPPRA Rules 2014) blacklisting/debarment process;

- Consistent failure to provide satisfactory performances.
- Found involved in corrupt/fraudulent practices.
- Abandoned the place of work permanently

Conditions for debarment of Defaulted Bidder/Contractor

Failure or refusal to;

- Accept Purchases Order / Services order terms;
- Make supplies as per specifications agreed;
- Fulfill contractual obligations as per contract
- Non execution of work as per terms & condition of contract.
- Any unethical or unlawful professional or business behavior detrimental to good conduct and integrity of the public procurement process.
- Persistent and intentional violation of important conditions of contract.
- Non-adherence to quality specifications despite being importunately pointed out.
- Security consideration of the State i.e., any action that jeopardizes the security of the State or good repute of the LRH- MTI Peshawar.

Procedure for blacklisting and debarment

1. Competent authority of Lady Reading Hospital -MTI Peshawar may on information, or on its own motion, issue show cause notice to the bidder.
2. The Show Cause notice shall contain the statement of allegation against the Bidder.
3. The bidder will be given maximum of seven days to submit the written reply of the show cause notice.
4. In case the bidder fails to submit written reply within the requisite time, the competent authority may proceed forth with ex-parte against the bidder.
5. Direct to issue notice of personal hearing to the bidder/ authorized representative of the bidder and the competent authority shall decide the matter on the basis of available record and personal hearing, if availed.
6. The competent authority shall decide the matter within thirty days from the initiation of proceedings.
7. The order of competent authority shall be communicated to the bidder by indicating reasons.
8. The order past as above shall be duly conveyed to the KPPRA and defaulting bidder within three days of passing order.
9. The duration of debarment may vary up to five years depending upon the nature of violation.

7. DISPUTES AND CONTROVERSIES/DISPUTE RESOLUTION

1. The purchaser shall constitute a committee comprising of disagreed & notified by the competent authority proper powers and authorizations to address the complaints of bidders that may occur prior to the entry into force of the procurement contract.
2. Any bidder feeling aggrieved by any act of the purchaser after the submission of his bid may lodge a written complaint concerning his grievances not later than 03 days after the announcement of the bid evaluation report.
3. The grievance redress Officer shall investigate and decide upon the complaint within 06 days of the receipt of the complaint. The report along with decision shall be forwarded to the purchaser officer within the prescribed period.
4. Mere fact of lodging of a complaint shall not warrant suspension of the procurement process.
Note: Grievance notified & designated who can invite appropriate official as co-opted member for grievance.
5. Any dispute or difference arising out of the Agreement which cannot be amicably settled between the Parties, shall be finally settled by KPPRA whose decision will final and binding on both the parties.

8. STATEMENT OF REQUIREMENT WITH SPECIFICATION

List of IT Equipment/Accessories

| S. No | Name of Item |
|-------|---|
| 1 | LED TV China 32" A Grade with Original Wall Mount Stand or Equivalent |
| 2 | LED TV China 43" A Grade with Original Wall Mount Stand or Equivalent |
| 3 | LED TV China 48" A Grade FHD with Original Wall Mount Stand or Equivalent |
| 4 | LED TV China 55" A Grade 4K with Original Wall Mount Stand or Equivalent |
| 5 | LED TV China 65" A Grade 4K with Original Wall Mount Stand or Equivalent |
| 6 | LED TV LG/Samsung Original 32" with Original Wall Mount Stand or Equivalent |
| 7 | LED TV LG/Samsung Original 43" with Original Wall Mount Stand or Equivalent |
| 8 | LED TV LG/Samsung Original 48" with Original Wall Mount Stand or Equivalent |
| 9 | LED TV LG/Samsung Original 55" with Original Wall Mount Stand or Equivalent |
| 10 | LED TV LG/Samsung Original 65" with Original Wall Mount Stand or Equivalent |
| 11 | Air Blower Black Decker or Equivalent |
| 12 | Vacuum Cleaner Portable handheld 220v |
| 13 | Soldering Irons & Stations or Equivalent |
| 14 | Soldering iron wire 1MM or Equivalent |
| 15 | GeForce GTX/RTX 2060Ti 11G, or higher or Equivalent |
| 16 | GeForce GTX/RTX 3060Ti 11G, or higher or Equivalent |
| 17 | Energizer Recharge Power Plus AA-4 pack |
| 18 | Energizer Recharge Power Plus AAA-4 pack |
| 19 | Energizer AA MAX® Alkaline Batteries 4P |
| 20 | 1.5v AA AAA Lithium Li-ion Rechargeable Battery Charger with LCD Display 4-Slot |
| 21 | Energizer MAX 9V or Equivalent |
| 22 | Energizer Recharge 9V or Equivalent |
| 23 | 2 Slots Rechargeable Battery Charger Universal r AA/AAA 9V |
| 24 | Digital LCD Indoor Temperature Sensor Humidity Meter |
| 25 | Logitech C930E BUSINESS WEBCAM or Equivalent |
| 26 | Logitech BCC950 BUSINESS WEBCAM or Equivalent |
| 27 | Webcam PK-940HA or Equivalent |
| 28 | USB 3.0 Portable CD/DVD +/-RW |
| 29 | Multimedia Projector PG705HD, Equivalent or higher |
| 30 | Multimedia Projector VPL-EX575, Equivalent or higher |
| 31 | Multimedia Projector 3000min -3500max Lumens DLP (Sony, Hitachi, NEC, Dell, View Sonic, Vivitec, Acer, Panasonic, BenQ) |
| 32 | Vissan K36, Equivalent or Higher |
| 33 | Vissan k21 Equivalent or higher |
| 34 | SATA to USB IDE Adapter USB 3.0 SATA 2.5 3.5 Hard Disk Drive |
| 35 | SATA USB Adapter USB 3.0 SATA III Cable Converter Cabo For 2.5inch External SSD HDD |
| 36 | USB to SATA 2.5" converter 3.0 covered box |
| 37 | PCIe -Nvme drive kit |

| | |
|----|---|
| 38 | HDD Duplicators i.e. 2.5" & 3.5" |
| 39 | HDD 3.5" to USB converter Kit |
| 40 | Portable USB Mini Speaker 5W or higher |
| 41 | Miracast TV Stick HDMI-compatible Wireless 4K 5G G9 or Equivalent |
| 42 | Mirascreen G5 2.4G 5G 4K Wireless HDMI-compatible Dongle TV or Equivalent |
| 43 | Intel Celeron J4125 Quad Core 8GB emmc128GB |
| 44 | Intel N4000 4G/emmc64G, win 10Pro, dual band wifi |
| 45 | Intel Box 8G/emmc64G, dual band wifi |
| 46 | Intel Box 4G/Emmc 64G, dual band wifi, 12V adapter, Ethernet |
| 47 | Phillips Contact Cleaner Spray (390CCCS) or Equivalent |
| 48 | Phillips Degreaser Spray (C1F2CH3) or Equivalent |
| 49 | WD 40 Spray 330/300ML |
| 50 | Glint Spray for Glass |
| 51 | Glint Spray for Surface |
| 52 | Screen Cleaner Spray |
| 53 | AUX cable Custom made high quality 10M |
| 54 | Honeywell Orbit Barcode Scanner 3axis or Equivalent |
| 55 | Soldering Sucker |
| 56 | HP ScanJet Pro 2500 f1 Flatbed Scanner, Equivalent or Higher |
| 57 | Scanner A3 Flatbed |
| 58 | Scanner ADF A4, upto 75ppm/250ipm Equivalent or Higher |
| 59 | Black Copper BC-105, Equivalent or Higher |
| 60 | Black Copper BC-95AC, Equivalent or Higher |
| 61 | Black Copper Turbo BC-85AC, Equivalent or Higher |
| 62 | Black Copper BC-98AC, Equivalent or Higher |
| 63 | Motorized Projector Screen 8 ft x6 |
| 64 | Motorized Projector Screen 10 ft x8 |
| 65 | Barcode Printer TSC TX200 Series with Ribbon, Equivalent or Higher |
| 66 | TSC TX/TE200 Series, Equivalent or Higher |
| 67 | Multimedia Projector Ceiling Mount Stand 2 Foot |
| 68 | Multimedia Projector Ceiling Mount Stand 4 Foot |
| 69 | Fire extinguisher ball |
| 70 | Power Adaptor 9/12v,2A (water proof) |
| 71 | Power Adaptor 9/12v,2A |
| 72 | Power Adaptor 9/12v,4A |
| 73 | Power Adaptor 9/12v,6A |
| 74 | Digital meters for hardware |
| 75 | IP55/IP67 NetworkBox |
| 76 | USB Key board Branded Branded, Standard with Wire |
| 77 | Ergonomic Keyboard Branded |
| 78 | USB Mouse Optical Branded, Standard Wire |
| 79 | Wireless mouse & keyboard Logitech COMBO MK320 or equivalent |
| 80 | Wireless Optical mouse M185 or equivalent |
| 81 | Wireless Optical mouse M215 or equivalent |
| 82 | HDMI to VGA converter |
| 83 | VGA to HDMI converter |

| | |
|-----|--|
| 84 | DVI-D to hdmi dongle |
| 85 | DP to HDMI dongle |
| 86 | Stanley Coordless drill machine with complete screw driver,drill bit set, or equivalent, |
| 87 | Stanley screw drivers kit 20+ Pc, or equivalent or higher. |
| 88 | Cricut Cleaning Brush set |
| 89 | Printer USB cables |
| 90 | CMOS battery cells, Pack 10P |
| 91 | Serial port card 9 pin, sinlge Port |
| 92 | Serial port card 9 pin, Dual Port |
| 93 | LAN Card PCI-E dual Port 1G |
| 94 | LAN card PCI-E Single Port 1G |
| 95 | High rang WIFI catcher 150mbps with dual antenna PCI-e, fixed |
| 96 | High rang WIFI catcher 300mbps with dual antenna PCI-e, fixed |
| 97 | High rang WIFI catcher 150mbps with dual antenna PCI-e,detachable |
| 98 | High rang WIFI catcher 300mbps with dual antenna PCI-e,detachable |
| 99 | High rang USB WIFI catcher 300mbps with antenna Derachable |
| 100 | High rang USB WIFI catcher 300mbps with antenna Fixed |
| 101 | Power Supply HP elite desk 800 G1 tower |
| 102 | Power Supply for i3 OptiPlex 3046 & i7 OptiPlex 3040, 240W |
| 103 | DDR 4 - 4GB RAM for OptiPlex 3046/3040 |
| 104 | DDR 4 - 8GB RAM for OptiPlex 3046/3040 |
| 105 | DDR 3 - 4GB RAM for OptiPlex 3046/3040 |
| 106 | DDR 3 - 8GB RAM for OptiPlex 3046/3040 |
| 107 | Professional presenter integrated with Microsoft Application i.e. office,PDF,Foxit,WEB |
| 108 | HDD Internal 1 TB Sata |
| 109 | HDD Internal 2 TB Sata |
| 110 | HDD Internal 3 TB Sata |
| 111 | HDD Internal 4 TB Sata |
| 112 | HDD Internal 8 TB Sata |
| 113 | HDD Internal 2TB Surveillance Grade Sata |
| 114 | HDD Internal 4TB Surveillance Grade Sata |
| 115 | HDD Internal 8TB Surveillance Grade Sata |
| 116 | HDD External 1 TB USB-3/3.1 |
| 117 | HDD External 2 TB USB-3/3.1 |
| 118 | HDD External 4 TB USB-3/3.1 |
| 119 | HDD External 8 TB USB-3/3.1 |
| 120 | SSD HDD SFF 128 GB i.e. ADATA, SAMSUNG,Hikvision, Kingston, WD equivalent or higher |
| 121 | SSD HDD SFF 240 GB i.e. ADATA, SAMSUNG,Hikvision, Kingston, WD equivalent or higher |
| 122 | SSD HDD SFF 512 GB i.e. ADATA, SAMSUNG,Hikvision, Kingston, WD equivalent or higher |
| 123 | SSD HDD SFF 1 TB i.e. ADATA, SAMSUNG,Hikvision, Kingston, WD equivalent or higher |
| 124 | NvMe ssd drive 240GB i.e. ADATA, SAMSUNG,Hikvision, Kingston, WD equivalent or higher |
| 125 | NvMe ssd drive 512GB i.e. ADATA, SAMSUNG,Hikvision, Kingston, WD equivalent or higher |
| 126 | NvMe ssd drive 1TB i.e. ADATA, SAMSUNG,Hikvision, Kingston, WD equivalent or higher |
| 127 | NvMe Kit caddy |
| 128 | M2 ssd drive 240GB or higher |
| 129 | M2 ssd drive 512GB or higer |

| | |
|-----|---|
| 130 | M2 ssd drive 1TB or higher |
| 131 | Enterprise Grade HDD 8TB SATA |
| 132 | EVS Drive 8TB Hot Swappable |
| 133 | NL-SAS Drive 4 TB |
| 134 | Mouse Pad With Wrist Support |
| 135 | Network Storage Box – NAS 4 Drive Supported upto 16TB Each with Raid 0,1,2,3,5,6,10 |
| 136 | Spray Glint |
| 137 | Heat gun |
| 138 | Glue Gun |
| 139 | Glue stick Pack |
| 140 | CD-R Box |
| 141 | DVD RW Box |
| 142 | Power Adapter for thermal Printer 12V 1.5Amp & 24 V 2.5 am |
| 143 | Power adapter for laptop 19.5V 3.3A mp Universal |
| 144 | VGA Splitter 4 Ports |
| 145 | 4 Port PCI Serial Adapter Card |
| 146 | 2 Port PCI Serial Adapter Card |
| 147 | USB 3.0/3.1 DVD RW |
| 148 | USB Splitter 4, 6 ports 3.0/3.1 |
| 149 | Head phones Logitech With Mic |
| 150 | Head phones Logitech USB, equivalent or higher |
| 151 | USB Male to Female |
| 152 | LED 24" LG, HP, Dell, Samsung, HDMI,DP, VGA, USB 3.1 equivalent or higher |
| 153 | LED 27" LG, HP, Dell, Samsung, HDMI,DP, VGA, USB 3.1 equivalent or higher |
| 154 | LED Screen Lenovo AIO V530 23.8" |
| 155 | Hard Drive for Dell PowerEdge R820 - SSD 480GB |
| 156 | Hard Drive for Dell PowerEdge R820 - 10k SAS 600GB |
| 157 | Hard Drive for Dell PowerEdge R820 - 15K SAS 600GB |
| 158 | RAM for Dell PowerEdge R820 16GB |
| 159 | RAM for Dell PowerEdge R820 32GB |
| 160 | Hard Drives for Lenovo System x3650 M5 - SAS 900 01GV036 |
| 161 | Hard Drives for Lenovo DAS 1212 - 4TB SAS 4TB 01DC489 |
| 162 | Hard Drives for Lenovo DAS 1212 - 16TB |
| 163 | Hard Drives for Lenovo DAS 1212 - 32 TB |
| 164 | battery 12v 7Ah |
| 165 | battery 12v 9Ah |
| 166 | battery 12v 34W, Lead-acid battery |
| 167 | battery 12v 14Ah, Lead-acid battery |
| 168 | battery 12v 20Ah, Lead-acid battery |
| 169 | battery 12v 40Ah, Lead-acid battery |
| 170 | RFID Zkteco K50 With Complete Set with installation equivalent or higher |
| 171 | RFID Zkteco Mb360 With Complete Set with installation equivalent or higher |
| 172 | RFID Zkteco Mb20 With Complete Set with installation equivalent or higher |
| 173 | RFID Zkteco F22 With Complete Set with installation equivalent or higher |
| 174 | HDMI Spiliter 4 Ports |

| | |
|-----|---|
| 175 | wireless UHF professional mic Portable upto 30M |
| 176 | PDU 16+A 8port |
| 177 | PDU 16+A 4port |
| 178 | USB Sound Card 5.1Ch |
| 179 | UHF/VHF wireless mic Range 30M |
| 180 | UHF/VHF dual wireless mic Range 30M |
| 181 | Lenovo AIO 90/120W Charger |
| 182 | 65W usb Type-C Charger |
| 183 | DP cables for LED/LCD Monitors high quality 1M |
| 184 | German / UK Power Cord with Fuse 10AMP, UK 3Pin Plug to C-13 (Standard), 3 Meter, Branded |
| 185 | German / UK Power Cord with Fuse 10AMP, UK 3Pin Plug to C-14 (UPS Connector Male), 3 Meter, Branded |
| 186 | German / UK Power Cord with Fuse 10AMP, 2/3 Pin Plug to C-15 (With Cut), 3 Meter, Branded |
| 187 | German / UK Power Cord with Fuse 10AMP, 2/3 Pin Plug to C-5 (Adapter), 3 Meter, Branded |
| 188 | German / UK Power Cord, 2/3 Pin Plug to C-13 (Standard), 3 Meter, Branded |
| 189 | German / UK Power Cord, 2/3 Pin Plug to C-13 (Standard), 3 Meter, Branded |
| 190 | German / UK Power Cord, 2/3 Pin Plug to C-14 (UPS Connector Male), 3 Meter, Branded |
| 191 | German / UK Power Cord, 2/3 Pin Plug to C-15 (With Cut), 3 Meter, Branded |
| 192 | German / UK Power Cord, 2/3 Pin Plug to C-5 (Adapter), 3 Meter, Branded |
| 193 | German / UK Power Cord best quality, Branded, 5Meter |
| 194 | German / UK Power Cables best quality, Branded Type C5 (Laptop) |
| 195 | Male to female power cables, 10AMP, Branded, 2M |
| 196 | Male to female power cables, 10AMP, Branded, 3M |
| 197 | Male to female power cables, 10AMP, Branded, 5M |
| 198 | Male to female power cables, 10AMP, Branded, 10 M |
| 199 | Male power cord splitter cable Branded |
| 200 | Female power cord splitter cable Branded |
| 201 | CD Drive Caddy Kit |
| 202 | VGA Cable, 1.5 Meter, Standard Connector 15Pin Type DE-15 Male |
| 203 | VGA Cable, 2 Meter, Standard Connector 15Pin Type DE-15 Male |
| 204 | VGA Cable, 3 Meter, Standard Connector 15Pin Type DE-15 Male |
| 205 | VGA Cable, 5 Meter, Standard Connector 15Pin Type DE-15 Male |
| 206 | VGA Cable, 10 Meter, Standard Connector 15Pin Type DE-15 Male |
| 207 | VGA Cable, 15 Meter, Standard Connector 15Pin Type DE-15 Male |
| 208 | HDMI Cable, 1 Meter, Standard 4K |
| 209 | HDMI Cable, 2 Meter, Standard 4K |
| 210 | HDMI Cable, 3 Meter, Standard 4K |
| 211 | HDMI Cable, 5 Meter, Standard 4K |
| 212 | HDMI Cable, 10 Meter, Standard 4K |
| 213 | HDMI Cable, 15 Meter, Standard 4K |
| 214 | HDMI Cable, 20 Meter, Standard 4K |
| 215 | Cisco Optical Gigabit Ethernet SFP, CLASS 1, 1000BASE-SX or equivalent |
| 216 | Cisco Optical Gigabit Ethernet SFP, CLASS 1, 1000BASE-LX/LH or Equivalent |

| | |
|-----|--|
| 217 | Cisco Copper Gigabit Ethernet SFP, CLASS 1, 1000BASE-T or Equivalent |
| 218 | HPE OfficeConnect 1950 24G 2SFP+ 2XGT PoE+ Switch (JG962A) or Equivalent |
| 219 | HPE X120 1G SFP LC SX Transceiver or Equivalent |
| 220 | HPE X120 1G SFP LC LX Transceiver or Equivalent |
| 221 | HPE OfficeConnect 1920 24G PoE+ (370W) Switch JG926A or Equivalent |
| 222 | HPE X121 1G SFP LC SX Transceiver |
| 223 | HPE X121 1G SFP LC LX Transceiver |
| 224 | HPE OfficeConnect 1920 8G PoE+ (180W) Switch JG922A or Equivalent |
| 225 | HPE X121 1G SFP LC SX Transceiver |
| 226 | HPE X121 1G SFP LC LX Transceiver |
| 227 | CISCO 2960 Series Switch 24 Port PoE, 1G with 1G SFP or Equivalent |
| 228 | Media Convertor 1G Fiber to Ethernet |
| 229 | Universal Power Adapter for Laptops |
| 230 | USB 3/3.1 - 64 GB i-e HP / SAMSUNG / ADATA or higher |
| 231 | USB 3/3.1 - 128 GB i-e HP / SAMSUNG / ADATA or higher |
| 232 | Mikrotik-CCR1009-7g-1c or Equivalent |
| 233 | Ubiquiti (UBNT) UAP-AC-LR or Equivalent |
| 234 | TS-8-PRO or Equivalent |
| 235 | Air Gateway Airmax UBNT(Ubiquiti)INS-8023AF-O Accessories UBNT(Ubiquiti) or Equivalent |
| 236 | Sector AM-M521-60-AC Airmax UBNT(Ubiquiti) or Equivalent |
| 237 | ubiquiti LAP-120 or Equivalent |
| 238 | UAP Mesh or Equivalent |
| 239 | Power Beam M5 AC 2nd Gen 29dBi or Equivalent |
| 240 | Power Beam M5 AC 2nd Gen 20dbi or Equivalent |
| 241 | UAP AC IW or Equivalent |
| 242 | ipc-hdw2431tp-as EVS compatible or Equivalent |
| 243 | ipc-hfw2431 sp-s EVS compatible or Equivalent |
| 244 | ipc hfw 7442 EVS compatible or Equivalent |
| 245 | ipc hfw 7442 EVS compatible or Equivalent |
| 246 | ITC237 ANPR EVS Compatible or Equivalent |
| 247 | SD6c230 EVS Compatible |
| 248 | Surge Protector 4 Port |
| 249 | Analogue telephone Panasonic kxt944 or Equivalent |
| 250 | Drop Wire |
| 251 | 10P PVC Wire |
| 252 | 02P PVC Wire |
| 253 | Surge Protector 8 Port |
| 254 | Battery 12 v 80AMP |
| 255 | SAN ocean 2600 v3 store 8TB NLSAS drive or Equivalent |
| 256 | HP 406dn or Equivalent |
| 257 | Wall Mount Single Screen Bracket Movable X-axis & Y-axis or Equivalent |
| 258 | Wall Mount Dual Screen Bracket Movable bracket X-axis & Y-axis or Equivalent |

Justification:

All the above items are required - time to time - for different locations and up gradation of current equipment.

9. EVALUATION CRITERIA

The bids / proposals will be evaluated on the basis of advertisement, bid solicitation documents and the point system as specified below.

A proposal shall be rejected during the technical evaluation if the bid does not fulfill the minimum specified requirements OR if it fails to achieve the minimum score as indicated in the below mentioned table. Relevant certificates / documents must be attached.

Evaluation Criteria for Procurement of Multimedia Items:

Total Marks (Technical Criteria + Financial Criteria): TM: 70 + 30 =100 Marks No chance will be provided for re-submission of secondary documentation. The bidders must carefully read the instructions; Non-compliance to the stated instruction may lead to their technical disqualification.

TECHNICAL EVALUATION CRITERIA

| S # | Description | Range | Marks | | Remarks |
|-----|---|-------------------|----------|--|--|
| 1 | Support Company should be registered with Chamber of Commerce | | 05 | | |
| 2 | Manufacturers/Importers/Authorized Dealers (Certificate) | | 05 | | Authorization will be verified from the Principal/ Authorized Dealer |
| 3 | Years of Experience (Two Marks for each year) | 01 to 02 years | 04 | | Company profile must be attached |
| | | 03 to 4 Years | 08 (Max) | | |
| 4 | Projects Completed (Same Nature, Same Level) | 01 to 03 Projects | 10 | | List of the projects along with contract |
| | | 04 to 06 Projects | 15 | | |

| | | | | |
|-------------|------------------------------------|--|----------|---|
| | | 07 & Above | 18 (Max) | documents ,Purchase order and completion certificates must be attached |
| 5 | Human Resource | Project Manager | 05 | Qualifications/ Payroll /Other relevant documents ,must be attached |
| | | IT Engineer | 04 | |
| | | IT Technician (One mark for each Engineer/Technician | 04 | |
| 6 | Financial Capabilities (Turn Over) | 10 M to 20 M | 05 | Relevant record, Audit Report, Showing net annual sales will be verified from IT-1 & IT-2 |
| | | 21 M TO 40 M | 08 | |
| | | 41 M & above | 10 (Max) | |
| 7 | Annual Tax Returns of FBR | Last 03 Years | 03 (Max) | One Mark For each year |
| 8 | ISO 9001:2015 or Higher Certified | ISO 9001:2015 or higher Certified | 08 (Max) | Relevant Certification |
| Total Marks | | | 70 | |

Total Marks in Technical Criteria: **70**

Qualifying Percentage in Technical Criteria: **70%**

Qualifying Marks: 49

Financial Criteria (30 Marks):

| S # | Parameters | Sub-Parameters | Total Marks: |
|-----|------------|---|--------------|
| | Price | | 30 |
| | | Lowest Price will get full marks. The formula to calculate the marks for the price submitted is: [Lowest Price (Fm)/Price of Bid under consideration (F)] x100 x 0.30 | 30 |

Bids having items not fulfilling/in compliance with the required specifications shall be treated as non-responsive bids.

10. REDRESSING OF GRIEVANCES

1. The purchaser shall constitute a committee comprising of disagreed & notified by the competent authority proper powers and authorizations to address the complaints of bidders that may occur prior to the entry into force of the procurement contract.
2. Any bidder feeling aggrieved by any act of the purchaser after the submission of his bid may lodge a written complaint concerning his grievances not later than 05 days after the announcement of the bid evaluation report.
3. The grievance redressed Officer shall investigate and decide upon the complaint within 06 days of the receipt of the complaint. The report along with decision shall be forwarded to the purchaser officer within the prescribed period.
4. Mere fact of lodging of a complaint shall not warrant suspension of the procurement process.
5. Note: Grievance notified & designated who can invite appropriate official as co-opted member for grievance.

11. AWARD OF CONTRACT:

Contracts shall be confirmed through a written agreement signed by the successful bidder and the LRH-MTI Peshawar.

12. PAYMENT:

- a. No advance payment will be permissible.
- b. The payment will be made after successful supply, installation/inspection and test run of all requisite items.

13. Sub-Letting Contract:

The supplier shall not sub-let or assign this Contract or any part thereof without the written permission of the procuring entity. In the event of the Services provider subletting or assigning this Contract or any part thereof without such permission, the procuring entity shall be entitled cancel the Contract and to purchase the goods elsewhere on the supplier account and risk and the supplier shall be liable for any loss or damage which the procuring entity may sustain in consequence of arising out of such purchase.

MULTIMEDIA ITEMS & OTHER ACCESSORIES 2022-2023 (After Prebid)