



Lady Reading Hospital (LRH)
Medical Teaching Institution (MTI)
Peshawar
Contact No: 091-9211927

BID SOLICITATION DOCUMENTS
For
MULTIMEDIA ITEMS & OTHER ACCESSORIES 2024-2025

Note: The prospective bidder is expected to examine the Bidding Documents carefully, including all Instructions, Terms & Conditions, and Specifications etc. Failure to furnish all information required by the Bidding documents or submission of a Bid not substantially responsive to the Bidding Documents in every respect would result in the rejection of the Bid.

Assistant Manager Material Management
LRH/MTI Peshawar

AD Legal
LRH/MTI Peshawar

System Engineer
LRH/MTI Peshawar

Manager MIS
LRH/MTI Peshawar

Nursing Director
LRH/MTI Peshawar

Director Finance
LRH/MTI Peshawar

Associate Hospital Director
LRH/MTI Peshawar

Medical Director
LRH/MTI Peshawar

Hospital Director
LRH/MTI Peshawar

TABLE OF CONTENTS

S #	Contents	Page #
1.	Introduction	02
2.	Instruction to Bidders	02
3.	General Conditions	03-04
4.	Eligibility Criteria	5
5.	Invitation for Bids	06
6.	Bid Security	06
7.	Bid Validity	06
8.	Blacklisting of Defaulted Bidder/Contractor	07
9.	Statement of Requirement with Specification	8-13
10.	Redressing of Grievances	14
11.	Evaluation Criteria	14
12.	Award of Contract	14
13.	Payment	14

1. INTRODUCTION:

Lady Reading Hospital-Medical Teaching Institution (LRH-MTI) Peshawar invites item wise sealed bids from the Manufacturer/Authorized Dealers for procurement of “**Multimedia Items & Other Accessories 2024-2025**” for Hospital Open Competitive Bidding under rule 6(2) (b) “**Single Stage Single Envelope**” bidding procedures of Khyber Pakhtunkhwa Public Procurement Regulatory Authority (KPPRA) Rules 2014.

2. INSTRUCTIONS TO BIDDERS:

1. This Bidding procedure will be conducted in light of Khyber Pakhtunkhwa Public Procurement Regulatory Authority (KPPRA) Laws, Rules made there under along with Standard Bidding Documents.
2. The bids will be opened on **13/06/2024 at 11:30 AM** in the presence of the bidders / representatives who choose to attend.
3. Pre-bid meeting with the interested bidders will be held on **29/05/2024 at 11:00 AM** in the Conference Room / MMD Office of the Institution.
4. Any bid received after the deadline for submission of bids shall not be entertained and shall be returned unopened to the Bidder.
5. The bid should be complete in all respect and must be signed by the bidder.
6. All prices quoted must be in Pak Rupees (PKR) and should include all taxes applicable by govt (at any stage of Tender Process/till the validity of rates). If not specifically mentioned in the Quotation, it will be presumed that the prices include all the taxes.
7. Bidders are essentially required to provide correct and latest postal / email / web addresses, phone / mobile / fax numbers for actively and timely communication.
8. For any query, clarification regarding Services / Bid Solicitation Documents, the applicants may send a written request at least one day prior to the opening date.
9. Any bid not received as per terms and conditions laid down in this document are liable to be ignored. No offer shall be considered if:
 - a. Received without earnest money;
 - b. It is received after the date and time fixed for its receipt;
 - c. The offer is ambiguous;
 - d. The offer is conditional i.e. advance payment, or currency fluctuations etc.;
 - e. The offer is from blacklisted firm in any Federal / Provincial Govt. Deptt:
 - f. Only typed tender on original prescribing letter pad, sealed & signed (Every Page) should be submitted, the quoted Price must be preprinted and hand written quoted price will not be acceptable. The tenders must be according to hospital specification; alternate rates will not be acceptable
10. Usage of correction fluid & corrections are strictly prohibited unless duly initiated.
11. Any erasing / cutting etc. appearing on the offer, must be properly signed by the person signing

the tender.

12. Bids will be rejected if the Bid is in some way connected with bids submitted under names different from his own.
13. In case of Bid Tie, the decision will be taken by making toss / draw / Recall sealed quotation in front of the bidders.
14. Any direct or indirect effort by a bidding firm to influence this institution during the process of selection of a bidder or award of contract may besides rejection of its bid result into its disqualification from participation in the LRH Peshawar's future bids.

3. GENERAL CONDITIONS: -

1. LRH-MTI Peshawar shall evaluate the proposal in a manner prescribed in advance, without reference to the price and reject any proposal which does not conform to the specified requirements.
2. Alternative bid shall not be considered and shall be rejected by the Competent Authority.
3. LRH-MTI Peshawar may increase or decrease the quantity of the items required, as per KPPRA rules.
4. At any time prior to the deadline for submission of bids, LRH-MTI Peshawar may, for any reason, whether at its own initiative or in response to a clarification requested by a prospective Bidder, modify the bidding documents by amendment.
5. If a bid is not substantially responsive, it will be rejected by the Procuring Entity and may not subsequently be made responsive by the Bidder by correction of the nonconformity.
6. LRH-MTI Peshawar may accept or reject any or all of the bids under Rule 47 of KPPRA Rules, 2014.
7. Additional documents will not be acceptable after Bid Submission.
8. **Rates will be valid till 30th June 2025.**

4. ELIGIBILITY CRITERIA:

Bidders must give compliance to the below mentioned clauses as these are mandatory to being eligible for the bidding process. Relevant certificates must be attached.

1. Computerized National Identity Card (photo-copy).
2. The bidder must be registered with Income / Sales Tax Department, reflected as Active Tax Payer on the list of FBR.NTN/KNTN and Professional tax.
3. The bidder shall provide an undertaking that the bidder has not been declared blacklisted by any Governmental / Semi-Governmental institutions.
4. Bidders shall not be eligible to bid if they are under a declaration of Ineligibility for corrupt and fraudulent practices issued by any government organization in accordance with the Section 44(1) KPP Rules 2014.

INVITATION FOR BIDS
Lady Reading Hospital
Medical Teaching Institute
Peshawar
Phone: 091-9211927

5. INVITATION FOR BIDS

Hospital Director, Medical Teaching Institute, **Lady Reading Hospital Peshawar** invites sealed bids from Manufacturer/Importers/Authorized Distributors under National Competitive Bidding for the procurement of “**Multimedia items & Other Accessories 2024-2025**” for Hospital, under rule 6(2)(b) “**Single Stage Single envelope procedure**” of KPPRA Rules 2014, from Manufacturer/Authorized Dealers registered with the Income / Sales tax, reflected on Active Taxpayer List of FBR.

The bidders are required to submit bid security @ **200,000/-** in the name of Hospital Director LRH-MTI Peshawar. Pre-bid meeting with the interested bidders was held on **29/05/2024 at 11:00 AM** at Material Management Department of the institution.

The tenders complete in all respect must reach the undersigned by **11:00 AM on 13/06/2024**, which will be opened at 11:30 AM on the same day in conference room / AHD office of the Hospital in the presence of the procurement committee and the bidders / representatives who may choose to attend.

Competent Authority reserves the right to reject any or all the bids as per provisions contained in Rule 47 of KPPRA Rules 2014.

6. BID Security

- i. Bid security @ **200,000/-**(refundable) drawn in favor of “
Hospital Director LRH-MTI Peshawar”
- ii. Pay Order (PO) is not acceptable.

The bid security may be forfeited:

- i) If a Bidder withdraws its bid during the period of bid validity specified by the Bidder on the Bid Form; or
- ii) In the case of a successful Bidder, if the Bidder fails to sign the contract or to furnish performance Guarantee.

7. BID VALIDITY:

- i) The bids should be valid for **90 days**.
- ii) In exceptional circumstances, LRH-MTI Hospital may solicit the Bidder’s consent to an extension of the period of validity reasons shall be recorded in writing. The request and the responses there to shall be made in writing. The bid security provided shall also be suitably extended. A Bidder may refuse the request without forfeiting its bid security. A Bidder granting the request will not be required nor permitted to modify its bid, except as provided in the bidding document.

8.BLACKLISTING OF DEFAULTED BIDDER/CONTRACTOR

Conditions for Blacklisting of Defaulted Bidder/Contractor under rule 44 of KPPRA Rules 2014

The following are the events which would lead to initiate (Rule 44 of KPPRA Rules 2014) blacklisting/debarment process;

- Consistent failure to provide satisfactory performances.
- Found involved in corrupt/fraudulent practices.
- Abandoned the place of work permanently

Conditions for debarment of Defaulted Bidder/Contractor

Failure or refusal to;

- Accept Purchases Order / Services order terms;
- Make supplies as per specifications agreed;
- Fulfill contractual obligations as per contract
- Non execution of work as per terms & condition of contract.
- Any unethical or unlawful professional or business behavior detrimental to good conduct and integrity of the public procurement process.
- Persistent and intentional violation of important conditions of contract.
- Non-adherence to quality specifications despite being importunately pointed out.
- Security consideration of the State i.e., any action that jeopardizes the security of the State or good repute of the LRH- MTI Peshawar.

Procedure for blacklisting and debarment

1. Competent authority of Lady Reading Hospital -MTI Peshawar may on information, or on its own motion, issue show cause notice to the bidder.
2. The Show Cause notice shall contain the statement of allegation against the Bidder.
3. The bidder will be given maximum of seven days to submit the written reply of the show cause notice.
4. In case the bidder fails to submit written reply within the requisite time, the competent authority may proceed forth with ex-pa rte. against the bidder.
5. Direct to issue notice of personal hearing to the bidder/ authorized representative of the bidder and the competent authority shall decide the matter on the basis of available record and personal hearing, if availed.
6. The competent authority shall decide the matter within thirty days from the initiation of proceedings.
7. The order of competent authority shall be communicated to the bidder by indicating reasons.
8. The order past as above shall be duly conveyed to the KPPRA and defaulting bidder within three days of passing order.
9. The duration of debarment may vary up to five years depending upon the nature of violation.

9. STATEMENT OF REQUIREMENT WITH SPECIFICATION

List of IT Equipment/Accessories

S. No	Name of Item
1	LED TV China 32" A Grade with Original Wall Mount Stand or Equivalent
2	LED TV China 43" A Grade with Original Wall Mount Stand or Equivalent
3	LED TV China 48" A Grade FHD with Original Wall Mount Stand or Equivalent
4	LED TV China 55" A Grade 4K with Original Wall Mount Stand or Equivalent
5	LED TV China 65" A Grade 4K with Original Wall Mount Stand or Equivalent
6	LED TV LG/Samsung Original 32" with Original Wall Mount Stand or Equivalent
7	LED TV LG/Samsung Original 43" with Original Wall Mount Stand or Equivalent
8	LED TV LG/Samsung Original 48" with Original Wall Mount Stand or Equivalent
9	LED TV LG/Samsung Original 55" with Original Wall Mount Stand or Equivalent
10	LED TV LG/Samsung Original 65" with Original Wall Mount Stand or Equivalent
11	Air Blower Black Decker or Equivalent
12	Vacuum Cleaner Portable handheld 220v
13	Soldering Irons & Stations or Equivalent
14	Soldering iron wire 1MM or Equivalent
15	GeForce GTX/RTX 2060Ti 11G, or higher or Equivalent
16	GeForce GTX/RTX 3060Ti 11G, or higher or Equivalent
17	Energizer Recharge Power Plus AA-4 pack
18	Energizer Recharge Power Plus AAA-4 pack
19	Energizer AA MAX® Alkaline Batteries 4P
20	1.5v AA AAA Lithium Li-ion Rechargeable Battery Charger with LCD Display 4-Slot
21	Energizer MAX 9V or Equivalent
22	Energizer Recharge 9V or Equivalent
23	2 Slots Rechargeable Battery Charger Universal r AA/AAA 9V
24	Digital LCD Indoor Temperature Sensor Humidity Meter
25	Logitech C930E BUSINESS WEBCAM or Equivalent
26	Logitech BCC950 BUSINESS WEBCAM or Equivalent
27	Webcam PK-940HA or Equivalent
28	USB 3.0 Portable CD/DVD +/-RW
29	Multimedia Projector PG705HD, Equivalent or higher
30	Multimedia Projector VPL-EX575, Equivalent or higher
31	Multimedia Projector 3000min -3500max Lumens DLP (Sony, Hitachi, NEC, Dell, View Sonic, Vivitec, Acer, Panasonic, BenQ)
32	Vissan K36, Equivalent or Higher
33	Vissan k21 Equivalent or higher
34	SATA to USB IDE Adapter USB 3.0 Sata 2.5 3.5 Hard Disk Drive
35	SATA USB Adapter USB 3.0 SATA III Cable Converter Cabo For 2.5inch External SSD HDD
36	USB to SATA 2.5" converter 3.0 covered box
37	PCIe -Nvme drive kit
38	HDD Duplicators i.e. 2.5" & 3.5"
39	HDD 3.5" to USB converter Kit

40	Portable USB Mini Speaker 5W or higher
41	Miracast TV Stick HDMI-compatible Wireless 4K 5G G9 or Equivalent
42	Mirascreen G5 2.4G 5G 4K Wireless HDMI-compatible Dongle TV or Equivalent
43	Intel Celeron J4125 Quad Core 8GB emmc128GB
44	Intel N4000 4G/emmc64G, win 10Pro, dual band wifi
45	Intel Box 8G/emmc64G, dual band wifi
46	Intel Box 4G/Emmc 64G, dual band wifi, 12V adapter, Ethernet
47	Phillips Contact Cleaner Spray (390CCCS) or Equivalent
48	Phillips Degreaser Spray (C1F2CH3) or Equivalent
49	WD 40 Spray 330/300ML
50	Glint Spray for Glass
51	Glint Spray for Surface
52	Screen Cleaner Spray
53	AUX cable Custom made high quality 10M
54	Honeywell Orbit Barcode Scanner 3axis or Equivalent
55	Soldering Sucker
56	HP ScanJet Pro 2500 f1 Flatbed Scanner, Equivalent or Higher
57	Scanner A3 Flatbed
58	Scanner ADF A4, upto 75ppm/250ipm Equivalent or Higher
59	Black Copper BC-105, Equivalent or Higher
60	Black Copper BC-95AC, Equivalent or Higher
61	Black Copper Turbo BC-85AC, Equivalent or Higher
62	Black Copper BC-98AC, Equivalent or Higher
63	Motorized Projector Screen 8 ft x6
64	Motorized Projector Screen 10 ft x8
65	Barcode Printer TSC TX200 Series with Ribbon, Equivalent or Higher
66	TSC TX/TE200 Series, Equivalent or Higher
67	Multimedia Projector Ceiling Mount Stand 2 Foot
68	Multimedia Projector Ceiling Mount Stand 4 Foot
69	Fire extinguisher ball
70	Power Adaptor 9/12v,2A (water proof)
71	Power Adaptor 9/12v,2A
72	Power Adaptor 9/12v,4A
73	Power Adaptor 9/12v,6A
74	Digital meters for hardware
75	IP55/IP67 NetworkBox
76	USB Key board Branded Branded, Standard with Wire
77	Ergonomic Keyboard Branded
78	USB Mouse Optical Branded, Standard Wire
79	Wireless mouse & keyboard Logitech COMBO MK320 or equivalent
80	Wireless Optical mouse M185 or equivalent
81	Wireless Optical mouse M215 or equivalent
82	HDMI to VGA converter
83	VGA to HDMI converter
84	DVI-D to hdmi dongle
85	DP to HDMI dongle

86	Stanley Cordless drill machine with complete screw driver,drill bit set, or equivalent,
87	Stanley screw drivers kit 20+ Pc, or equivalent or higher.
88	Cricut Cleaning Brush set
89	Printer USB cables
90	CMOS battery cells, Pack 10P
91	Serial port card 9 pin, single Port
92	Serial port card 9 pin, Dual Port
93	LAN Card PCI-E dual Port 1G
94	LAN card PCI-E Single Port 1G
95	High rang WIFI catcher 150mbps with dual antenna PCI-e, fixed
96	High rang WIFI catcher 300mbps with dual antenna PCI-e, fixed
97	High rang WIFI catcher 150mbps with dual antenna PCI-e,detachable
98	High rang WIFI catcher 300mbps with dual antenna PCI-e,detachable
99	High rang USB WIFI catcher 300mbps with antenna Derachable
100	High rang USB WIFI catcher 300mbps with antenna Fixed
101	Power Supply HP elite desk 800 G1 tower
102	Power Supply for i3 OptiPlex 3046 & i7 OptiPlex 3040, 240W
103	DDR 4 - 4GB RAM for OptiPlex 3046/3040
104	DDR 4 - 8GB RAM for OptiPlex 3046/3040
105	DDR 3 - 4GB RAM for OptiPlex 3046/3040
106	DDR 3 - 8GB RAM for OptiPlex 3046/3040
107	Professional presenter integrated with Microsoft Application i.e. office,PDF,Foxit,WEB
108	HDD Internal 1 TB Sata
109	HDD Internal 2 TB Sata
110	HDD Internal 3 TB Sata
111	HDD Internal 4 TB Sata
112	HDD Internal 8 TB Sata
113	HDD Internal 2TB Surveillance Grade Sata
114	HDD Internal 4TB Surveillance Grade Sata
115	HDD Internal 8TB Surveillance Grade Sata
116	HDD External 1 TB USB-3/3.1
117	HDD External 2 TB USB-3/3.1
118	HDD External 4 TB USB-3/3.1
119	HDD External 8 TB USB-3/3.1
120	SSD HDD SFF 128 GB i.e. ADATA, SAMSUNG,Hikvision, Kingston, WD equivalent or higher
121	SSD HDD SFF 240 GB i.e. ADATA, SAMSUNG,Hikvision, Kingston, WD equivalent or higher
122	SSD HDD SFF 512 GB i.e. ADATA, SAMSUNG,Hikvision, Kingston, WD equivalent or higher
123	SSD HDD SFF 1 TB i.e. ADATA, SAMSUNG,Hikvision, Kingston, WD equivalent or higher
124	NvMe ssd drive 240GB i.e. ADATA, SAMSUNG,Hikvision, Kingston, WD equivalent or higher
125	NvMe ssd drive 512GB i.e. ADATA, SAMSUNG,Hikvision, Kingston, WD equivalent or higher
126	NvMe ssd drive 1TB i.e. ADATA, SAMSUNG,Hikvision, Kingston, WD equivalent or higher
127	NvMe Kit caddy
128	M2 ssd drive 240GB or higher
129	M2 ssd drive 512GB or higer
130	M2 ssd drive 1TB or higher
131	Enterprise Grade HDD 8TB SATA

132	EVS Drive 8TB Hot Swappable
133	NL-SAS Drive 4 TB
134	Mouse Pad With Wrist Support
135	Network Storage Box – NAS 4 Drive Supported upto 16TB Each with Raid 0,1,2,3,5,6,10
136	Spray Glint
137	Heat gun
138	Glue Gun
139	Glue stick Pack
140	CD-R Box
141	DVD RW Box
142	Power Adapter for thermal Printer 12V 1.5Amp & 24 V 2.5 am
143	Power adapter for laptop 19.5V 3.3A mp Universal
144	VGA Splitter 4 Ports
145	4 Port PCI Serial Adapter Card
146	2 Port PCI Serial Adapter Card
147	USB 3.0/3.1 DVD RW
148	USB Splitter 4, 6 ports 3.0/3.1
149	Head phones Logitech With Mic
150	Head phones Logitech USB, equilent or higher
151	USB Male to Female
152	LED 24" LG, HP, Dell, Samsung, HDMI,DP, VGA, USB 3.1 equivalent or higher
153	LED 27" LG, HP, Dell, Samsung, HDMI,DP, VGA, USB 3.1 equivalent or higher
154	LED Screen Lenovo AIO V530 23.8"
155	Hard Drive for Dell PowerEdge R820 - SSD 480GB
156	Hard Drive for Dell PowerEdge R820 - 10k SAS 600GB
157	Hard Drive for Dell PowerEdge R820 - 15K SAS 600GB
158	RAM for Dell PowerEdge R820 16GB
159	RAM for Dell PowerEdge R820 32GB
160	Hard Drives for Lenovo System x3650 M5 - SAS 900 01GV036
161	Hard Drives for Lenovo DAS 1212 - 4TB SAS 4TB 01DC489
162	Hard Drives for Lenovo DAS 1212 - 16TB
163	Hard Drives for Lenovo DAS 1212 - 32 TB
164	battery 12v 7Ah
165	battery 12v 9Ah
166	battery 12v 34W, Lead-acid battery
167	battery 12v 14Ah, Lead-acid battery
168	battery 12v 20Ah, Lead-acid battery
169	battery 12v 40Ah, Lead-acid battery
170	RFID Zkteco K50 With Complete Set with installation equivalent or higher
171	RFID Zkteco Mb360 With Complete Set with installation equivalent or higher
172	RFID Zkteco Mb20 With Complete Set with installation equivalent or higher
173	RFID Zkteco F22 With Complete Set with installation equivalent or higher
174	HDMI Spiliter 4 Ports
175	wireless UHF professional mic Portable upto 30M
176	PDU 16+A 8port

177	PDU 16+A 4port
178	USB Sound Card 5.1Ch
179	UHF/VHF wireless mic Range 30M
180	UHF/VHF dual wireless mic Range 30M
181	Lenovo AIO 90/120W Charger
182	65W usb Type-C Charger
183	DP cables for LED/LCD Monitors high quality 1M
184	German / UK Power Cord with Fuse 10AMP, UK 3Pin Plug to C-13 (Standard), 3 Meter, Branded
185	German / UK Power Cord with Fuse 10AMP, UK 3Pin Plug to C-14 (UPS Connector Male), 3 Meter, Branded
186	German / UK Power Cord with Fuse 10AMP, 2/3 Pin Plug to C-15 (With Cut), 3 Meter, Branded
187	German / UK Power Cord with Fuse 10AMP, 2/3 Pin Plug to C-5 (Adapter), 3 Meter, Branded
188	German / UK Power Cord, 2/3 Pin Plug to C-13 (Standard), 3 Meter, Branded
189	German / UK Power Cord, 2/3 Pin Plug to C-13 (Standard), 3 Meter, Branded
190	German / UK Power Cord, 2/3 Pin Plug to C-14 (UPS Connector Male), 3 Meter, Branded
191	German / UK Power Cord, 2/3 Pin Plug to C-15 (With Cut), 3 Meter, Branded
192	German / UK Power Cord, 2/3 Pin Plug to C-5 (Adapter), 3 Meter, Branded
193	German / UK Power Cord best quality, Branded, 5Meter
194	German / UK Power Cables best quality, Branded Type C5 (Laptop)
195	Male to female power cables, 10AMP, Branded, 2M
196	Male to female power cables, 10AMP, Branded, 3M
197	Male to female power cables, 10AMP, Branded, 5M
198	Male to female power cables, 10AMP, Branded, 10 M
199	Male power cord splitter cable Branded
200	Female power cord splitter cable Branded
201	CD Drive Caddy Kit
202	VGA Cable, 1.5 Meter, Standard Connector 15Pin Type DE-15 Male
203	VGA Cable, 2 Meter, Standard Connector 15Pin Type DE-15 Male
204	VGA Cable, 3 Meter, Standard Connector 15Pin Type DE-15 Male
205	VGA Cable, 5 Meter, Standard Connector 15Pin Type DE-15 Male
206	VGA Cable, 10 Meter, Standard Connector 15Pin Type DE-15 Male
207	VGA Cable, 15 Meter, Standard Connector 15Pin Type DE-15 Male
208	HDMI Cable, 1 Meter, Standard 4K
209	HDMI Cable, 2 Meter, Standard 4K
210	HDMI Cable, 3 Meter, Standard 4K
211	HDMI Cable, 5 Meter, Standard 4K
212	HDMI Cable, 10 Meter, Standard 4K
213	HDMI Cable, 15 Meter, Standard 4K
214	HDMI Cable, 20 Meter, Standard 4K
215	Cisco Optical Gigabit Ethernet SFP, CLASS 1, 1000BASE-SX or equivalent
216	Cisco Optical Gigabit Ethernet SFP, CLASS 1, 1000BASE-LX/LH or Equivalent
217	Cisco Copper Gigabit Ethernet SFP, CLASS 1, 1000BASE-T or Equivalent
218	HPE OfficeConnect 1950 24G 2SFP+ 2XGT PoE+ Switch (JG962A) or Equivalent

219	HPE X120 1G SFP LC SX Transceiver or Equivalent
220	HPE X120 1G SFP LC LX Transceiver or Equivalent
221	HPE OfficeConnect 1920 24G PoE+ (370W) Switch JG926A or Equivalent
222	HPE X121 1G SFP LC SX Transceiver
223	HPE X121 1G SFP LC LX Transceiver
224	HPE OfficeConnect 1920 8G PoE+ (180W) Switch JG922A or Equivalent
225	HPE X121 1G SFP LC SX Transceiver
226	HPE X121 1G SFP LC LX Transceiver
227	CISCO 2960 Series Switch 24 Port PoE, 1G with 1G SFP or Equivalent
228	Media Convertor 1G Fiber to Ethernet
229	Universal Power Adapter for Laptops
230	USB 3/3.1 - 64 GB i-e HP / SAMSUNG / ADATA or higher
231	USB 3/3.1 - 128 GB i-e HP / SAMSUNG / ADATA or higher
232	Mikrotik-CCR1009-7g-1c or Equivalent
233	Ubiquiti (UBNT) UAP-AC-LR or Equivalent
234	TS-8-PRO or Equivalent
235	Air Gateway Airmax UBNT(Ubiquiti)INS-8023AF-O Accessories UBNT(Ubiquiti) or Equivalent
236	Sector AM-M521-60-AC Airmax UBNT(Ubiquiti) or Equivalent
237	ubiquiti LAP-120 or Equivalent
238	UAP Mesh or Equivalent
239	Power Beam M5 AC 2nd Gen 29dBi or Equivalent
240	Power Beam M5 AC 2nd Gen 20dbi or Equivalent
241	UAP AC IW or Equivalent
242	ipc-hdw2431tp-as EVS compatible or Equivalent
243	ipc-hfw2431 sp-s EVS compatible or Equivalent
244	ipc hfw 7442 EVS compatible or Equivalent
245	ipc hfw 7442 EVS compatible or Equivalent
246	ITC237 ANPR EVS Compatible or Equivalent
247	SD6c230 EVS Compatible
248	Surge Protector 4 Port
249	Analogue telephone Panasonic kxt944 or Equivalent
250	Drop Wire
251	10P PVC Wire
252	02P PVC Wire
253	Surge Protector 8 Port
254	Battery 12 v 80AMP
255	SAN ocean 2600 v3 store 8TB NLSAS drive or Equivalent
256	HP 406dn or Equivalent
257	Wall Mount Single Screen Bracket Movable X-axis & Y-axis or Equivalent
258	Wall Mount Dual Screen Bracket Movable bracket X-axis & Y-axis or Equivalent

Justification:

All the above items are required - time to time - for different locations and up gradation of current equipment.

10. REDRESSING OF GRIEVANCES

1. The purchaser shall constitute a committee comprising of disagreed & notified by the competent authority proper powers and authorizations to address the complaints of bidders that may occur prior to the entry into force of the procurement contract.
2. Any bidder feeling aggrieved by any act of the purchaser after the submission of his bid may lodge a written complaint concerning his grievances not later than 03 days after the announcement of the bid evaluation report.
3. The grievance redressed Officer shall investigate and decide upon the complaint within 03 days of the receipt of the complaint. The report along with decision shall be forwarded to the purchaser officer within the prescribed period.
4. Mere fact of lodging of a complaint shall not warrant suspension of the procurement process.
5. Note: Grievance notified & designated who can invite appropriate official as co-opted member for grievance.

11. Evaluation Criteria:

1. The Firm/ Contractor quoting the lowest rates at each total amount will be selected and contract will be awarded.
2. Bids having items not fulfilling in compliance with required specifications shall be treated as non-responsive bids.
3. The Bidder shall provide an undertaking that the bidder has not been declared black listed by any Govt/Semi- Govt institution on stamp paper Mandatory.
4. **NOTE: Brand Name, Complete Specification of product, Pack Size & Price is Mandatory against each item. Any item without mentioning the above will be consider rejected.**
5. **Samples may be called for all the above items if required:**

12. Award of Contract:

Contracts shall be confirmed through a written agreement signed by the successful bidder and the LRH/MTI Peshawar.

13. Payment:

- a. No advance payment will be permissible.
- b. The payment will be made after successful supply, installation/inspection and test run of all requisite items.