

LADY READING HOSPITAL PEHAWAR-MEDICAL TEACHING INSTITUTION																						
BID EVALUATION REPORT																						
TENDER CARDIOLOGY DISPOSABLE FY 2025-26																						
S. No	Item Description	Specification	Supplier	Brand	Sizes	Legal Requirement			Certificate Required		Finanical Capabilities					Were House		Sample Evaluation			Technical Marks	Remarks
						Sales Tax Registration Certificate	NTN Registration Certificate	Valid Product registration certificate issued by the DRAP (Reg. # must be mentioned in front of each quoted item in technical bid)	Valid Certificate of US Food & Drug Administration (US FDA) of Quoted Product (Ref # must be mentioned against each quoted item in Technical Bid)	Valid Certificate of CE / EC marking	i. 1-10 million	ii. 11-20 million	iii. Above 20 million	Firm Experience above 5 years (FBR/Income tax Registration must be attached)	Bank Statement of Last 1 years (01 Marks for each Year)	Peshawar	National	i. Excellent	ii. Good	iii. Not Approved		
				Mandatory		Mandatory	Mandatory	Mandatory	10	5	5	10	15	3	2	4	6	25	15	0	70	
1.	Work horse or standard PCI Guide wire	Run-through NS	INTEK CORPORATION	Runthrough NS, Terumo, Japan		✓	✓	MDIR-0002794	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive
2.		Choice PT	FEROZSONS LABORATORIES	Choice PT		✓	✓	MDIR_0002644	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive
3.		PT 2	FEROZSONS LABORATORIES	PT 2		✓	✓	MDIR-0000130	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive
4.		PT Graphic	FEROZSONS LABORATORIES	PT Graphic		✓	✓	MDIR-0000130	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive
5.		Choice floppy	FEROZSONS LABORATORIES	Choice floppy		✓	✓	MDIR_0002644	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive
			HEALTH TEC	Champion		✓	✓	MDIR-0006833	0	5	0	0	15	1	4	0	6	25	0	0	56	Responsive
6.		BMW guide wire	DIGITAL IMAGING SYSTEM	HT BMW Guidewire (.014", 190cm, Hydrophilic coating , durasteel stainless steel. Guidewires are polymer-tipped wires with a lubricious, hydrophilic coating. These wire provided excellent distal access with superb torque transmission and range of tip stiffness		✓	✓	MDIR-0000017	10	0	0	0	15	1	4	0	6	25	0	0	61	Responsive

7.	Specialty PCI Guide wire	Samurai	FEROZSONS LABORATORIES	Samurai		✓	✓	MDIR-0001457	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive
8.		Sion, Blue, Sion Black, Sion		NO VENDOR PARTICIPATED																		
9.		Pilot 50, 150 and 200	DIGITAL IMAGING SYSTEM	HT Pilot 50/150/200 Guidewire (.014", 190cm, Hydrophilic coating , durasteel stainless steel. Guidewires are polymer-tipped wires with a lubricious, hydrophilic coating. These wire provided excellent distal access with superb torque transmission and range of tip stiffness		✓	✓	MDIR-0000018	10	0	0	0	15	1	4	0	6	25	0	0	61	Responsive
10.		Whisper ES, MS /Marvel	DIGITAL IMAGING SYSTEM	HT Whisper MS Guidewire (.014", 190cm, Hydrophilic coating , durasteel stainless steel. Guidewire combines the great distal access of a polymer-covered wire with an innovative technological feature for control and performance		✓	✓	MDIR-0000016	10	0	0	0	15	1	4	0	6	25	0	0	61	Responsive
11.	Extra support PCI Guide wire	Grand slam		NO VENDOR PARTICIPATED																		
12.		Iron man																				
13.		BHW	DIGITAL IMAGING SYSTEM	HT BHW Guidewire (.014", 190cm, Hydrophilic coating , durasteel stainless steel. Guidewire combines the great distal access of a polymer-covered wire with an innovative technological feature for control and performance		✓	✓	MDIR-0000142	10	0	0	0	15	1	4	0	6	25	0	0	61	Responsive
14.		Hydrophilic Guide wires. Treumo 150 cm	INTEK CORPORATION	Radifocus Wire 0.035 x 150cm Terumo, Japan		✓	✓	MDIR-0002430	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive
15.		Hydrophilic Guide wires. Treumo 260 cm	INTEK CORPORATION	Radifocus Wire 0.035 x 260cm Terumo, Japan		✓	✓	MDIR-0002430	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive
16.		Miracle 3, 6, 12		NO VENDOR PARTICIPATED																		
17.		Conquest, Conquest Pro 9, 12																				
18.		XT-A, XT-R																				
19.		RG3, RP350																				

30.	PCI Balloon	Semi-compliant with length 6,8,9,11,12,13 to 30 & diameters 1.20,1.25,1.5,2.0,2.25,2.5,2.75,3.0,3.25, 3.5,3.75,4.0	A & E MEDICAL	SC Honky Tonk PTCA Balloon (US FDA Approved)		✓	✓	MDIR-0006348	10	5	0	0	15	1	4	0	6	0	0	0	41	Non-Responsive
			INTEK CORPORATION	Gusta PTCA Balloon, Demax China		✓	✓	MDIR-0005687	0	5	0	0	15	1	4	0	6	0	0	0	31	Non-Responsive
			MEDRONIC PAKISTAN	SC Solarice™ Noncompliant Balloon Dilatation Catheter	EA	✓	✓	MDIR-0004101	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive
			HEALTH TEC	Helix SC Balloon cNovate Netherland		✓	✓	MDIR-0005241	0	5	0	0	15	1	4	0	6	0	0	0	31	Non-Responsive
			FEROZSONS LABORATORIES	Emerge		✓	✓	MDIR-0006935	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive
			DIGITAL IMAGING SYSTEM	Mini Trek(Short tapers facilitate precise lesion dilatation and limit vessel injury outside of the treatment area.Increased marker flexibility enables the catheter to conform more easily to tortuous anatomy while also reducing resistance when crossing tight lesions.)		✓	✓	MDIR-0000011	10	0	0	0	15	1	4	0	6	25	0	0	61	Responsive
31.		Non-compliant length 6, 8,10,12,15, 18, 30 & diameters 1.5,2.0,2.25,2.5,2.75,3.0,3.25,3.5,3.75,4 .0,4.5,5.0,5.5,6.0	A & E MEDICAL	NC Rockstar PTCA Balloon (US FDA Approved)		✓	✓	MDIR-0006349	10	5	0	0	15	1	4	0	6	0	0	0	41	Non-Responsive
			MEDRONIC PAKISTAN	NC Solarice™ Noncompliant Balloon Dilatation Catheter	EA	✓	✓	MDIR-0004100	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive
			INTEK CORPORATION	Gusta NC PTCA Balloon, Demax China		✓	✓	MDIR-0006314	0	5	0	0	15	1	4	0	6	0	0	0	31	Non-Responsive
			HEALTH TEC	Vecchio NC Balloon cNovate Netherland		✓	✓	MDIR-0005242	0	5	0	0	15	1	4	0	6	0	0	0	31	Non-Responsive
			FEROZSONS LABORATORIES	Emerge NC		✓	✓	MDIR-0000127	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive
			DIGITAL IMAGING SYSTEM	Trek NC is specially designed for focused dilatation force in the toughest of cases.Its superb deliverability and performance is driven by proprietary technological advancement in tip design, balloon material and shaft design.		✓	✓	MDIR-0000010	10	0	0	0	15	1	4	0	6	25	0	0	61	Responsive
32.	High pressure balloon (OPN)	A & E MEDICAL	OPN NC PTCA Balloon with High Pressure Inflation Device 40&55 ATM (FDA Approved)		✓	✓	MDIR-0001537	10	5	0	0	15	1	4	0	6	0	0	0	41	Non-Responsive	

33.		Cutting balloon	FEROZSONS LABORATORIES	Wolverine		✓	✓	MDIR-0001453	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive
34.		Scoring Balloon	INTEK CORPORATION	Scorflex NC Dual wire Balloon Orbus Neich, Netherland		✓	✓	MDIR-0003312	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive
35.	Specialty PCI Balloon	Emerge complaint and non-complaint	FEROZSONS LABORATORIES	Emerge		✓	✓	MDIR-0006935	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive
36.		Mini trek and NC trek	DIGITAL IMAGING SYSTEM	Mini Trek & NC Trek		✓	✓	MDIR-0000011/ MDIR-0000010	10	0	0	0	15	1	4	0	6	25	0	0	61	Responsive
37.		Sapphire complaint and non-complaint	INTEK CORPORATION	Sapphire II Pro / Sapphire II NC OrbusNeich		✓	✓	MDIR-0003386-7	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive
38.		Judkin left 4F,5F,6F	A & E MEDICAL	Focclear MicroApproach Technology(MAP) CE Mark		✓	✓	MDIR-0005357	0	5	0	0	15	1	4	0	6	0	0	0	31	Non-Responsive
			FEROZSONS LABORATORIES	Impulse		✓	✓	MDIR-0006934	10	5	0	0	15	1	4	0	6	0	15	0	56	Responsive
			HEALTH TEC	Pointer 6f Pendracare Nethernald		✓	✓	MDIR-0000266	0	5	0	0	15	1	4	0	6	25	0	0	56	Responsive
39.		Judkin right 4F,5F,6F	A & E MEDICAL	Focclear MicroApproach Technology(MAP) CE Mark		✓	✓	MDIR-0005357	0	5	0	0	15	1	4	0	6	0	0	0	31	Non-Responsive
			FEROZSONS LABORATORIES	Impulse		✓	✓	MDIR-0006934	10	5	0	0	15	1	4	0	6	0	15	0	56	Responsive
			HEALTH TEC	Pointer 6f Pendracare Nethernald		✓	✓	MDIR-0000266	0	5	0	0	15	1	4	0	6	25	0	0	56	Responsive
40.	Amplatz 4F,5F,6F	FEROZSONS LABORATORIES	Impulse		✓	✓	MDIR-0006934	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive	
41.		Multiresonance 1 and 2 4F,5F,6F	FEROZSONS LABORATORIES	Impulse		✓	✓	MDIR-0006934	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive

41.			A & E MEDICAL	MPA1, MPA2 Micro Approach Medical Technology (MAP) CE Mark China		✓	✓	MDIR-0005357	0	5	0	0	15	1	4	0	6	0	0	0	31	Non-Responsive
42.	Coronary Diagnostic catheter	3DRC 4F,5F,6F		NO VENDOR PARTICIPATED																		
43.		NIH 4F,5F,6F																				
44.		Balloon tip catheter with wedge 4F,5F,6F																				
45.		Wedge pressure catheter 4F,5F,6F																				
46.		Multi-track catheter 4F,5F,6F	FEROZSONS LABORATORIES	Impulse		✓	✓	MDIR-0006934	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive
47.		LCB 4F,5F,6F	FEROZSONS LABORATORIES	Impulse		✓	✓	MDIR-0006934	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive
48.		RCB 4F,5F,6F	FEROZSONS LABORATORIES	Impulse		✓	✓	MDIR-0006934	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive
49.		IMA 4F,5F,6F		NO VENDOR PARTICIPATED																		

50.		Tig Catheters	A & E MEDICAL	Micro Approach Medical Technology (MAP) CE Mark China		✓	✓	MDIR-0005357	0	5	0	0	15	1	4	0	6	0	0	0	31	Non-Responsive
			FEROZSONS LABORATORIES	Impulse		✓	✓	MDIR-0006934	10	5	0	0	15	1	4	0	6	0	0	0	41	Non-Responsive
			HEALTH TEC	Pionter 6f Pendracare Nethernald		✓	✓	MDIR-0000266	0	5	0	0	15	1	4	0	6	0	0	0	31	Non-Responsive
51.		Tig Catheters (Optororque)	INTEK CORPORATION	Radifouc Optitorque Tig 5&6Fr, Terumo, Japan		✓	✓	MDIR-0002431	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive
52.		Judkin left (JL) 5F, 6F , 7 F	HEALTH TEC	Primum 6f Pendracare Nethernald		✓	✓	MDIR-0004774	0	5	0	0	15	1	4	0	6	0	0	0	31	Non-Responsive
			FEROZSONS LABORATORIES	MACH1		✓	✓	MDIR-0006933	10	5	0	0	15	1	4	0	6	0	0	0	41	Non-Responsive
			MEDRONIC PAKISTAN	Launcher Guiding Catheter 5-8F, 100cm	EA	✓	✓	MDIR-0001027	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive
53.		Judkin Right (JR) 5F, 6F, 7 F	HEALTH TEC	Primum 6f Pendracare Nethernald		✓	✓	MDIR-0004774	0	5	0	0	15	1	4	0	6	0	0	0	31	Non-Responsive
			FEROZSONS LABORATORIES	MACH1		✓	✓	MDIR-0006933	10	5	0	0	15	1	4	0	6	0	0	0	41	Non-Responsive
			MEDRONIC PAKISTAN	Launcher Guiding Catheter 5-8F, 100cm	EA	✓	✓	MDIR-0001027	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive

54.	Coronary Guiding Catheter	Amplatz left (AL) 5F, 6F, 7F	HEALTH TEC	Primum AL1,AL2 Pendracare Netherland		✓	✓	MDIR-0004774	0	5	0	0	15	1	4	0	6	0	0	0	31	Non-Responsive
			FEROZSONS LABORATORIES	MACH1		✓	✓	MDIR-0006933	10	5	0	0	15	1	4	0	6	0	0	0	41	Non-Responsive
			MEDRONIC PAKISTAN	Launcher Guiding Catheter 5-8F, 100cm	EA	✓	✓	MDIR-0001027	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive
		Amplatz right (AR) 5F, 6F	HEALTH TEC	Primum AR1, AR2, 6f Pendracare Netherland		✓	✓	MDIR-0004774	0	5	0	0	15	1	4	0	6	0	0	0	31	Non-Responsive
55.			FEROZSONS LABORATORIES	MACH1		✓	✓	MDIR-0006933	10	5	0	0	15	1	4	0	6	0	0	0	41	Non-Responsive
			MEDRONIC PAKISTAN	Launcher Guiding Catheter 5-8F, 100cm	EA	✓	✓	MDIR-0001027	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive
56.		Multipurpose MP 5F, 6F, 7F, 8F	FEROZSONS LABORATORIES	MACH1		✓	✓	MDIR-0006933	10	5	0	0	15	1	4	0	6	0	0	0	41	Non-Responsive
57.		3DRC 5F, 6F	NO VENDOR PARTICIPATED																			
		EBU (left) 5F, 6F, 7F, 8 F	HEALTH TEC	Primum EBU 3,5,4 6f Pendracare Netherland		✓	✓	MDIR-0004774	0	5	0	0	15	1	4	0	6	0	0	0	31	Non-Responsive
58.			FEROZSONS LABORATORIES	MACH1		✓	✓	MDIR-0006933	10	5	0	0	15	1	4	0	6	0	0	0	41	Non-Responsive
			MEDRONIC PAKISTAN	Launcher Guiding Catheter 5-8F, 100cm	EA	✓	✓	MDIR-0001027	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive
59.		XB (left) 5F, 6F, 7F, 8F	NO VENDOR PARTICIPATED																			
			HEALTH TEC	Primum EBU 3,3,3,5 6f Pendracare Netherland		✓	✓	MDIR-0004774	0	5	0	0	15	1	4	0	6	0	0	0	31	Non-Responsive

60.	EBU(Right), XBR 5F, 6F , 7F	FEROZSONS LABORATORIES	MACH1		✓	✓	MDIR-0006933	10	5	0	0	15	1	4	0	6	0	0	0	41	Non-Responsive	
		MEDRONIC PAKISTAN	Launcher Guiding Catheter 5-8F, 100cm		✓	✓	MDIR-0001027	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive	
61.	XB 5F, 6F, 7F		NO VENDOR PARTICIPATED																			
62.	IMA 5F, 6F																					
63.	LCB 5F, 6F																					
64.	RCB 5F, 6F																					
65.	Adroit Guiding Catheters All sizes																					
66.	Champ (left) 5F, 6F																					
67.	Champ (Right) 5F, 6F																					
68.	Voda (left) 5F, 6F	FEROZSONS LABORATORIES	MACH1		✓	✓	MDIR-0006933	10	5	0	0	15	1	4	0	6	0	15	0	56	Responsive	
69.	Voda (Right) 5F, 6F	FEROZSONS LABORATORIES	MACH1		✓	✓	MDIR-0006933	10	5	0	0	15	1	4	0	6	0	15	0	56	Responsive	
70.	E- Gemal (left) 5F, 6F		NO VENDOR PARTICIPATED																			
71.	E-Gemal (right) 5F, 6F																					

72.		Arani (RCA) 5F, 6F																				
73.		Ibari (left) 5F, 6F	INTEK CORPORATION	Heartrail II, Terumo, Japan		✓	✓	MDIR-0003569	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive
74.		Ibari (right) 5F, 6F	INTEK CORPORATION	Heartrail II, Terumo, Japan		✓	✓	MDIR-0003569	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive
75.		Hockey Stick 5F, 6F	FEROZSONS LABORATORIES	MACH1		✓	✓	MDIR-0006933	10	5	0	0	15	1	4	0	6	0	15	0	56	Responsive
76.		Guide Liner/		NO VENDOR PARTICIPATED																		
77.		Guidelin 5 F, 5.5 F, 6 F, 7 F																				
78.	Guide Extension	Guide Zilla II 5F, 6F, 7 F	FEROZSONS LABORATORIES	Guidezilla		✓	✓	MDIR-0002038	10	5	0	0	15	1	4	0	6	0	15	0	56	Responsive
79.		Telescope 5 F, 6 F, 7 F		NO VENDOR PARTICIPATED																		
80.		Fine cross (135 & 150)	INTEK CORPORATION	FineCross 135 & 150cm Terumo, Japan		✓	✓	MDIR-0002795	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive
81.		Super Cross (strait 90,120)	INTEK CORPORATION	Teleport 135 & 150cm OrbusNeich, Netherland		✓	✓	MDIR-0001143	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive
82.		Corsair (135 & 150)																				
83.		Corsair Pro XS 150 & 135																				
84.		Asahi Corsair Pro 2.8 Fr, tip 1.3 Fr , length 135/150 cm		NO VENDOR PARTICIPATED																		

85.	Micro-catheter	Asahi Caravel 135 /150 cm	NO VENDOR PARTICIPATED																					
86.		Crusade (strait 90,120)																						
87.		Caravel (135 & 150)																						
88.		Mamba	FEROZSONS LABORATORIES	Mamba		✓	✓	MDIR-0001481	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive		
89.		Rubicon	NO VENDOR PARTICIPATED																					
90.		Renegade HF	INTEK CORPORATION	Progreat MicroCatheter, Terumo, Japan		✓	✓	MDIR-0003569	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive		
			FEROZSONS LABORATORIES	Renegade Microcatheter 105-135 cm		✓	✓	MDIR-0000109	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive		
91.		Turpike LP 135 & 150																						
92.		Elong 135,150,170																						
93.		Turpike Gold																						
94.		Sasuke																						
95.		Recross																						
96.		Covered stents two layers stainless steel 2.8, 3.0, 3.5, 4.0																						

97.	Covered stents	Covered stents single layer cobalt Chromium with ultrathin polyurethane 2.5, 3.0, 3.5, 4.0, 4.5, 5.0	DIGITAL IMAGING SYSTEM	Graft Master		✓	✓	MDIR-0003421	10	0	0	0	15	1	4	0	6	25	0	0	61	Responsive
98.		Covered stent cobalt Chromium with PTFE covering 2.5, 3.0, 3.5, 4.0, 4.5, 5.0	VERIZON	BeGraft Coronary Stent with Cobalt Chromium with ePTFE Bentley		✓	✓	MDIR-0001494	0	5	0	0	15	1	4	0	6	0	15	0	46	Non-Responsive
99.	Angiographic Guide Wire	Angiography Guide wire 0.035x150cm	A & E MEDICAL	Summed FDA Approved		✓	✓	MDIR-0006346	10	5	0	0	15	1	4	0	6	0	15	0	56	Responsive
			HEALTH TEC	SCW Mediacath 0.035x150cm SCW Mediacath Ltd. China		✓	✓	MDIR-0000879	0	5	0	0	15	1	4	0	6	25	0	0	56	Responsive
		Angiography Guide Wire 0.035x260cm	HEALTH TEC	SCW Mediacath 0.035x150cm SCW Mediacath Ltd. China		✓	✓	MDIR-0000879	0	5	0	0	15	1	4	0	6	25	0	0	56	Responsive
			A & E MEDICAL	Summed FDA Approved		✓	✓	MDIR-0006346	10	5	0	0	15	1	4	0	6	0	15	0	56	Responsive
100.		Hydrophilic Guide wires. Treumo 260 cm	INTEK CORPORATION	Radifocus GuideWire M 0.035 x 260cm		✓	✓	MDIR-0002430	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive

101.	Special Angiographic Guide Wire	Hydrophilic Guide wires. Terumo Strait tip 150 and 260	INTEK CORPORATION	Radifocus GuideWire M 0.035 x 150 St		✓	✓	MDIR-0002430	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive
			INTEK CORPORATION	Radifocus GuideWire M 0.035 x 260 St		✓	✓	MDIR-0002430	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive
102.		Hydrophilic Guide wires Terumo Strait 1.5 J TIP150 and 260		NO VENDOR PARTICIPATED																		
103.		Hydrophilic Guide wires. Terumo Angle tip 150 and 260	INTEK CORPORATION	Radifocus GuideWire M 0.035 x 150 Angled		✓	✓	MDIR-0002430	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive
			INTEK CORPORATION	Radifocus GuideWire M 0.035 x 260 Angled		✓	✓	MDIR-0002430	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive
104.	Peripheral diagnostic catheter	Omni 5F,6F		NO VENDOR PARTICIPATED																		
105.		Sone 5F,6F																				
106.		Head Hunter 5F,6F	INTEK CORPORATION	Radifouc Optitorque HH, Terumo, Japan		✓	✓	MDIR-0002431	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive
107.		Simons 5F,6F	INTEK CORPORATION	Radifouc Optitorque SIM I & II, Terumo, Japan		✓	✓	MDIR-0002431	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive
108.		Imager2 5F,6F	FEROZSONS LABORATORIES	Imager II 5F,6F		✓	✓	MDIR-0000047	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive
109.		Contra lateral I, II 5F,6F																				

110.	Peripheral Guiding Catheters	Ansell check flow 5F,6F		NO VENDOR PARTICIPATED																					
111.		Balkan sheath 5F,6F,7F,8F																							
112.		Arrow sheath 5F,6F,7F,8F																							
113.		Destination 5F,6F,7F,8F	INTEK CORPORATION	Destination Sheath 5-8 Fr St & MP		✓	✓	MDIR-0001653	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive			
114.		Mach 1 5F,6F,7F,8F	FEROZSONS LABORATORIES	Mach 1 multiple shapes & sizes		✓	✓	73258	10	5	0	0	15	1	4	0	6	0	15	0	56	Responsive			
115.	Peripheral trans-luminal angioplasty guide wire [0.014 standard and CTO guide wire]	v-14 /control wire 300	FEROZSONS LABORATORIES	V-14 wire 0.014 mm diameter 182cm, 300cm length		✓	✓	MDIR-0000278	10	5	0	0	15	1	4	0	6	0	15	0	56	Responsive			
116.		Victory 14	FEROZSONS LABORATORIES	Victory-14 12G,18G,25G & 30G Tip Load		✓	✓	00441-PR-MD	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive			
117.		Commend	DIGITAL IMAGING SYSTEM	This HI-TORQUE Command guide wire is intended to facilitate the placement of balloon dilatation catheters during percutaneous transluminal angioplasty (PTA), in arteries such as the femoral, popliteal and infra-popliteal arteries.		✓	✓	MDIR-0000792	10	0	0	0	15	1	4	0	6	25	0	0	61	Responsive			
118.		Commend ES	DIGITAL IMAGING SYSTEM	This HI-TORQUE Command guide wire is intended to facilitate the placement of balloon dilatation catheters during percutaneous transluminal angioplasty (PTA), in arteries such as the femoral, popliteal and infra-popliteal arteries.		✓	✓	MDIR-0000792	10	0	0	0	15	1	4	0	6	25	0	0	61	Responsive			
119.		Regalia		NO VENDOR PARTICIPATED																					
120.		Hydrostat																							
121.		Astato XS																							
122.		Astato 30, Astato 20, Astato 40																							

123.		Nitrex	MEDRONIC PAKISTAN	Nitrex Guide wire 0.018, 0.014, 0.035 300cm	Pack 3	✓	✓	MDIR-0001986	10	0	0	0	15	1	4	0	6	25	0	0	61	Responsive
124.		Implants super stiff/PTF coated	COR-MED	Amplatz Wire 260cm,180cm Merit Medical,USA		✓	✓	MDIR-0000259	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive
			FEROZSONS LABORATORIES	Amplants Super Stiff Straight & J Tip 180 & 260 cm		✓	✓	MDIR-0000138	10	5	0	0	15	1	4	0	6	0	15	0	56	Responsive
125.	Peripheral trans-luminal angioplasty guide wire [0.018 standard and CTO guide wire]	Connect Flex		NO VENDOR PARTICIPATED																		
126.		Connect 250																				
127.		Connect																				
128.		Astato 30																				
129.		Treasure Floppy																				
130.		Victory 18	FEROZSONS LABORATORIES	Victory-18 12G,18G,25G & 30G Tip Load		✓	✓	00442-PR-MD	10	5	0	0	15	1	4	0	6	0	15	0	56	Responsive
131.		Commend		NO VENDOR PARTICIPATED																		
132.		Commend ES																				
133.		Regalia																				
134.		Hydro-ST																				

142.		Self-expandable stent 0.035 systems DES		NO VENDOR PARTICIPATED																		
143.		0.035 systems covered stents																				
144.	Peripheral Angioplasty Balloon	0.014 compatible and 0.018 compatible guide wire	INTEK CORPORATION	JADE PTA OTW Balloon Orbus Neich, China		✓	✓	MDIR-0006880	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive
			FEROZSONS LABORATORIES	Coyote 0.014 1.5-4 mm diameter 20-220 mm length & Sterling 0.018 Balloon 2-10 mm diameter 20-220 mm length		✓	✓	MDIR-0006532	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive
			MEDRONIC PAKISTAN	Evercross Balloon Dilatation Catheter 0.035 & Nanocross 0.014 Balloon		✓	✓	MDIR-0001337 MDIR-0001664	10	0	0	0	15	1	4	0	6	25	0	0	61	Responsive
145.		0.035 compatible guide wire	FEROZSONS LABORATORIES	Mustang Balloon 3-12 mm diameter 20-200 mm length		✓	✓	83419	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive
146.	Drug Eluting Balloon (peripheral)	Length 40-200		NO VENDOR PARTICIPATED																		
147.	Drug Eluting Balloon Coronary all sizes (paclitaxel and Sirolimus)		HEALTH TEC	Protégé Blue Medical Netherland		✓	✓	MDIR-0005172	0	5	0	0	15	1	4	0	6	0	15	0	46	Non-Responsive
			FEROZSONS LABORATORIES	Agent DCB		✓	✓	MDIR-0001582	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive
			MEDRONIC PAKISTAN	Prevail™ Paclitaxel Coated PTCA Balloon Catheter		✓	✓	MDIR-0003541	10	0	0	0	15	1	4	0	6	25	0	0	61	Responsive
148.	Occlusion Balloon	Length 10 to 40		NO VENDOR PARTICIPATED																		
149.	Renal artery stents	5 to 6	DIGITAL IMAGING SYSTEM	Herculink Elite		✓	✓	MDIR-000013	10	0	0	0	15	1	4	0	6	25	0	0	61	Responsive
150.			INTEK CORPORATION	Casper Carotid Stent, Micro-Vention, USA		✓	✓	MDIR-0000393	0		0	0	15	1	4	0	6	25	0	0	51	Responsive

160.	EMBOLIZATION DEVICES		COR-MED	BasIXCOMPACT® Merit Medical,USA		✓	✓	MDIR-0000259	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive
161.	Embolization Device	Particle small & large		NO VENDOR PARTICIPATED																		
162.		Micro Coils 2mm to 15 mm	FEROZSONS LABORATORIES	Pushable Microcoils 2-15 mm		✓	✓	MDIR-0000115	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive
163.		Vascular Plugs 4 to 24	DIGITAL IMAGING SYSTEM	The Amplatzer™ Vascular Plug is intended for therapeutic embolization to reduce or obstruct blood flow		✓	✓	MDIR-0000456	10	0	0	0	15	1	4	0	6	25	0	0	61	Responsive
164.		Contour all sizes	FEROZSONS LABORATORIES	Contour PVA all sizes		✓	✓	MDIR-50000052	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive
165.	ASD Closing Device	With screw mechanism 8 to 40	DIGITAL IMAGING SYSTEM	The Amplatzer Septal Occluder (ASO) is a device used for percutaneous closure of secundum atrial septal defects (ASD)		✓	✓	MDIR-0000444	10	0	0	0	15	1	4	0	6	25	0	0	61	Responsive
			COR-MED	Cera® ASD 06-42 Lifetech,China		✓	✓	MDIR-0000760	0	5	0	0	15	1	4	0	6	0	15	0	46	Non-Responsive
			INTEK CORPORATION	MemoPart ASD Device, Shsma, China		✓	✓	MDIR-0000384	0	5	0	0	15	1	4	0	6	25	0	0	56	Responsive
166.		With hinge type attachment 8 to 40	COR-MED	CeraFlex® ASD 6-32 Lifetech,China		✓	✓	MDIR-0000760	0	5	0	0	15	1	4	0	6	25	0	0	56	Responsive
167.		With Titanium Nitride coating 8 to 40	COR-MED	Cera® ASD 06-42 Lifetech,China		✓	✓	MDIR-0000760	0	5	0	0	15	1	4	0	6	25	0	0	56	Responsive
168.		Multi Fenestrated ASD	DIGITAL IMAGING SYSTEM	The Amplatzer Cribriform Multi-Fenestrated Septal Occluder enables occlusion of the defect by covering the fenestrations with a single device.		✓	✓	MDIR-0000447	10	0	0	0	15	1	4	0	6	25	0	0	61	Responsive
169.	ASD Sizing Balloon	24 to 34	DIGITAL IMAGING SYSTEM	Amplatzer Sizing Balloon II		✓	✓	MDIR-0000445	10	0	0	0	15	1	4	0	6	25	0	0	61	Responsive
			INTEK CORPORATION	Occlutech Sizing Balloon		✓	✓	MDIR-0003314	0	5	0	0	15	1	4	0	6	25	0	0	56	Responsive

170.	P.F.O Occluder Devices		DIGITAL IMAGING SYSTEM	Amplatzer PFO Occluder		✓	✓	MDIR-0000448	10	0	0	0	15	1	4	0	6	25	0	0	61	Responsive
			INTEK CORPORATION	Memopart PFO Device, Shsma, China		✓	✓	MDIR-0003313	0	5	0	0	15	1	4	0	6	25	0	0	56	Responsive
171.	VSD Closing Device	With two screws	COR-MED	Konar® MFO 5-3,MFO 6-4,MFO 7-5,MFO 8-6,MFO 9-7,MFO 10-8,MFO 12-10,MFO 14-12, Lifetech,China		✓	✓	MDIR-0000758	0	5	0	0	15	1	4	0	6	25	0	0	56	Responsive
172.	VSD Closing Device	With one screw	DIGITAL IMAGING SYSTEM	The Amplatzer™ Muscular VSD Occluder is intended for the closure of congenital ventricular septal defects in high-risk surgical patients		✓	✓	MDIR-0000445	10	0	0	0	15	1	4	0	6	25	0	0	61	Responsive
			COR-MED	Cera VSD-4,VSD-5,VSD-6,VSD-8,VSD-12,VSD - 14,VSD -16,VSD - 18,VSD- 20,Lifetech,China		✓	✓	MDIR-0000759	0	5	0	0	15	1	4	0	6	0	0	0	31	Non-Responsive
			INTEK CORPORATION	MemoPart VSD Device Shsma, China		✓	✓	MDIR-0000383	0	5	0	0	15	1	4	0	6	0	0	0	31	Non-Responsive
173.	VSD Closing Device	Post infraction VSD device	DIGITAL IMAGING SYSTEM	Post Infarction VSD Device		✓	✓	MDIR-0000457	10	0	0	0	15	1	4	0	6	25	0	0	61	Responsive
174.	VSD coils			NO VENDOR PARTICIPATED																		
175.	Push able Coil	2 mm x 15 mm	FEROZSONS LABORATORIES	Pushable Microcoils 2-15 mm		✓	✓	MDIR-0000115	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive
176.	Micro Coil IDC	2mm to 6mm	FEROZSONS LABORATORIES	IDC Coils 2-6mm		✓	✓	MDIR-0000100	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive
177.		With large aortic end and smaller pulmonary end	INTEK CORPORATION	MemoPart PDA, Shsma, China		✓	✓	MDIR-0000386	0	5	0	0	15	1	4	0	6	25	0	0	56	Responsive
			COR-MED	Cera® PDA 0406,0608,0810,1012,1214,1416,1618,1820,2022,2224,Lifetech,China		✓	✓	MDIR-0000759	0	5	0	0	15	1	4	0	6	25	0	0	56	Responsive
			DIGITAL IMAGING SYSTEM	Amplatzer Duct Occluder (ADO) Transcatheter closure of Patent ductus arteriosus.		✓	✓	MDIR-0000454	10	0	0	0	15	1	4	0	6	25	0	0	61	Responsive

178.	PDA closing device	With smaller aortic end and large pulmonary end	COR-MED	Cera® PDA 0406,0608,0810,1012,1214,1416,1618,1820,2022,2224,Lifetech,China		✓	✓	MDIR-0000761	0	5	0	0	15	1	4	0	6	0	0	0	31	Non-Responsive
			INTEK CORPORATION	Occlutech PDA Device, Germany		✓	✓	MDIR-0001110	0	5	0	0	15	1	4	0	6	25	0	0	56	Responsive
179.		With both aortic and pulmonary retention discs	COR-MED	Cera® PDA 0406,0608,0810,1012,1214,1416,1618,1820,2022,2224,Lifetech,China		✓	✓	MDIR-0000761	0	5	0	0	15	1	4	0	6	25	0	0	56	Responsive
180.		With Titanium Nitride coating	COR-MED	Cera® PDA 0406,0608,0810,1012,1214,1416,1618,1820,2022,2224,Lifetech,China		✓	✓	MDIR-0000761	0	5	0	0	15	1	4	0	6	25	0	0	56	Responsive
181.		ADO II	DIGITAL IMAGING SYSTEM	Amplatzer Duct Occluder-II (ADO-II)		✓	✓	MDIR-0000450	10	0	0	0	15	1	4	0	6	25	0	0	61	Responsive
				NO VENDOR PARTICIPATED																		
182.	PDA Occluder Coils	5 to 6 mm		NO VENDOR PARTICIPATED																		
183.	Epicardial Lead IPG		MEDRONIC PAKISTAN	CAPSURE EPI Bipolar Epicardial Lead length 35 cm		✓	✓	MDIR-0004359	10	0	0	0	15	1	4	0	6	25	0	0	61	Responsive
184.	Bioptome			NO VENDOR PARTICIPATED																		
185.			INTEK CORPORATION	Z-5 Septostomy Balloon, Numed, USA		✓	✓	MDIR-0001657	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive
186.	Amplatzer Piccolo Occluder		DIGITAL IMAGING SYSTEM	The Piccolo Occluder is the device specifically designed and indicated for PDA closure in premature infants.		✓	✓	MDIR-0003384	10	0	0	0	15	1	4	0	6	25	0	0	61	Responsive
187.	Drainage Catheters		FEROZSONS LABORATORIES	Flexima all-purpose drainage & biliary drainage catheters		✓	✓	00512PR-MD	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive
188.	Introducer Systems		INTEK CORPORATION	Shsma Delivery Systems 8Fr - 14Fr Shsma China		✓	✓	MDIR-0000385	0		0	0	15	1	4	0	6	25	0	0	51	Responsive

189.	Puncture site closure devices	Angioseal	INTEK CORPORATION	Angioseal, Terumo, Japan		✓	✓	MDIR-0000224	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive
190.		Proglide (Perclose)	DIGITAL IMAGING SYSTEM	Proglide		✓	✓	MDIR-0000180	10	0	0	0	15	1	4	0	6		0	0	36	Non-Responsive
			NO VENDOR PARTICIPATED																			
191.		Prostar		NO VENDOR PARTICIPATED																		
192.	Embolic Protection Device (EPD)		DIGITAL IMAGING SYSTEM	Emboshield NAV 6 has advance filter design with platinum tungsten alloy coils. It has high strength nylon material allowing low crossing profile. It has hydrophilic coating with beare wire advantage		✓	✓	MDIR-0001392	10	0	0	0	15	1	4	0	6	25	0	0	61	Responsive
			FEROZSONS LABORATORIES	Filter wire EZ Embolic Protection System		✓	✓	MDIR-0000277	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive
			MEDRONIC PAKISTAN	SpiderFx Embolic dital protection device 2mm to 7mm		✓	✓	MDIR-0001336	10	0	0	0	15	1	4	0	6	25	0	0	61	Responsive
193.	Export PCI Catheter		INTEK CORPORATION	Thrombuster II, Aspiration Catheter Kaneka, Japan		✓	✓	MDIR-0000389	10		0	0	15	1	4	0	6	25	0	0	61	Responsive
			MEDRONIC PAKISTAN	ASPIRATION Export Advance™		✓	✓	MDIR-0000572	10	0	0	0	15	1	4	0	6	25	0	0	61	Responsive
194.	TPM Battery			NO VENDOR PARTICIPATED																		
195.	TPM leads		A & E MEDICAL	Spike LCS (Bipolar Electro catheters for Endocardial Pacing & Electrophysiological Studies 4FR,5FR,6FR CE Mark		✓	✓	MDIR-0000788	0	5	0	0	15	1	4	0	6	0	0	0	31	Non-Responsive
			INTEK CORPORATION	Electroda TPM Lead, Hagmed Poland		✓	✓	MDIR-0003636	0	5	0	0	15	1	4	0	6	25	0	0	56	Responsive
			DIGITAL IMAGING SYSTEM	Pacel Bipolar Leads designed for temporary transvenous cardiac pacing by transmitting a pacing electrical stimulus from a pulse generator to the heart		✓	✓	MDIR-0004914	10	0	0	0	15	1	4	0	6	25	0	0	61	Responsive

196.	Three Way stop Cock			NO VENDOR PARTICIPATED																		
197.	Disposable Domes	Argon (RT 2000, DD2000)																				
198.	Disposable Domes	ABLE																				
199.	Disposable Syringe	MEDRAD 150 ml																				
200.	Re Usable Pressure Transducer	RT 2000 Argon)																				
201.	Pressure Transducer	Nihon Kohiden																				
202.	Disposables Cuvettes for Blood Oximeter																					
203.	Snare Kit	Snare with multiple loops	MEDRONIC PAKISTAN	Amplatz Goose Neck snare kit		✓	✓	MDIR-0001338	10	0	0	0	15	1	4	0	6	25	0	0	61	Responsive
			COR-MED	Ensnares® 6mm-10mm,9mm-15mm,12mm-20mm,18mm-30mm27mm-45mm,Merit Medical,USA		✓	✓	MDIR-0000265	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive
204.		Snare with single loop	INTEK CORPORATION	Memopart Snare Shsma China		✓	✓	MDIR-0003310	0	5	0	0	15	1	4	0	6	25	0	0	56	Responsive
205.	Rota Burr Pro		FEROZSONS LABORATORIES	ROTAPRO Burr		✓	✓	MDIR-0000035	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive
206.	Rota Wire		FEROZSONS LABORATORIES	ROTAWIRE		✓	✓	MDIR-0000035	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive
207.	Rota Link Advancer Pro			NO VENDOR PARTICIPATED																		

208.	Pressure wire for FFR		FEROZSONS LABORATORIES	COMET II		✓	✓	MDIR-0000122	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive
209.	Ablation needle		FEROZSONS LABORATORIES	Leveen needle, Soloist needle Radiofrequency ablation needles		✓	✓	MDIR-0000044 & MDIR-0000271	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive
210.	IVC Filter	Retrievable	VERIZON	Clect Platinum Filter Universal Cood Medical		✓	✓	MDIR-0006979	0	5	0	0	15	1	4	0	6	25	0	0	56	Responsive
			VERIZON	Retrievable Kit		✓	✓	MDIR-0006979	0	5	0	0	15	1	4	0	6	25	0	0	56	Responsive
211.	Ivus catheters		FEROZSONS LABORATORIES	Opticross		✓	✓	MDIR-0000089	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive
212.	Striking sterilization rolls																					
213.	Disposable Grouping Pads																					
214.	BioleneEthlene sterilization KIT with ampoules De Gas																					
215.	Pediatric Drip chamber and Tubing																					
216.	IV Boards Tape Alcohol																					
217.	Feeding Nasogastric tubes																					
218.	Blood Pressure cuffs																					
219.	Sphygmanometer																					

			COR-MED	Manifold DeRoyalUSA		✓	✓	MDIR-0000944	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive
232.	EP Diagnostic Catheters	Quadri Polar (non steerable)	GLOBAL MARKETING SERVICES	WEBSTER LECTROPHYSIOLOGY CATHETER, 37D08R		✓	✓	MDIR-0001423	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive
			FEROZSONS LABORATORIES	Viking Fixed Curve Diagnostic Catheter (Jos, Cour, Hisser)		✓	✓	MDIR - 0002010	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive
233.	EP Diagnostic connector	Quadri Polar (non steerable)	GLOBAL MARKETING SERVICES	QWICK CABLE TO QUADRAPOLAR CATHETER, 39F55R		✓	✓	Application submitted	10	5	0	0	15	1	4	0	6	25	0	0	66	Non-Responsive due to No Valid Drap Regestration
			FEROZSONS LABORATORIES	Surelink 4pin		✓	✓	MDIR – 0002010	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive
234.	EP Diagnostic Catheters	Octa Polar (Steerable)	FEROZSONS LABORATORIES	Dynamic XT Octapolar Steerable Catheter		✓	✓	MDIR – 0001475	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive
235.	EP Diagnostic connector	Octa Polar (Steerable)	FEROZSONS LABORATORIES	Protected 8 Pin EasyMate		✓	✓	MDIR – 0001475	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive
236.	EP Diagnostic Catheters	Deca Polar with and without lumen (steerable)	GLOBAL MARKETING SERVICES	WEBSTER CS DECAPOLAR CATHETER (AUTO ID), D135303		✓	✓	MDIR-0003701	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive
			FEROZSONS LABORATORIES	Dynamic XT Decapolar Steerable Catheter (All Sizes)		✓	✓	MDIR – 0001475	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive
237.	EP Diagnostic connector	Deca Polar with and without lumen (steerable)	GLOBAL MARKETING SERVICES	CONNECTION CABLE FOR DECAPOLAR CATHETER, D128709		✓	✓	Application Submitted	10	5	0	0	15	1	4	0	6	25	0	0	66	Non-Responsive due to No Valid Drap Regestration
			FEROZSONS LABORATORIES	Surelink 10-Pin		✓	✓	MDIR – 0001475	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive
238.	EP Diagnostic Catheters	Duodeca Polar (steerable) Halo catheters	FEROZSONS LABORATORIES	Blazer DX-20 Duodecapolar Catheter		✓	✓	MDIR-0001463	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive
239.	EP Diagnostic connector	Duodeca Polar (steerable) Halo catheters	FEROZSONS LABORATORIES	20-pole female Quick Connect to 20 pins		✓	✓	MDIR-0001463	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive

240.	RF Ablation catheter	4 mm different curves (Medium, small, large) tip Symmetrical/Asymmetrical/Bidirectional	GLOBAL MARKETING SERVICES	EZ Steer Bi Directional Catheter (35I35R)		✓	✓	MDIR-0003360	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive
			FEROZSONS LABORATORIES	Blazer II Temp Ablation Catheter (All curves & Sizes)		✓	✓	MDIR-0001471	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive
241.	RF Ablation connector	4 mm different curves (Medium, small, large) tip Symmetrical/Asymmetrical/Bidirectional	GLOBAL MARKETING SERVICES	Connection Cable for Ablation Catheter to Smart Ablate (D130302)		✓	✓	MDIE-0000113	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive
			FEROZSONS LABORATORIES	Cable, Blazer to Maestro Pod		✓	✓	MDIR-0001471	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive
242.	RF Ablation catheter	8 mm tip different curves	FEROZSONS LABORATORIES	Blazer II Temp Ablation Catheter (8mm tip, All curves)		✓	✓	MDIR-0001471	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive
243.	RF Ablation connector	8 mm tip different curves	FEROZSONS LABORATORIES	Cable, Blazer to Maestro Pod		✓	✓	MDIR-0001471	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive
244.	RF Ablation catheter	Irrigated tip (cool flow) different curves (Medium, small, large) Symmetrical/Asymmetrical	GLOBAL MARKETING SERVICES	EZ Steer Bi Directional Catheter (36Q35M)		✓	✓	MDIR-0001841	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive
			FEROZSONS LABORATORIES	Blazer Open Irrigated Ablation Catheter (All curves & sizes)		✓	✓	MDIR - 0001472	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive
245.	RF Ablation connector	Irrigated tip (cool flow) different curves (Medium, small, large) Symmetrical/Asymmetrical	GLOBAL MARKETING SERVICES	Connection Cable for Ablation Catheter to Smart Ablate (D130302)		✓	✓	MDIE-0000113	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive
			FEROZSONS LABORATORIES	Cable, Blazer OI to Maestro POD		✓	✓	MDIR - 0001472	10	5	0	0	15	1	4	0	6	0	0	0	41	Non-Responsive
246.	Arterial Femoral Sheath	Arterial Femoral Sheath short	A & E MEDICAL	Accu Sheath CE Mark/ISO		✓	✓	MDIR-0000943	0	5	0	0	15	1	4	0	6	0	15	0	46	Non-Responsive
			INTEK CORPORATION	Shoocin Femoral Sheath, Lepu Medical China		✓	✓	MDIR-0001407	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive
			HEALTH TEC	SCW Medcath		✓	✓	MDIR-0000880	0	5	0	0	15	1	4	0	6	25	0	0	56	Responsive

247.	Arterial Femoral Sheath	Arterial Femoral Sheath long		NO VENDOR PARTICIPATED																		
248.	Arterial Radial Sheath	Arterial Radial Sheath short	A & E MEDICAL	Accu Sheath CE Mark/ISO		✓	✓	MDIR-0000943	0	5	0	0	15	1	4	0	6	0	15	0	46	Non-Responsive
			INTEK CORPORATION	Shoocin Radial Sheath, Lepu Medical China		✓	✓	MDIR-0001407	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive
			HEALTH TEC	SCW Medcath		✓	✓	MDIR-0000881	0	5	0	0	15	1	4	0	6	25	0	0	56	Responsive
249.	Arterial Radial Sheath	Arterial Radial Sheath long		NO VENDOR PARTICIPATED																		
250.	Venous sheaths (5F,7F,8F,9F,6F)	Venous sheaths (5F,7F,8F,9F,6F)	INTEK CORPORATION	Radifocus Introducer II 4-11Fr Terumo, Japan		✓	✓	MDIR-0005461	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive
251.		Lock sheaths 6F,7F,8F		NO VENDOR PARTICIPATED																		
252.		Transcatheter sheath SL sheaths.	GLOBAL MARKETING SERVICES	Preface Guiding Sheath, 8Fr, 301803M		✓	✓	MDIR-0003355	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive
			INTEK CORPORATION	Navicase Mullens Sheath Synaptic Medical USA/China		✓	✓	MDIR-0006678	10	5	0	0	15	1	4	0	6	0	15	0	56	Responsive
253.		SL sheaths. (SLO, SL1,SL2,SL3,SL4)		NO VENDOR PARTICIPATED																		
		(SRO, SR1, SR2, SR3, SR4)		NO VENDOR PARTICIPATED																		
254.		Transcatheter Needle (71,56 cm)	INTEK CORPORATION	Transcatheter Needle Synaptic Medical USA/China		✓	✓	MDIR-0006679	10	5	0	0	15	1	4	0	6	0	15	0	56	Responsive
255.		Ablation Needle BRK, BRK1,BRK2,		NO VENDOR PARTICIPATED																		

256.		RF perforation wire ablation		NO VENDOR PARTICIPATED																		
257.		VVIR All variants (Battery Life upto 10 years) (MRI Compatible with different programming modules)	GLOBAL MARKETING SERVICES	Endurity MRI, Single Chamber Complete Set (PM1172)		✓	✓	MDIR-0005055	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive
			INTEREX COMPANY	KORA 250 SR SINGLE CHAMBER SET (MICROPORT SORIN) ITALY		✓	✓	MDIR-0004376	0	5	0	0	15	1	4	0	6	0	0	0	31	Non-Responsive
			FEROZSONS LABORATORIES	ESSENTIO MRI L110 (1.5T, 3T)		✓	✓	MDIR - 0002036	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive
			MEDRONIC PAKISTAN	SPHERA (SPSR01/IPG SPHERA SR MRI SURESCAN) / AZURE™ S SR MRI W3SR01)1.5T and 3T full body scanning+ PEELABLE LEAD INTRODUCERS+ CAPSUREFIX NOVUS MRI SURESCAN Fixation Active/Screw In lead /		✓	✓	MDIR-0002742	10	0	0	0	15	1	4	0	6	25	0	0	61	Responsive
258.		VVIR All variants (Battery Life More than 10 years) (MRI Compatible with different programming modules)	GLOBAL MARKETING SERVICES	Endurity MRI, Single Chamber Generator Only (PM1172)		✓	✓	MDIR-0005055	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive
			INTEREX COMPANY	KORA 250 SR SINGLE CHAMBER SET (MICROPORT SORIN) ITALY		✓	✓	MDIR-0004376	0	5	0	0	15	1	4	0	6	0	0	0	31	Non-Responsive
			FEROZSONS LABORATORIES	ESSENTIO MRI L110 (1.5T, 3T)		✓	✓	MDIR - 0002036	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive
			MEDRONIC PAKISTAN	Attesta SR MRI SureScan Full Body 1.5 and 3T MRI with any MRI SureScan cardiac device,+ PEELABLE LEAD INTRODUCERS+ CAPSUREFIX NOVUS MRI SURESCAN Fixation Active/Screw In lead		✓	✓	MDIR- 00002033	10	0	0	0	15	1	4	0	6	0	0	0	36	Non-Responsive

259.	DDDR. All variants (Battery Life upto 10 years) (MRI Compatible with different programming modules)	GLOBAL MARKETING SERVICES	Endurity MRI, Dual Chamber Complete Set (PM2172)		✓	✓	MDIR-0005055	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive
		INTEREX COMPANY	KORA 250 DRDUAL CHAMBER PACEMAKER SET (MICROPORT SORIN) ITALY		✓	✓	MDIR-0004375	0	5	0	0	15	1	4	0	6	0	0	0	31	Non-Responsive
		FEROZSONS LABORATORIES	ESSENTIO MRI L111 (1.5T, 3T)		✓	✓	MDIR - 0002037	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive
		MEDRONIC PAKISTAN	SPHERA DR MRI SureScan Full Body 1.5 and 3T MRI with any MRI SureScan cardiac device INTRODUCERS+ CAPSUREFIX NOVUS MRI SURESCAN Fixation Active/Screw In lead		✓	✓	MDIR-0004136	10	0	0	0	15	1	4	0	6	25	0	0	61	Responsive
260.	DDDR. All variants (Battery Life More than 10 years) (MRI Compatible with different programming modules)	GLOBAL MARKETING SERVICES	Endurity MRI, Dual Chamber Generator Only (PM2172)		✓	✓	MDIR-0005055	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive
		INTEREX COMPANY	KORA 250 DRDUAL CHAMBER PACEMAKER SET (MICROPORT SORIN) ITALY		✓	✓	MDIR-0004375	0	5	0	0	15	1	4	0	6	0	0	0	31	Non-Responsive
		FEROZSONS LABORATORIES	ESSENTIO EL MRI L131 Battery Life: More than 10 Years		✓	✓	MDIR - 0002038	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive
		MEDRONIC PAKISTAN	Attesta DR MRI SureScan Full Body 1.5 and 3T MRI with any MRI SureScan cardiac device,+ PEELABLE LEAD INTRODUCERS+ CAPSUREFIX NOVUS MRI SURESCAN Fixation Active/Screw In lead		✓	✓	MDIR-0003788	10	0	0	0	15	1	4	0	6	0	0	0	36	Non-Responsive
261.	AICD (single chamber) (Battery Life upto 10 years)	GLOBAL MARKETING SERVICES	Entrant ICD VR, Compelet Set (CDVRA300Q)		✓	✓	MDIR-0006453	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive
		FEROZSONS LABORATORIES	VIGILANT EL D232 (Battery Life: 17.1 years)		✓	✓	MDIR-0001695	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive
		INTEREX COMPANY	ENERGYA VER SINGLE CHAMBER MRI COMPATIBLE (MICROPORT SORIN, ITALY)		✓	✓	N/A	0	5	0	0	15	1	4	0	6	0	0	0	31	Non-Responsive No Valid DRAP registration available

262.	PPM set	AICD (single chamber) Battery Life More than 10 years.	GLOBAL MARKETING SERVICES	Entrant ICD VR, Generator (CDVRA300Q)		✓	✓	MDIR-0006453	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive
			INTEREX COMPANY	ENERGYA VER SINGLE CHAMBER MRI COMPATIBLE (MICROPORT SORIN, ITALY)		✓	✓	N/A	0	5	0	0	15	1	4	0	6	0	0	0	31	Non-Responsive No Valid DRAP registration available
			FEROZSONS LABORATORIES	VIGILANT EL D232 (Battery life: 17.1 years)		✓	✓	MDIR-0001695	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive
			MEDRONIC PAKISTAN	PRIMO MRI VR SURESCAN ICD M (g) 77,V (cc) 33,Size (mm)(HxWxD) 66 x 51 x 13,Connector DF-4 Max Program/Delivered Energy (J) 35 / 36,MRI SureScan Full Body 1.5 and 3T MRI with any MRI SureScan cardiac device + PEELABLE LEAD INTRODUCERS+6935M62 SPRINT QUATTRO SECURE S active screw in lead polarity Tripolar		✓	✓	MDIR-0001887	10	0	0	0	15	1	4	0	6	25	0	0	61	Responsive
263.		AICD (dual chamber) (Battery Life upto 10 years)	GLOBAL MARKETING SERVICES	Entrant ICD DR, Compleet Set (CDDRA300Q)		✓	✓	MDIR-0005856	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive
			FEROZSONS LABORATORIES	VIGILANT EL D233 (Battery Life: upto 16 Years)		✓	✓	MDIR-0001694	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive
			INTEREX COMPANY	ENERGYA DR DUAL CHAMBER MRI COMPATIBLE (MIROPORT SORIN, ITALY)		✓	✓	N/A	0	5	0	0	15	1	4	0	6	0	0	0	31	Non-Responsive No Valid DRAP registration available
264.		AICD (dual chamber) Battery Life More than 10 years.	GLOBAL MARKETING SERVICES	Entrant ICD DR, Generator (CDDRA300Q)		✓	✓	MDIR-0005856	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive
			INTEREX COMPANY	ENERGYA DR DUAL CHAMBER MRI COMPATIBLE (MIROPORT SORIN, ITALY)		✓	✓	N/A	0	5	0	0	15	1	4	0	6	0	0	0	31	Non-Responsive No Valid DRAP registration available
			FEROZSONS LABORATORIES	VIGILANT DR D233 (Battery Life: upto 16 Years)		✓	✓	MDIR-0001694	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive
			MEDRONIC PAKISTAN	PRIMO MRI DR SURESCAN ICD M (g) 78,V (cc) 34,Size (mm)(HxWxD) 66 x 51 x 15,Connector DF-4, Delivered Energy (J) 35 / 36,MRI SureScan Full Body 1.5 and 3T MRI with any MRI SureScan cardiac device + PEELABLE LEAD INTRODUCERS+ SPRINT QUATTRO SECURE S active screw in lead polarity Tripolar or Quadripolar Max Program + CAPSUREFIX NOVUS MRI SURESCAN Fixation Active/Screw In lead		✓	✓	MDIR-0001886	10	0	0	0	15	1	4	0	6	25	0	0	61	Responsive

265.		CRT-P (full set with different LV leads)	GLOBAL MARKETING SERVICES	CRT-P, Quadra Allure, PM3542, Complete Set with Slibable or Peelayway Delivery System,	✓	✓	MDIR-0005061	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive
			FEROZSONS LABORATORIES	VISIONIST X4 U228 (1.5T, 3T) Battery Life: More than 10 years	✓	✓	MDIR-0002971	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive
			MEDRONIC PAKISTAN	SOLARA MRI QUAD CRTP Model or SOLAR MRI CRTP, Connector (2xIS-1/ 1xIS-4) ,MRI SureScan Full Body 1.5 and 3T MRI with any MRI SureScan cardiac device + PEELEABLE LEAD INTRODUCERS+ SPRINT QUATTRO SECURE S active screw in lead polarity Tripolar or Quadripolar Max Program + CAPSUREFIX NOVUS MRI SURESCAN Fixation Active/Screw In lead + Venogram Balloon Catheter Usable Length(cm) 80 Guide Catheter Size (Inner Diameter)(Fr)7.0+Sterile Programming Head Cover+ SAFESHEATH CSG WORLEY BRAIDED CORE INTRODUCERS+ ATTAIN PERFORMA S MRI SURESCAN Standard length 88cm,	✓	✓	MDIR-0002129	10	0	0	0	15	1	4	0	6	25	0	0	61	Responsive
266.		CRT-D (full set with different LV leads)	GLOBAL MARKETING SERVICES	Entrant CRT-D, Complete Set with Slibable or Peelayway Delivery System, CDHFA300Q	✓	✓	MDIR-0005063	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive
			INTEREX COMPANY	ENERGYA CRTD SET (MICROPORT SORIN) ITALY	✓	✓	N/A	0	5	0	0	15	1	4	0	6	0	0	0	31	Non-Responsive No Valid DRAP registration available
			FEROZSONS LABORATORIES	VIGILANT G247 (1.5T, 3T) Battery Life: More than 10 years	✓	✓	MDIR-0001693	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive
267.		Implantable loop recorder																			
268.		Grounding patches																			
269.		SafeSheath Introducers and Sealing Adapters																			
270.		SafeSheath CS and LV Introducers																			
271.		Right-sided CS/RV Access Introducers																			
272.		CS Venography Balloons																			

285.	Drug Eluting Stent (i) Cobalt Chromium(ii) Nickel Chromium (iii) Platinum Chromium	Everolimus-eluting Stent with 9 mm length & (2.25,2.5,2.75,3.0,3.5,3.75,4.0,4.5 diameters) FDA approved		NO VENDOR PARTICIPATED																		
286.	Drug Eluting Stent (i) Cobalt Chromium(ii) Nickel Chromium (iii) Platinum Chromium	Everolimus-eluting Stent with 10 mm length & (2.25,2.5,2.75,3.0,3.5,3.75,4.0,4.5 diameters) FDA approved		NO VENDOR PARTICIPATED																		
287.	Drug Eluting Stent (i) Cobalt Chromium(ii) Nickel Chromium (iii) Platinum Chromium	Everolimus-eluting Stent with 11 mm length & (2.25,2.5,2.75,3.0,3.5,3.75,4.0,4.5 diameters) FDA approved		NO VENDOR PARTICIPATED																		
288.	Drug Eluting Stent (i) Cobalt Chromium(ii) Nickel Chromium (iii) Platinum Chromium	Everolimus-eluting Stent with 12 mm length & (2.25,2.5,2.75,3.0,3.5,3.75,4.0,4.5 diameters) FDA approved	DIGITAL IMAGING SYSTEM	XIENCE XPEDITION Everolimus Eluting coronary Stent, The next generation in the Xience family engineered to deliver the superior outcomes of sience v.with same efficuous low dose Everolimus,biocompatible fluorinated copolymer and enhanced cobalt chromium Multi-link 8 design , superiority is in its very nature. available in sizes		✓	✓	MDIR-0003285	10	0	0	0	15	1	4	0	6	25	0	0	61	Responsive
			FEROZSONS LABORATORIES	Promus Elite		✓	✓	MDIR-0001809	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive
289.	Drug Eluting Stent (i) Cobalt Chromium(ii) Nickel Chromium (iii) Platinum Chromium	Everolimus-eluting Stent with 13 mm length & (2.25,2.5,2.75,3.0,3.5,3.75,4.0,4.5 diameters) FDA approved		NO VENDOR PARTICIPATED																		
290.	Drug Eluting Stent (i) Cobalt Chromium(ii) Nickel Chromium (iii) Platinum Chromium	Everolimus-eluting Stent with 14 mm length & (2.25,2.5,2.75,3.0,3.5,3.75,4.0,4.5 diameters) FDA approved		NO VENDOR PARTICIPATED																		
291.	Drug Eluting Stent (i) Cobalt Chromium(ii) Nickel Chromium (iii) Platinum Chromium	Everolimus-eluting Stent with 15 mm length & (2.25,2.5,2.75,3.0,3.5,3.75,4.0,4.5 diameters) FDA approved	DIGITAL IMAGING SYSTEM	XIENCE XPEDITION Everolimus Eluting coronary Stent, The next generation in the Xience family engineered to deliver the superior outcomes of sience v.with same efficuous low dose Everolimus,biocompatible fluorinated copolymer and enhanced cobalt chromium Multi-link 8 design , superiority is in its very nature. available in sizes		✓	✓	MDIR-0003285	10	0	0	0	15	1	4	0	6	25	0	0	61	Responsive
292.	Drug Eluting Stent (i) Cobalt Chromium(ii) Nickel Chromium (iii) Platinum Chromium	Everolimus-eluting Stent with 16 mm length & (2.25,2.5,2.75,3.0,3.5,3.75,4.0,4.5 diameters) FDA approved	FEROZSONS LABORATORIES	Promus Elite		✓	✓	MDIR-0001809	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive
293.	Drug Eluting Stent (i) Cobalt Chromium(ii) Nickel Chromium (iii) Platinum Chromium	Everolimus-eluting Stent with 17 mm length & (2.25,2.5,2.75,3.0,3.5,3.75,4.0,4.5 diameters) FDA approved		NO VENDOR PARTICIPATED																		
294.	Drug Eluting Stent (i) Cobalt Chromium(ii) Nickel Chromium (iii) Platinum Chromium	Everolimus-eluting Stent with 18 mm length & (2.25,2.5,2.75,3.0,3.5,3.75,4.0,4.5 diameters) FDA approved	DIGITAL IMAGING SYSTEM	XIENCE XPEDITION Everolimus Eluting coronary Stent, The next generation in the Xience family engineered to deliver the superior outcomes of sience v.with same efficuous low dose Everolimus,biocompatible fluorinated copolymer and enhanced cobalt chromium Multi-link 8 design , superiority is in its very nature. available in sizes		✓	✓	MDIR-0003285	10	0	0	0	15	1	4	0	6	25	0	0	61	Responsive
295.	Drug Eluting Stent (i) Cobalt Chromium(ii) Nickel Chromium (iii) Platinum Chromium	Everolimus-eluting Stent with 19 mm length & (2.25,2.5,2.75,3.0,3.5,3.75,4.0,4.5 diameters) FDA approved		NO VENDOR PARTICIPATED																		
296.	Drug Eluting Stent (i) Cobalt Chromium(ii) Nickel Chromium (iii) Platinum Chromium	Everolimus-eluting Stent with 20 mm length & (2.25,2.5,2.75,3.0,3.5,3.75,4.0,4.5 diameters) FDA approved	FEROZSONS LABORATORIES	Promus Elite		✓	✓	MDIR-0001809	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive
297.	Drug Eluting Stent (i) Cobalt Chromium(ii) Nickel Chromium (iii) Platinum Chromium	Everolimus-eluting Stent with 21 mm length & (2.25,2.5,2.75,3.0,3.5,3.75,4.0,4.5 diameters) FDA approved		NO VENDOR PARTICIPATED																		
298.	Drug Eluting Stent (i) Cobalt Chromium(ii) Nickel Chromium (iii) Platinum Chromium	Everolimus-eluting Stent with 22 mm length & (2.25,2.5,2.75,3.0,3.5,3.75,4.0,4.5 diameters) FDA approved		NO VENDOR PARTICIPATED																		
299.	Drug Eluting Stent (i) Cobalt Chromium(ii) Nickel Chromium (iii) Platinum Chromium	Everolimus-eluting Stent with 23 mm length & (2.25,2.5,2.75,3.0,3.5,3.75,4.0,4.5 diameters) FDA approved	DIGITAL IMAGING SYSTEM	XIENCE XPEDITION Everolimus Eluting coronary Stent, The next generation in the Xience family engineered to deliver the superior outcomes of sience v.with same efficuous low dose Everolimus,biocompatible fluorinated copolymer and enhanced cobalt chromium Multi-link 8 design , superiority is in its very nature. available in sizes		✓	✓	MDIR-0003285	10	0	0	0	15	1	4	0	6	25	0	0	61	Responsive

300.	Drug Eluting Stent (i) Cobalt Chromium(ii) Nickel Chromium (iii) Platinum Chromium	Everolimus-eluting Stent with 24 mm length & (2.25,2.5,2.75,3.0,3.5,3.75,4.0,4.5 diameters) FDA approved	FEROZSONS LABORATORIES	Promus Elite		✓	✓	MDIR-0001809	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive
301.	Drug Eluting Stent (i) Cobalt Chromium(ii) Nickel Chromium (iii) Platinum Chromium	Everolimus-eluting Stent with 25 mm length & (2.25,2.5,2.75,3.0,3.5,3.75,4.0,4.5 diameters) FDA approved				NO VENDOR PARTICIPATED																
302.	Drug Eluting Stent (i) Cobalt Chromium(ii) Nickel Chromium (iii) Platinum Chromium	Everolimus-eluting Stent with 26 mm length & (2.25,2.5,2.75,3.0,3.5,3.75,4.0,4.5 diameters) FDA approved				NO VENDOR PARTICIPATED																
303.	Drug Eluting Stent (i) Cobalt Chromium(ii) Nickel Chromium (iii) Platinum Chromium	Everolimus-eluting Stent with 27 mm length & (2.25,2.5,2.75,3.0,3.5,3.75,4.0,4.5 diameters) FDA approved				NO VENDOR PARTICIPATED																
304.	Drug Eluting Stent (i) Cobalt Chromium(ii) Nickel Chromium (iii) Platinum Chromium	Everolimus-eluting Stent with 28 mm length & (2.25,2.5,2.75,3.0,3.5,3.75,4.0,4.5 diameters) FDA approved	DIGITAL IMAGING SYSTEM	XIENCE XPEDITION Everolimus Eluting coronary Stent, The next generation in the Xience family engineered to deliver the superior outcomes of sience v.with same efficous low dose Everolimus,biocompatible fluorinated copolymer and enhanced cobalt chromium Multi-link 8 design , superiority is in its very nature. available in sizes		✓	✓	MDIR-0003285	10	0	0	0	15	1	4	0	6	25	0	0	61	Responsive
			FEROZSONS LABORATORIES	Promus Elite		✓	✓	MDIR-0001809	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive
305.	Drug Eluting Stent (i) Cobalt Chromium(ii) Nickel Chromium (iii) Platinum Chromium	Everolimus-eluting Stent with 29 mm length & (2.25,2.5,2.75,3.0,3.5,3.75,4.0,4.5 diameters) FDA approved				NO VENDOR PARTICIPATED																
306.	Drug Eluting Stent (i) Cobalt Chromium(ii) Nickel Chromium (iii) Platinum Chromium	Everolimus-eluting Stent with 30 mm length & (2.25,2.5,2.75,3.0,3.5,3.75,4.0,4.5 diameters) FDA approved				NO VENDOR PARTICIPATED																
307.	Drug Eluting Stent (i) Cobalt Chromium(ii) Nickel Chromium (iii) Platinum Chromium	Everolimus-eluting Stent with 31 mm length & (2.25,2.5,2.75,3.0,3.5,3.75,4.0,4.5 diameters) FDA approved				NO VENDOR PARTICIPATED																
308.	Drug Eluting Stent (i) Cobalt Chromium(ii) Nickel Chromium (iii) Platinum Chromium	Everolimus-eluting Stent with 32 mm length & (2.25,2.5,2.75,3.0,3.5,3.75,4.0,4.5 diameters) FDA approved	FEROZSONS LABORATORIES	Promus Elite		✓	✓	MDIR-0001809	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive
309.	Drug Eluting Stent (i) Cobalt Chromium(ii) Nickel Chromium (iii) Platinum Chromium	Everolimus-eluting Stent with 33 mm length & (2.25,2.5,2.75,3.0,3.5,3.75,4.0,4.5 diameters) FDA approved	DIGITAL IMAGING SYSTEM	XIENCE XPEDITION Everolimus Eluting coronary Stent, The next generation in the Xience family engineered to deliver the superior outcomes of sience v.with same efficous low dose Everolimus,biocompatible fluorinated copolymer and enhanced cobalt chromium Multi-link 8 design , superiority is in its very nature. available in sizes		✓	✓	MDIR-0003285	10	0	0	0	15	1	4	0	6	25	0	0	61	Responsive
310.	Drug Eluting Stent (i) Cobalt Chromium(ii) Nickel Chromium (iii) Platinum Chromium	Everolimus-eluting Stent with 34 mm length & (2.25,2.5,2.75,3.0,3.5,3.75,4.0,4.5 diameters) FDA approved				NO VENDOR PARTICIPATED																
311.	Drug Eluting Stent (i) Cobalt Chromium(ii) Nickel Chromium (iii) Platinum Chromium	Everolimus-eluting Stent with 35 mm length & (2.25,2.5,2.75,3.0,3.5,3.75,4.0,4.5 diameters) FDA approved				NO VENDOR PARTICIPATED																
312.	Drug Eluting Stent (i) Cobalt Chromium(ii) Nickel Chromium (iii) Platinum Chromium	Everolimus-eluting Stent with 36 mm length & (2.25,2.5,2.75,3.0,3.5,3.75,4.0,4.5 diameters) FDA approved				NO VENDOR PARTICIPATED																
313.	Drug Eluting Stent (i) Cobalt Chromium(ii) Nickel Chromium (iii) Platinum Chromium	Everolimus-eluting Stent with 37 mm length & (2.25,2.5,2.75,3.0,3.5,3.75,4.0,4.5 diameters) FDA approved				NO VENDOR PARTICIPATED																
314.	Drug Eluting Stent (i) Cobalt Chromium(ii) Nickel Chromium (iii) Platinum Chromium	Everolimus-eluting Stent with 38 mm length & (2.25,2.5,2.75,3.0,3.5,3.75,4.0,4.5 diameters) FDA approved	DIGITAL IMAGING SYSTEM	XIENCE XPEDITION Everolimus Eluting coronary Stent, The next generation in the Xience family engineered to deliver the superior outcomes of sience v.with same efficous low dose Everolimus,biocompatible fluorinated copolymer and enhanced cobalt chromium Multi-link 8 design , superiority is in its very nature. available in sizes		✓	✓	MDIR-0003285	10	0	0	0	15	1	4	0	6	25	0	0	61	Responsive
			FEROZSONS LABORATORIES	Promus Elite		✓	✓	MDIR-0001809	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive

315.	Drug Eluting Stent (i) Cobalt Chromium(ii) Nickel Chromium (iii) Platinum Chromium	Everolimus-eluting Stent with 48 mm length & (2.25,2.5,2.75,3.0,3.5,3.75,4.0,4.5 diameters) FDA approved	DIGITAL IMAGING SYSTEM	XIENCE XPEDITION Everolimus Eluting coronary Stent, The next generation in the Xience family engineered to deliver the superior outcomes of sience v.with same efficuous low dose Everolimus,biocompatible fluorinated copolymer and enhanced cobalt chromium Multi-link 8 design, superiority is in its very nature. available in sizes		✓	✓	MDIR-0003285	10	0	0	0	15	1	4	0	6	25	0	0	61	Responsive	
316.	Drug Eluting Stent (i) Cobalt Chromium(ii) Nickel Chromium (iii) Platinum Chromium	Sirolimus-eluting Stent with 8 mm length & (2.25,2.5,2.75,3.0,3.5,3.75,4.0,4.5 diameters) FDA approved		NO VENDOR PARTICIPATED																			
317.	Drug Eluting Stent (i) Cobalt Chromium(ii) Nickel Chromium (iii) Platinum Chromium	Sirolimus-eluting Stent with 9 mm length & (2.25,2.5,2.75,3.0,3.5,3.75,4.0,4.5 diameters) FDA approved		NO VENDOR PARTICIPATED																			
318.	Drug Eluting Stent (i) Cobalt Chromium(ii) Nickel Chromium (iii) Platinum Chromium	Sirolimus-eluting Stent with 10 mm length & (2.25,2.5,2.75,3.0,3.5,3.75,4.0,4.5 diameters) FDA approved		NO VENDOR PARTICIPATED																			
319.	Drug Eluting Stent (i) Cobalt Chromium(ii) Nickel Chromium (iii) Platinum Chromium	Sirolimus-eluting Stent with 11 mm length & (2.25,2.5,2.75,3.0,3.5,3.75,4.0,4.5 diameters) FDA approved		NO VENDOR PARTICIPATED																			
320.	Drug Eluting Stent (i) Cobalt Chromium(ii) Nickel Chromium (iii) Platinum Chromium	Sirolimus-eluting Stent with 12 mm length & (2.25,2.5,2.75,3.0,3.5,3.75,4.0,4.5 diameters) FDA approved	HEALTH TEC	Xlimus Cardionovum Germany		✓	✓	MDIR-0000054	0	5	0	0	15	1	4	0	6	0	0	0	31	Non-Responsive	
321.	Drug Eluting Stent (i) Cobalt Chromium(ii) Nickel Chromium (iii) Platinum Chromium	Sirolimus-eluting Stent with 13 mm length & (2.25,2.5,2.75,3.0,3.5,3.75,4.0,4.5 diameters) FDA approved		NO VENDOR PARTICIPATED																			
322.	Drug Eluting Stent (i) Cobalt Chromium(ii) Nickel Chromium (iii) Platinum Chromium	Sirolimus-eluting Stent with 14 mm length & (2.25,2.5,2.75,3.0,3.5,3.75,4.0,4.5 diameters) FDA approved																					
323.	Drug Eluting Stent (i) Cobalt Chromium(ii) Nickel Chromium (iii) Platinum Chromium	Sirolimus-eluting Stent with 15 mm length & (2.25,2.5,2.75,3.0,3.5,3.75,4.0,4.5 diameters) FDA approved																					
324.	Drug Eluting Stent (i) Cobalt Chromium(ii) Nickel Chromium (iii) Platinum Chromium	Sirolimus-eluting Stent with 16 mm length & (2.25,2.5,2.75,3.0,3.5,3.75,4.0,4.5 diameters) FDA approved	HEALTH TEC	Xlimus Cardionovum Germany		✓	✓	MDIR-0000054	0	5	0	0	15	1	4	0	6	0	0	0	31	Non-Responsive	
325.	Drug Eluting Stent (i) Cobalt Chromium(ii) Nickel Chromium (iii) Platinum Chromium	Sirolimus-eluting Stent with 17 mm length & (2.25,2.5,2.75,3.0,3.5,3.75,4.0,4.5 diameters) FDA approved		NO VENDOR PARTICIPATED																			
326.	Drug Eluting Stent (i) Cobalt Chromium(ii) Nickel Chromium (iii) Platinum Chromium	Sirolimus-eluting Stent with 18 mm length & (2.25,2.5,2.75,3.0,3.5,3.75,4.0,4.5 diameters) FDA approved																					
327.	Drug Eluting Stent (i) Cobalt Chromium(ii) Nickel Chromium (iii) Platinum Chromium	Sirolimus-eluting Stent with 19 mm length & (2.25,2.5,2.75,3.0,3.5,3.75,4.0,4.5 diameters) FDA approved																					
328.	Drug Eluting Stent (i) Cobalt Chromium(ii) Nickel Chromium (iii) Platinum Chromium	Sirolimus-eluting Stent with 20 mm length & (2.25,2.5,2.75,3.0,3.5,3.75,4.0,4.5 diameters) FDA approved	HEALTH TEC	Xlimus Cardionovum Germany		✓	✓	MDIR-0000054	0	5	0	0	15	1	4	0	6	0	0	0	31	Non-Responsive	
329.	Drug Eluting Stent (i) Cobalt Chromium(ii) Nickel Chromium (iii) Platinum Chromium	Sirolimus-eluting Stent with 21 mm length & (2.25,2.5,2.75,3.0,3.5,3.75,4.0,4.5 diameters) FDA approved	INTEK CORPORATION	Ultimaster Tensei Sirolimus Eluting Stent System, Terumo, Japan Length: 12/15/18/24/28/33/38 mm Diameter: 2.25/ 2.5/ 2.75/ 3.0/ 3.5/ 4.0		✓	✓	MDIR-0003145	0	5	0	0	15	1	4	0	6	25	0	0	56	Responsive	
330.	Drug Eluting Stent (i) Cobalt Chromium(ii) Nickel Chromium (iii) Platinum Chromium	Sirolimus-eluting Stent with 22 mm length & (2.25,2.5,2.75,3.0,3.5,3.75,4.0,4.5 diameters) FDA approved		NO VENDOR PARTICIPATED																			
331.	Drug Eluting Stent (i) Cobalt Chromium(ii) Nickel Chromium (iii) Platinum Chromium	Sirolimus-eluting Stent with 23 mm length & (2.25,2.5,2.75,3.0,3.5,3.75,4.0,4.5 diameters) FDA approved																					
332.	Drug Eluting Stent (i) Cobalt Chromium(ii) Nickel Chromium (iii) Platinum Chromium	Sirolimus-eluting Stent with 24 mm length & (2.25,2.5,2.75,3.0,3.5,3.75,4.0,4.5 diameters) FDA approved	HEALTH TEC	Xlimus Cardionovum Germany		✓	✓	MDIR-0000054	0	5	0	0	15	1	4	0	6	0	0	0	31	Non-Responsive	
333.	Drug Eluting Stent (i) Cobalt Chromium(ii) Nickel Chromium (iii) Platinum Chromium	Sirolimus-eluting Stent with 25 mm length & (2.25,2.5,2.75,3.0,3.5,3.75,4.0,4.5 diameters) FDA approved																					

[illegible]

475.	Amplatzer			NO VENDOR PARTICIPATED																		
476.	ATB Balloons (Multiple Size)																					
477.	Woven																					
478.	E.O Gas Cartridge																					
479.	Cuvettes	Whole Blood Oximeter Cuvettes		NO VENDOR PARTICIPATED																		
480.	TAVI Device with complete accessories FDA		MEDRONIC PAKISTAN	Evolut Pro Plus valve with all Complete accessories	EA	✓	✓	MDIR-0005774	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive
			FEROZSONS LABORATORIES	Accurate Neo 2		✓	✓	MDIR-0001691	0	5	0	0	15	1	4	0	6	25	0	0	56	Responsive
481.	TAVI Support Wire		MEDRONIC PAKISTAN	Confida Wire Sentrant Sheath	Pack of 5	✓	✓	MDIR-0001024	10	0	0	0	15	1	4	0	6	25	0	0	61	Responsive
			FEROZSONS LABORATORIES	Safari II Wire		✓	✓	MDIR-0007646	0	5	0	0	15	1	4	0	6	25	0	0	56	Responsive
482.	HIS Bundle/Conduction System		MEDRONIC PAKISTAN	SELECT SECURE MRI PACING LEAD 383069 & 383059 DELIVERY CATHETER C315HIS02 C304HIS	EA	✓	✓	MDIR-0002945	10	0	0	0	15	1	4	0	6	25	0	0	61	Responsive

483.	HIS Bundle Leads		MEDRONIC PAKISTAN	LEAD 383069 & 383059	EA	✓	✓	MDIR-0001046	10	0	0	0	15	1	4	0	6	25	0	0	61	Responsive	
484.	Cryo Ablation with accessories	Awarded firm will place Machine in the Hospital on RR Basis	MEDRONIC PAKISTAN	Arctic Front Advance 28 mm cryoablation cathete + FlexCath Advance 12Fr+ Electrical Umbilical (each) Cryo Accessories+Coaxial Umbilical (each) Cryo Accessories+ Achieve Advance 28 mm + CABLE ACHIEVE ST 10-PIN Freezor Xtra 3 Focal Cryoablation Catheter + Coaxial Umbilical (each) Cryo Accessories + Electrical Umbilical (each) Cryo Accessories	EA	✓	✓	MDIR-0001002	10	0	0	0	15	1	4	0	6	25	0	0	61	Responsive	
485.	IVUS Catheters Compatible with IVUS Machine	Awarded firm will place Machine in the Hospital on RR Basis	NO VENDOR PARTICIPATED																				
486.	Pressure Wire for FFR		FEROZSONS LABORATORIES	COMET II		✓	✓	MDIR_0000122	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive	
487.	Intra Cardiac echo (ICE) Catheter	Awarded firm will place Machine in the Hospital on RR Basis	NO VENDOR PARTICIPATED																				
488.	Pressure Line		A & E MEDICAL	Sunny Medical China		✓	✓	MDIR-0006346	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive	
489.	Left Arterial Appendage Closure (LAAC) device		DIGITAL IMAGING SYSTEM	Amptazer Amulet LAA Occluder is Designed to treat patients with non-valvular atrial fibrillation (Afib)		✓	✓	MDIR-0003290	0	0	0	0	15	1	4	0	6	25	0	0	51	Responsive	
490.	PEF Ablation System with all accessories And Catheters			NO VENDOR PARTICIPATED																			
491.	Vally Lab Patch																						
492.	Embolic Protection Device (EPD)	NAV-6	DIGITAL IMAGING SYSTEM	Emboshield NAV 6 has advance filter design with platinum tungsten alloy coils. It has high strength nylon material allowing low crossing profile. It has hydrophilic coating with beare wire advantage		✓	✓	MDIR-0001392	10	0	0	0	15	1	4	0	6	25	0	0	61	Responsive	
493.		Felter Wire 52	NO VENDOR PARTICIPATED																				
494.		Angioguard																					
495.		Spider																					
496.		Fiber Net																					
497.		Interceptor																					
	USB	Provided Technical Evaluation in soft																					
Neurovascular Guide Wire																							
1	Chikai 0.08	Guide wire, Soft and Flexible, length 200 cm	NO VENDOR PARTICIPATED																				
2	Chikai 0.014 Black	Guide wire with lubricity, length 200 cm	INTEK CORPORATION	Traxcess Guide Wire 0.014 x 200cm		✓	✓	MDIR-0001142	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive	
3	Chikai 10	Balanced tip, higher body support length 200cm	NO VENDOR PARTICIPATED																				
4	Chikai 18	Specialty Guide Wire, Length 200 cm																					
Neurovascular Guide catheter																							

1	Asahi Fubuki sheath 90 cm	6fr, straight length 90cm	INTEK CORPORATION	Destination Sheath 6Fr 90cm		✓	✓	MDIR-0001653	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive
2	Asahi Fubuki Sheath 80 cm	6fr, straight, length 80 cm		NO VENDOR PARTICIPATED																		
Peripheral Guide Wire																						
1	Astato 30	Tip load 30.0gf, Tapered, polymer jacketed Length 180cm		NO VENDOR PARTICIPATED																		
2	Gladius	Frontline, tip load 3.0gf,length 200 cm																				
3	Halberd	Special wire, tip load 12.0gf, length 200cm																				
4	Astato XS 20	Tip load 20.0gf , tapered, Length 180 cm																				
5	Astato XS 40	Tip load 40.0gf, tapered, length 200 cm																				
6	Gaia PV	Tip load; 7.5gf , tapered, Length 200 cm																				
Neuro Intervention																						
1.	Neuro Intervention	IM 2 Diagnostic Catheter with soft t94 (Japanese/US FDA Approved, with evidence 500 of use in Japan/USA or valid US FDA CFG) Diagnostic Catheter Vert 125cm (European CH 95 (Mark/Japanese/US FDA with evidence of use No 25 in Europe, Japan or USA)		NO VENDOR PARTICIPATED																		
2.		Neuro Aspiration Catheter with inner lumen 0.070", longest length (Japanese/US FDA Approved, with evidence of use in Japan/USA or valid US FDA CFG)	INTEK CORPORATION	Sofia Plus Aspiration Catheter 6Fr 125/131 cm (Inner Lumen 0.070) MicroVent/Terumo Neuro USA		✓	✓	MDIR-0001141	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive
3.		Neuro Aspiration Catheter with inner lumen 10.071" or more, longest length (Japanese/US FDA Approved, with evidence of use in Japan/USA or valid US FDA CFG)		NO VENDOR PARTICIPATED																		
4.		[Neuro Aspiration Catheter SF or less for MeVO, Longest length (Japanese/US FDA Approved, with evidence of use in Japan/USA or valid US FDA CFG)		NO VENDOR PARTICIPATED																		
5.		Stent Retrievers in 3, 4 and 6mm diameters in longest length for LVO and MeVO, with compatible microcatheters (usable length 150cm or longer) (Japanese/US FDA Approved, with evidence of use in Japan/USA or valid US FDA CFG		NO VENDOR PARTICIPATED																		
6.		Neuro Micro Catheter, 0.021 inch inner diameter, usable length 150cm or longer ((Japanese/US FDA Approved, with evidence of. an/USA or valid US FDA CFG) Neuro intervention workhorse wire 0.014, 101 (Japanese/US FDA Approved, with evidence No 400 l of use in Japan/USA or valid US FDA CFG)		NO VENDOR PARTICIPATED																		

7.		Self- Expanding Carotid Stent with variable cell design, single layer, tapered shape, 102 Bx40mm and 9x7x40mm (Japanese/US FDA No 40 or valid US FDA CFG) Approved, with evidence of use in Japan/USA	DIGITAL IMAGING SYSTEM	The XACT Carotid Stent System is intended to be used to reopen narrowed parts of the carotid arteries in the neck that supply blood to the brain		✓	✓	MDIR-0003385	10	0	0	0	15	1	4	0	6	25	0	0	61	Responsive
8.		Self-Expanding Carotid Stent with closed cell design, single layer, straight shape, (Japanese/US FDA Approved, with evidence of use in Japan/USA or valid US FDA CFG) Self- Expanding Carotid Stent with closed cell design, double mesh layer, (Japanese/US FDA Approved, with evidence of use in Japan/USA or valid US FDA CFG)																				
9.		Carotid Filter covering vessel diameters including 7mm (self wire only) (Japanese/US ENA Aw sesh)																				
10.		Self-Expanding Carotid Stent with closed cell design, single layer, straight shape, (Japanese/US FDA Approved, with evidence of use in Japan/USA or valid US FDA CFG) Self- Expanding Carotid Stent with closed cell design, double mesh layer, (Japanese/US FD design, double mesh layer, (Japanese/US FDA	INTEK CORPORATION	Casper Carotid Artery Stent MicroVenton/Terumo Neuro USA		✓	✓	MDIR-0000393	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive
11.		Carotid Filter covering vessel diameters including 7mm (self wire only) (Japanese/US FDA Approved, with evidence of use in Japan/USA or valid US FDA CFG)	DIGITAL IMAGING SYSTEM	Emboshield NAV 6 has advance filter design with platinum tungesten alloy coils. It has high strength nylon material allowing low crossing profile. It has hydrophilic coating with beare wire advantage		✓	✓	MDIR-0001392	10	0	0	0	15	1	4	0	6	25	0	0	61	Responsive
12.		Carotid Filter covering vessel diameters including 7mm (any wire filter) (Japanese/US FDA Approved, with evidence of use in Japan/USA or valid US FDA CFG)																				
13.		Carotid proximal protection device Moma or Equivalent (Japanese/US FDA Approved, with evidence of use in Japan/USA or valid US FDA CFG)																				
14.		Coronary Non-Compliant balloons 4.5mm diameter, 20 or 25 mm long (European CE Mark/Japanese/US FDA with evidence of use in Europe, Japan or USA	DIGITAL IMAGING SYSTEM	Trek NC is specially designed for focused dilatation force in the toughest of cases.Its superb deliverability and performance is driven by proprietary technological advancement in tip design, balloon material and shaft design.)		✓	✓	MDIR-0000010	10	0	0	0	15	1	4	0	6	25	0	0	61	Responsive
			INTEK CORPORATION	Sapphire II NC 4.5 x 18 Only OrbusNeich, Netherland		✓	✓	MDIR-0003387	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive
15.		Coronary Non-Compliant balloons 5mm diameter, 20 or 25mm long (European CE Mark/Japanese/US FDA with evidence of use in Europe, Japan or USA	DIGITAL IMAGING SYSTEM	Trek NC is specially designed for focused dilatation force in the toughest of cases.Its superb deliverability and performance is driven by proprietary technological advancement in tip design, balloon material and shaft design.)		✓	✓	MDIR-0000010	10	0	0	0	15	1	4	0	6	25	0	0	61	Responsive
			INTEK CORPORATION	Sapphire II NC 5.0 x 18 Only OrbusNeich, Netherland		✓	✓	MDIR-0003387	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive
16.		Guiding Sheaths straight tip, 6F in 90cm lengtl with option of connecting Y connector and 0.038 guidewire compatibility (Japanese/US FDA Approved, with evidence of use in Japan/USA or valid US FDA CFG)	INTEK CORPORATION	Destination Sheath 6Fr 90cm, Terumo, Japan		✓	✓	MDIR-0001653	10	5	0	0	15	1	4	0	6	25	0	0	66	Responsive
17.		Guiding Sheaths straight tip, 6F in 90cm lengtl with option of connecting Y connector and 0.038 guidewire compatibility (Japanese/US FDA Approved, with evidence of use in Japan/UsaSA or valid US FDA CFG) with evidence of use in Japan/USA or valid US FDA CFG)																				
1	ACT Tubes	Awarded firm will place Machine in the Hospital on RR Basis																				

